Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date October 15, 2006 month day year	Spot C NE NE Sec. 2 Twp. 34 S. R. 11 West
33168	660' FNL feet from VN / S Line of Section
OPERATOR: License# 33168	660' FEL feet from VE / W Line of Section
Name: WOOLSEY OPERATING COMPANY, LLC Address: 125 N. Market, Suite 1000	Is SECTION RegularIrregular?
Wichita Kaneae 67202	is ocorrownegular:
Only/State/Zip.	(Note: Locate well on the Section Plat on reverse side) County: Barber
316 267 4270 avt 107	Obunty.
Phone:	Poundin Couth
CONTRACTOR: License# 33724	Field Name.
Name: Warren Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Mississippian
	ccol
Well Drilled For: Well Class: Type Equipment:	Notices Leade of drift boundary.
Oil Enh Rec Infield Mud Rotary	
✓ Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes
Seismic;# of Holes Other	Depth to bottom of usable water: 180'
Other	Surface Pipe by Alternate: 1 2
H CHENTO, and wall information as fallows.	Length of Surface Pipe Planned to be set: 250'
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator: 11/4	Projected Total Depth: 5100'
Well Name:Original Total Depth:	Formation at Total Depth: Simpson
Original Completion DateOriginal lotal Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other To be hauled
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
KCC DKT #:	RECEIVED
	If Yes, proposed zone: KANSAS CORPORATION COMMI
AFF	If Yes, proposed zone: KANSAS CORPORATION COMMIT SEP 1 2 2000
AFF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone: KANSAS CORPORATION COMMINICATION OF THE PROPERTY OF TH
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: Comparison Committee Comparison Committee Comparison Committee Comparison Committee Comparison Committee Committee
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: Comparison Committee Comparison Committee Comparison Committee Comparison Division Wightness Comparison Committee Comparison Division Committee Committee Committe
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	If Yes, proposed zone: Comparison Committee
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	If Yes, proposed zone: Comparison Committee Com
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the desired of the well is dry hole, an agreement between the operator and the consolidated materials.	If Yes, proposed zone: RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the se	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the secon	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the content of the surface of the surface will be notified before well is either plus 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. SEP 1 3 2006 CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the content of the surface of the surface will be notified before well is either plus 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION with the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the surface of the second of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION with the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. It if my knowledge and belief
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the surface of the second of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION with the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. It if my knowledge and belief
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of t	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. It into perations Manager Title: Operations Manager
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the color of the surface office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the bast of the post of the spud of the spu	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: Operations Manager Son Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface of the well is either plus for the appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best-one of the surface of the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. It into perations Manager Title: Operations Manager
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHTA, KS ch drilling rig: et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; greed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: Operations Manager Son Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second to the well is dry hole, an agreement between the operator and the constitution of the surface of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best-on the policy of the spud state of the specific signature of Operator or Agent: Dean Pattist	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. SEP 1 3 2006 CONSERVATION DIVISION WICHTA, KS ch drilling rig: et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; greed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: Operations Manager Son Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHTA, KS ch drilling rig: et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; greed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: Operations Manager Son Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the self-self-self-self-self-self-self-self-	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. SEP 1 3 2006 CONSERVATION DIVISION WICHTA, KS ch by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: Operations Manager Son Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the statement of the prior well is either pluguated. 5. The appropriate district office will be notified before well is either pluguated. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. 8. Inhereby certify that the statements made herein are true and to the best of the special proof of the special	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. SEP 1 3 2006 CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. # my knowledge and belief Title: Operations Manager Son Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through all the well is either plug to the spurp from the complete will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best-one plus and the complete statements made herein are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are true and to the best-one plus and the complete statements are plus and the complete statements and the complete statements are	IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. SEP 1 3 2006 CONSERVATION DIVISION WICHTA, KS of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. # my knowledge and belief Title: Operations Manager Son Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. SEP 1 3 2006 CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. # my knowledge and belief Title: Operations Manager Son Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23064-0000	Location of Well: County: Barber
Operator: WOOLSEY OPERATING COMPANY, LLC	660' FNL feet from VN / S Line of Section
Lease: SPICER 'A'	660' FEL feet from F E / W Line of Section
Well Number:1	Sec. 2 Twp. 34 S. R. 11 East V Wes
Field: Roundup South	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: C NE NE NE	Is Section: Regular or Irregular
GITT GITT GITT OF GUIDAGO.	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	•			•		•						· ·		.6	60	F	NL			
		٠	•		٠			. ,		•	•	:	٠		•		•		360) FE
				:	•		•		•		•		٠	 :	•	•		· .	•	
							-									•		•		
	 •					•		- 2	!			:		;				-		
												:								
				:					-			:		 	•				•	
						 			-					 :						
	 					 	- •							 						• •



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Noolsey Opera	ting Compan	ıy, LLC	License Number: 33168
Operator Address: 125 N. Mark	et, Suite 10	000, Wicl	hita, Kansas 67202
Contact Person: Carl W. Durr, F	ield Supervis	Phone Number: (620) 886 - 5606 ext 27	
Lease Name & Well No.: SPICER	A-1		Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>CNENE</u>
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 2 Twp. 34 R. 11 East V West
Settling Pit	If Existing, date o	onstructed:	660 Feet from 🗹 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from 🔽 East / 🗌 West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water	Area? Yes]No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes 🗸	No	Clays from mud will provide sealer.
Pit dimensions (all but working pits):8	0 Length (fe	eet) 80	Width (feet)N/A: Steel Pits
Depth fr	om ground level to de	eepest point:	4(feet)
If the pit is lined give a brief description of the			edures for periodic maintenance and determining
material, thickness and installation procedure),	iner integrity, ii I	ncluding any special monitoring.
		Monitor ni	its until thoroughly dryken. RECEIVED
		Monitor p	its until thoroughly drykansas corporation commiss
		Monitor p	its until thoroughly drykansas corporation commiss SEP 1 3 2006
Distance to nearest water well within one-mile	of pit		SEP 1 3 2006
Distance to nearest water well within one-mile	·	Depth to shallo Source of infor	SEP 1 3 2006 CONSERVATION DIVISION feet. WICHITA, KS
1 reet Depth of water well	·	Depth to shallo Source of infor	CONSERVATION DIVISION feet. WICHITA, KS
Emergency, Settling and Burn Pits ONLY:	·	Depth to shallo Source of infor measu Drilling, Work	CONSERVATION DIVISION mation: red well owner electric log KDWR over and Haul-Off Pits ONLY:
Emergency, Settling and Burn Pits ONLY: Producing Formation:	·	Depth to shallo Source of infor measu Drilling, Worke	CONSERVATION DIVISION west fresh waterfeet. WICHITA, KS ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Depth to shallo Source of infor measu Drilling, Worke Type of materia Number of wor	west fresh waterfeet. WICHITA, KS west fresh waterfeet. WICHITA, KS well owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh king pits to be utilized:3
Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Depth to shallo Source of infor measu Drilling, Worke	west fresh waterfeet. WICHITA, KS west fresh waterfeet. WICHITA, KS well owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh king pits to be utilized:3
Freducing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	feet	Depth to shallo Source of infor measu Drilling, Work Type of materia Number of wor Abandonment	west fresh waterfeet. WICHITA, KS west fresh waterfeet. WICHITA, KS well owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh king pits to be utilized:3
Freducing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must be	CONSERVATION DIVISION meation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh king pits to be utilized: 3 procedure: When dry, backfill and restore location. the closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet	Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must be	CONSERVATION DIVISION meation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh king pits to be utilized: 3 procedure: When dry, backfill and restore location. the closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 9/12/06	spilled fluids to	Depth to shallo Source of informeasu Drilling, Worke Type of material Number of wor Abandonment Drill pits must be correct to the best	CONSERVATION DIVISION Inwest fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	spilled fluids to	Depth to shallo Source of infor measu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the best	CONSERVATION DIVISION Inwest fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 9/12/06	spilled fluids to	Depth to shallo Source of informeasu Drilling, Worke Type of material Number of wor Abandonment Drill pits must be correct to the best	CONSERVATION DIVISION west fresh water



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

September 14, 2006

Mr. Dean Pattisson Woolsey Operating Company, LLC 125 N. Market Ste 1000 Wichita, KS 67202

RE: Drilling Pit Application Spicer A Lease Well No. 1 NE/4 Sec. 02-34S-11W Barber County, Kansas

Dear Mr. Pattisson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kath Hayres

Department of Environmental Protection and Remediation

cc: File