### 

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled
Shilph

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	09/25/06	Spot 10 26	<b>✓</b> East
	month day year	NE _ SE _ NW _ Sec. 19 _ Twp. 26	
33583		1910 feet from V N /	
OPERATOR: License# 33583 Name: Admiral Bay (USA) Inc			✓ W Line of Section
Address: 7060B Tucson Way	-	ls SECTIONRegularIrregular?	
City/State/Zip: Centennial, CO	80112	(Note: Locate well on the Section Plat on	reverse side)
City/State/Zip:		County: Allen	everse sleet
Contact Person: Carol Sears		Lease Name: Wolf	Well #: 6-19
Phone: 303.350.1255		Field Name: Humboldt-Chanute	446ii #:
CONTRACTOR: License# 578	36 /		
Name: McGowan Drilling		Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Woodwart Drining		Target Formation(s): Riverton	
Well Drilled For:	Well Class: Type Equipment:	Nearest Lease or unit boundary: 655	
		Ground Surface Elevation: 934	feet MSL
Oil Enh Rec		Water well within one-quarter mile:	Yes No
✓ Gas ✓ Storage	Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal	Wildcat Cable	Depth to bottom of fresh water:	
Seismic; # of Hole	es Other	Depth to bottom of usable water:200+	
Other		Surface Pipe by Alternate: 1 √ 2	
If OWWO: old well information	as follows:	Length of Surface Pipe Planned to be set: 20 feet	
		Length of Conductor Pipe required:	
•		Projected Total Depth: 1200 feet	
Well Name:		Formation at Total Depth: Mississippian	
Original Completion Date:	Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizon	ntal wellbore? Yes 🗸 No	Well Farm Pond Other Municip	ality
•		DWR Permit #:	
		(Note: Apply for Permit with DWR	
		Will Cores be taken?	Yes No
NCC DRT #.			[ 163 ¥ 140
		If Yes, proposed zone:	
	AFF	FIDAVIT	RECEIVED
The undersigned hereby affire	ms that the drilling, completion and eventual r	Plugging of this well will comply with K.S.A. 55 et. seq.	ORPORATION COMMISSIC
It is agreed that the following	minimum requirements will be met:		SEP 1 4 2006
	district office prior to spudding of well;	`	)L1 1 7 2000
2. A copy of the approved	notice of intent to drill shall be posted on ea	ach drilling rig; set by circulating cement to the top; in all cases surface	SERVATION DIVISION
	tted materials plus a minimum of 20 feet into		ON MANUAL VERNING
4. If the well is dry hole, a	an agreement between the operator and the	district office on plug length and placement is necess.	ary <i>prior to plugging;</i>
5. The appropriate district	office will be notified before well is either plu	igged or production casing is cemented in;	
6. If an ALTERNATE II CO	OMPLETION, production pipe shall be cemer	nted from below any usable water to surface within 12	O days of spud date.
Or pursuant to Append	ix "B" - Eastern Kansas surface casing orde	r #133,891-C, which applies to the KCC District 3 are	a, alternate II cementing
must be completed with	nin 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office pri	or to any cementing.
I hereby certify that the states	ments made herein are true and to the best	of my knowledge and belief.	
	a	4 O I I I I I I I I I I I I I I I I I I	-inintrator
Date: 09/13/06	Signature of Operator or Agent:	al a Seaso Title: Land Adn	imstator
		Remember to:	
For KCC Use ONLY		- File Drill Pit Application (form CDP-1) with Intent k	ı Drill
201-29	505-0000	- File Completion Form ACO-1 within 120 days of	enud date:
API # 15 - 001-07	11	- File acreage attribution plat according to field pro	
Conductor pipe required	None feet	- Notify appropriate district office 48 hours prior to	
Minimum surface pipe requir	red 20 feet per Alt. X 2	Submit plugging report (CP-4) after plugging is of	
Approved by: Put 9-14		- Obtain written approval before disposing or inject	ing salt water
	3-14-07	If this permit has expired (See: authorized expirat	ion date) please
This authorization expires:	<del> </del>	check the box below and return to the address b	elow.
(This authorization void if drillii	ing not started within 6 months of approval date.)	Well Not Drilled - Permit Expired	'
	Amant	Signature of Operator or Agent:	L
Spud date:	Agent:	Signature of Operator of Agent	
	A-II A- VOC Consequenting District 120		W

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29505-0000	Location of Well: County: Allen
Operator: Admiral Bay (USA) Inc.	
Lease: Wolf	1910feet from
Well Number: 6-19	Sec. 19 Twp. 26 S. R. 18 ✓ East Wes
Field: Humboldt-Chanute	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NE _ SE _ NW	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	· · · · ·						
		•	1910'				
i			I 1910'				
1			10.0				
1 .			1	l			•
				i			
				!			
				• • •			
				ļ			
	•			l	•		•
i			1	1			
1	•	•	1	1	•		
		_	1				
			f .	1			
1		1		i			
1			l i	!			
		1					
1		1		i			
1		•		1	•		•
-		+	D	I			
· 1985'		1	<del>.</del> i	l			
. 1900		1					
1	•	<del>!</del>	ì		•	•	
1							
	•	1 .			•		-
					_		
1	•	1 .			-		-
I	_						
1		1	لفد	h			
				9 —			
1							,
I							
	•				•		•
I							
1	•			1	•		•
				• • •			
i				1			
I							
1		•		l .			
				ı			
1					•		
					•		•
1		-			•		•
1				 			
		·			· · · · · ·	·	·
	·	·			· · · · ·	·	
					• • • • • • • • • • • • • • • • • • •	· · · · ·	· · · · ·
					•		·
	·	· · · · ·			• • • • • • • • • • • • • • • • • • •	· · · · ·	
	·				·	· · · · ·	·
	· · · · · · · · · · · · · · · · · · ·				· · · · · ·		
	·						
	·						
					· · · · · · · · · · · · · · · · · · ·		
	·						
					-		
					-		
					-		

RECEIVED KANSAS CORPORATION COMMISSION SEP 1 4 2006

CONSERVATION DIVISION WICHITALKS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed Shiloh

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Admiral Bay (USA) Inc.			License Number: 33583		
Operator Address: 7060-B So. Tuc	son Way, Ce	entennial, C	O 80112		
Contact Person: Carol Sears			Phone Number: ( 303 ) 350 - 1255		
Lease Name & Well No.: Wolf 6-19			Pit Location (QQQQ):		
Type of Pit: Pit is:		SW NE SE NW			
Emergency Pit Bum Pit	Proposed Existing		Sec. 19 Twp. 26S R. 18		
Settling Pit	If Existing, date constructed:		1910 Feet from 📝 North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / ✓ West Line of Section Allen County		
Is the pit located in a Sensitive Ground Water Area? Yes Vo			Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓ No		How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	20 Length (fe	eet)20	Width (feet) N/A: Steel Pits		
Depth fi	rom ground level to de	eepest point:	5 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and responsibilities  notuding any special monitoring  KANSAS CORPORATION COMMISSION		
			SEP 1 4 2006  CONSERVATION DIVISION  WICHITA, KS		
Distance to nearest water well within one-mil	e of pit		SEP 1 4 2006  CONSERVATION DIVISION WICHITA, KS  owest fresh waterfeet.		
Distance to nearest water well within one-mil  N/A feet Depth of water well	•	Depth to shallo	SEP 1 4 2006  CONSERVATION DIVISION WICHITA, KS  owest fresh waterfeet.		
	feet	Depth to shalld Source of informal measu Drilling, Work	SEP 1 4 2006  CONSERVATION DIVISION: WICHITA, KS  Invest fresh waterfeet. Inmation: Inted well owner electric log KDWR  Over and Haul-Off Pits ONLY:		
N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY.  Producing Formation:	feet	Depth to shalld Source of informease Drilling, Work	SEP 1 4 2006  CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh water and native mud		
N/A feet Depth of water well	feet	Depth to shalld Source of informass.  Drilling, Work Type of materia	SEP 1 4 2006  CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh water and native mud  rking pits to be utilized:2		
N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY.  Producing Formation:	feet	Depth to shallor Source of informease Drilling, Work Type of materia Number of work Abandonment	SEP 1 4 2006  CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh water and native mud  rking pits to be utilized:2		
N/A feet Depth of water well	feet:	Depth to shallor Source of informease Drilling, Work Type of materia Number of work Abandonment Drill pits must	SEP 1 4 2006  CONSERVATION DIVISION WICHITA, KS  Inwest fresh waterfeet. Inmation: Inred well owner electric log KDWR  Invertible over and Haul-Off Pits ONLY: Industrial utilized in drilling/workover: Fresh water and native mud  Taking pits to be utilized:2  Inprocedure: Evaporation and back fill  The closed within 365 days of spud date.		
N/A feet Depth of water well	feet:	Depth to shalled Source of information of measurement Drill pits must correct to the bes	SEP 1 4 2006  CONSERVATION DIVISION WICHTA, KS  Inwest fresh waterfeet. Inmation:  Inred well owner electric log KDWR  Inver and Haul-Off Pits ONLY:  Inal utilized in drilling/workover: Fresh water and native mud  Inking pits to be utilized: 2  Inprocedure: Evaporation and back fill  In the closed within 365 days of spud date.		
N/A feet Depth of water well	feet	Depth to shalled Source of information of measurement Drill pits must correct to the bes	SEP 1 4 2006  CONSERVATION DIVISION WICHITA, KS  owest fresh water		