For KCC Use: 9-23-06 Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Septiment Sept			
OPERATOR Licensee 4252	Expected Spud Date September 28, 2006	Spot	ast
OPERATOR: Licensee ASSOCIATES, Inc. ASSOCIATES, Inc. Too.	• •	\overline{NW} - \overline{NW} - $\overline{Sec.}$ 35 Two. 23 s.s. 4 $\overline{\checkmark}$ v	Vest
Name Kahan & Associates Inc.	OPERATOR: Lineares 4252	200	
SECTION Regular Inregular? Note: Tubisia, OK. 74170-0780 Contact Person: David M. Willson Prione. (918) 492-9797 Name: Section Regular Membrane Regular Regular Membrane Regular Regular Membrane Regular Membrane Regular Regular Membrane Regular Regular Membrane Regular Regular Membrane Regular Regular Regular Membrane Regular Regu	T7 1 0 A	760feet from E / W Line of Section	1
CiryStateAr2p. TulSsq. OK 74170-0780 Contract Person. David M. Wilson. (918) 492-9797. CONTRACTOR: Licenses 35559 Same: Special State of the S			
County Reno Service	m-1 ~~ OZ 74170 0700	(Note: Locate well on the Section Plat on reverse side)	
Phone: (918) 492-9797 CONTRACTOR: Licenseer 35599 Name: Landmark Drilling Well Drilled For: Well Class: Type Specifyment: Well Drilled For: Well Class: Type Specifyment: Gas Storage Pool Ext. Art Rotary Gas Storage Pool Ext. Ground Surface Elevation: 1465 Gr	Design M. Miller		
CONTRACTOR: Licensel 33549	(010) 400 0707	Lease Name: Goering 'B' well #: 10	
Name:	22549 1/		
Well Drilled For Well Class: Type Eperfirment: Nearest Lease or unit boundary: 6600			No
Well Drilled For Well Class: Type Egement: Mud Rolady Infeld Mud Rolady Infeld Service (Mud Rolady Infeld Service)	Name: Landillark Drilling	Target Formation(s): Arbuckle	
Ground Surface Elevation: 1400 Selevation: 1400	Well Drilled For Well Class: Type Fortiment:	received body or will body and y	
Gas Storage Pool Ext Air Rotary Walfor well within one-guater mile: Ves No Disposal Willoam Willoam Willoam Selemet: of Holes Other Othe		Ground Surface Elevation: 1465 teet	MSL
Selsmic: _ in of Holes Other Cable Selsmic: _ in of Holes Other Cable Ca			44
Selamic: # of Holes Other		2401 /	∕No
Surface Pipe by Alternate: 1		240	
Length of Surface Pipe Planned to be set: 260		Books to bottom of double water.	
Operator: Well Name: Original Completion Date: Original Completion Da			
Well Name: Original Completion Date: Origina	If OWWO: old well information as follows:	2/201	
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: West Formation at Total Depth: Water Source for Drilling Operations: West Formation at Total Depth: Water Source for Drilling Operations: West Formation at Total Depth: Water Source for Drilling Operations: West Formation at Total Depth: Water Source for Drilling Operations: West Formation at Total Depth: Water Source for Drilling Operations: West Formation at Total Depth: Water Source for Drilling Operations: West Formation at Total Depth: Water Source for Drilling Operations: West West Formation at Total Depth: Water Source for Drilling Operations: West West Formation at Total Depth: Water Source for Drilling Operations: West West Formation at Total Depth: Water Source for Drilling Operations: West	•	40001	
Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Rond Other			
Directional, Devisted or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. SEP 0.7 7000 AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig. 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERINATE if COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7-5-0 Signature of Operator or Agent: Minimum surface pipe required. Approved by 1244-9-178-00 This authorization expires: 3-18-07 Well Not Drilled - Permit Expired Signature of Operator or Agent: Date	Original Completion Date:Original Total Depth:	,	
Will Cores be taken? Will Cores be taken? Yes No No Note: Apply for Permit with DWR Will Cores be taken? Yes No No RECEIVE!	Directional, Deviated or Horizontal wellbore?		
Note: Apply for Permit with DWR Note: Apply for Permit with Explainable plugged on Permit Note: Apply with K.S.A. 55 et. seq. SEP 07 7000 Note: Apply for Permit			
Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. SEP 0 7 2000 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE is COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix B* - Eastern Kansass surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the feet of my knowledge and belief. Date:	,		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. SEP 0.7 3000 kt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C; which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Thereby certify that the statements made herein are true and to the well shall be plugged in the KCC District 3 area, alternate II cementing my knowledge and belief. Date: 9-5-06 Signature of Operator or Agent: For KCC Use ONLY API #15			/ //No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7-5-0 Signature of Operator or Agent: For KCC Use ONLY. API # 15			_17 \t.—↓ _17 \t.—↓
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. SEP 0.7 300 kt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7-5-0 Signature of Operator or Agent: Approved by: CLB 9-18-00 If left prior to plugging is completed; Approved by: CLB 9-18-00 Title: Chief Operating Officer File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date: Date:			
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on pixel length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-5-06 Signature of Operator or Agent:		2ED U	7 2000
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on piug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-5-06 Signature of Operator or Agent: For KCC Use ONLY API # 15		ugging of this well will comply with K.S.A. 55 et. seq.	r dynt
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on piug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 18" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-5-06 Signature of Operator or Agent: For KCC Use ONLY API # 15	It is agreed that the following minimum requirements will be met:	KCCM	/ICH!
3. The minimum amount of surface pipe as specified below shell be set by circulating cement to the top; in all cases surface pipe shell be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Sestern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-5-06 Signature of Operator or Agent: Title: Chief Operating Officer For KCC Use ONLY API # 15	The state of the s		AQI'II
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-5-06 Signature of Operator or Agent: For KCC Use ONLY API #15			
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7-5-06 Signature of Operator or Agent: Date: 15-2/55-2/510-0000 For KCC Use ONLY API # 15	• • • • • • • • • • • • • • • • • • • •	, ,	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7-5-06 Signature of Operator or Agent: Date: 155-21510-0000 For KCC Use ONLY API # 15 . 155-21510-0000 Conductor pipe required 260 feet Minimum surface pipe required 360 feet per Alt 1 Approved by: 264-9-18-000 This authorization expires: 3-18-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date:			g;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, afternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-5-06 Signature of Operator or Agent: Title: Chief Operating Officer For KCC Use ONLY API # 15 - 155-21510-000 Conductor pipe required 260 feet Minimum surface pipe required 360 feet per Alt 1 Approved by: 264 9-18-06 feet per Alt 1 Approved by: 264 9-18-06 This authorization expires: 3-18-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date:			
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-5-06 Signature of Operator or Agent: Title: Chief Operating Officer For KCC Use ONLY API # 15			
I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-5-06 Signature of Operator or Agent:			
Date: 9-5-06 Signature of Operator or Agent: Title: Chief Operating Officer For KCC Use ONLY API # 15 - 155-21510-0000 Conductor pipe required 260 feet Minimum surface pipe required 260 feet per Alt 1 Submit plugging report (CP-4) after plugging is completed; Approved by: 249-18-00 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: D		-	
For KCC Use ONLY API # 15 - \(\subseteq \frac{755 - 21510 - 0000}{260} \) Conductor pipe required \(\frac{260}{260} \) Minimum surface pipe required \(\frac{260}{260} \) Approved by: \(\frac{244 9 - 18 - 000}{260} \) This authorization expires: \(\frac{3 - 18 - 07}{260} \) (This authorization void if drilling not started within 6 months of approval date.) Spud date: \(\text{Agent:} \) Agent: \(\text{Drilled - Permit Expired} \) Signature of Operator or Agent: \(\text{Date:} \) Date: \(\text{Date:} \)		Thy kildwiedge and belief.	
For KCC Use ONLY API # 15 - \(\subseteq \frac{755 - 21510 - 0000}{260} \) Conductor pipe required \(\frac{260}{260} \) Minimum surface pipe required \(\frac{260}{260} \) Approved by: \(\frac{244 9 - 18 - 000}{260} \) This authorization expires: \(\frac{3 - 18 - 07}{260} \) (This authorization void if drilling not started within 6 months of approval date.) Spud date: \(\text{Agent:} \) Agent: \(\text{Drilled - Permit Expired} \) Signature of Operator or Agent: \(\text{Date:} \) Date: \(\text{Date:} \)	Date: 9-5-06 Signature of Operator or Agent:	Title: Chief Operating O	<u>ffi</u> cer
For KCC Use ONLY API # 15 - 155-21510-0000 Conductor pipe required 260 feet Minimum surface pipe required 260 feet per Alt 1 Approved by: 244-9-18-00 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:		Pemember to:	
API # 15 - 155-21510-0000 Conductor pipe required 260 feet Minimum surface pipe required 260 feet per Alt 1 Approved by: 214-9-18-00 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: Date: 5ile Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	For KCC lies ONLY		
Conductor pipe required 260 feet Minimum surface pipe required 260 feet per Ait 1 Approved by: 224 9-18-06 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Pile acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:		**	ſ.,
Conductor pipe required	21-0	· · · · · · · · · · · · · · · · · · ·	W
Approved by: 244-9-18-06 This authorization expires: 3-18-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: Date: Date:		-	~
This authorization expires: 3-18-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Building not started within 6 months of approval date.) Spud date: Agent: Date: Date: Date:	The state of the s		1
Check the box below and return to the address below. Check the box below and return to the address below. Check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:		 Obtain written approval before disposing or injecting salt water. 	
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Date: Date: Signature of Operator or Agent: Date: Date: Date: Signature of Operator or Agent:	This authorization expires: 3-18-07		Ŋ
Spud date: Agent: Signature of Operator or Agent: Date:	,	check the box below and return to the address below.	(V)
Date:		·	1
	Spud date: Agent:	Signature of Operator or Agent:	
		Post of	W

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 1.	55-21510-000	Location of Well: County: Reno			
Operator:		660 feet from VN / S Line of Section	m		
Lease:	Goering 'B'	feet from E / ✓ W Line of Section	on		
Well Number:	10	Sec. 35 Twp. 23 S. R. 4 East \checkmark	Ves		
Field:	Burrton				
Number of Acres	attributable to well:	ls Section: ✓ Regular or ☐ Irregular			
QTR/QTR/QT	R of acreage:	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

-		•				-		-
1								•
		_	•					
,								
1								
-		•		•	•			•
-		•	•	•		•		•
		•						
'				,				
1		-						
,								
1								
- 1								
			•					
1								•
1			•				•	-
		•		٠			•	•
					<u> </u>			
					٠ .			•
		•	-	3		•		•
								•
							•	• • •
								• • •
	·		•	· 			· ·	
	·			· 				
			· ·					
			•					
			· ·					
				· · · · · · ·			· · · · · · · · ·	• • • • •
				· · · · · · ·				• • • • •
							· · · · · · · · · · · · · · · · · · ·	• • • • •
							· · · · · · · · ·	• • • • •
							· · · · · · · · · · · · · · · · · · ·	• • • • •
								• • • • •
								• • • • •
								• • • • •
								• • • • •



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			· · · · · · · · · · · · · · · · · · ·	-		
Operator Name: Kahan & Associates, Inc.		License Number:	4252			
Operator Address: P.O. Box	700780					
Contact Person: David M. Wilson		Phone Number: (918) 492 - 9797				
Lease Name & Well No.: Goering			Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE NW NW			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 35 Twp. 23S R. 4 East ✓ West			
Settling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit			760	ast / ✓ West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 5000	(bbls)	Reno			
Is the pit located in a Sensitive Ground Water	· · · · · · · · · · · · · · · · · · ·	No	Chloride concentration:	•		
is the pit located in a Gensitive Glound Water	Vient MV ies] 140		and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ✓ Yes	No	How is the pit lined if a plastic li	iner is not used?		
Pit dimensions (all but working pits):	75 Length (fe	_{eet)} 75	Width (feet)	N/A: Steel Pits		
Depth fo	rom ground level to de	epest point:	5 (feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance a ncluding any special monitoring.	and determining		
One piece liner of mil thickness	to comply	Constant le	evel monitoring and are	a monitoring for leaks RECEIVED SEP 0 7 2006		
Distance to nearest water well within one-mile of pit 1320feet		Source of infor	west fresh water <u>נع</u> mation: יו אל ציק ured <u>well</u> owner <u>י</u>	S KCC WICH T		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	7		
Producing Formation:		Type of materia	al utilized in drilling/workover:	Fresh Bentonite Mud 3		
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure: Desiccate and bury				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Abandonment procedure: Desiccate and bury Drill pits must be closed within 365 days of spud date. correct to the best of my knowledge and belief.				
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	र्		
9-5-06 Date	E	avid 1	A John San Signature of Applicant or Agent	C		
	KCC	OFFICE USE O	NLY	12 FAS4 72		
Date Received: 0 7 0 Permit Num	nber:	Perm	it Date: 9/14/06 Lease I	nspection: 🗡 Yes 🗍 No		



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

September 14, 2006

Mr. David M. Wilson Kahan & Associates, Inc. PO Box 700780 Tulsa, OK 74170-0780

RE: Drilling Pit Application

Goering B Lease Well No. 10 NW/4 Sec. 35-23S-04W Reno County, Kansas

Dear Mr. Wilson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of drilling completion.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File