For KCC Use: Effective Date: District #\_ SGA? XYes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	0.0	20	2006		East
Expected Spud Date	09 month	20 day	2006 veer	Spot Spot	
		/ "	you	NW - SW - NW Sec. 18 Twp. 32 S. R. 3 X 1650 feet from XN / S Line of Section	
OPERATOR: License#_	32346			$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
Name: Bartelso	on Oil	·		Is SECTION X Regular Irregular?	•
Address: PO Box	<u> </u>	0 671	1	•	
City/State/Zip: Well:	ington, k	S 6/1	152	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Mitc	n Bartel	son		County: Sumner Lease Name: Hemberger Well #: 2	
Phone: 620-326-		· · · · · · · · · · · · · · · · · · ·		Lease Name: Hemberger Well #: 2 Field Name: Love Three	
CONTRACTOR: License	32854 V	<b>/</b>		Is this a Prorated / Spaced Field?	No
Name: Gulick I	Drilling			Target Formation(s): Stalnaker	2
				Nearest Lease or unit boundary 330	
Well Drilled For:	Well Class		Equipment:		MSL
Oi / Enh I	يحقط	<u></u>	Mud Rotary		X No
X Gas Z Stora	· =		Air Rotary	Public water supply well within one mile:	ζNο
OWWO Dispo	<b>=</b>	لسا	Cable	Depth to bottom of fresh water: 120	
H	f Holes Other			Depth to bottom of usable water: 220	
Other				Surface Pipe by Alternate: 1 2	
If OWWO: old well inform	nation as follows:			Length of Surface Pipe Planned to be set: 255	
				Length of Conductor Pipe required: N/A	
Well Name:				Projected Total Depth: 3080	
Original Completion I	Date:	_Original Tota	al Depth:	Formation at Total Depth: Stalnaker	
Directional Deviated as I	معمد طالعيب المضيدة	0	Yes X No	Water Source for Drilling Operations:	
Directional, Deviated or H	D.	CEIVE		Well Farm Pond Other Hauled	
If Yes, true vertical depth			<i>-</i>	DWR Permit #:	
- A 10 1 1 AS	AND AN LUM	PORATION C			
Bottom Hole Location:			COMMISSION	(Note: Apply for Permit with DWR)	
KCC DKT #:	SE	P 0 7 20 EVATION DIV	COMMISSION  (ISION AFI	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT	No
The undersigned hereby It is agreed that the follo  1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry h 5. The appropriate di 6. If an ALTERNATE Or pursuant to Apmust be complete	CONSEI affirms that the common that the common transport of surface provided the control of surface provided the common to the common to the common transport of surface will be common to the common transport of the common	WATION DIV CONTA KS Hilling, comp quirements v prior to spu tent to drill a pe as specifi s plus a mini a notified be a notified be production tern Kansas of the spud of	/ISION AFI pletion and eventual will be met: adding of well; athall be posted on elied below shall be; imum of 20 feet into the operator and the fore well is either plupipe shall be ceme surface casing orded date or the well shall.	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.	n <b>g;</b> e.
The undersigned hereby It is agreed that the follo  1. Notify the appropr 2. A copy of the app 3. The minimum and through all uncons 4. If the well is dry h 5. The appropriate di 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the	CONSEI affirms that the common that the common transport of surface provided the control of surface provided the common to the common to the common transport of surface will be common to the common transport of the common	VATION DIV	//SION AFI pletion and eventual will be met: udding of well; whall be posted on e gied below shall be; imum of 20 feet into the operator and the fore well is either plu pipe shall be ceme surface casing orded date or the well shall true and to the best	(Note: Apply for Permit with DWR )  Will Cores be taken?	n <b>g;</b> e.
The undersigned hereby It is agreed that the follo  1. Notify the appropr 2. A copy of the app 3. The minimum and through all uncons 4. If the well is dry h 5. The appropriate di 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the	CONSEINAMENT OF CONSEINAMENT OF SURFACE PROPERTY OF CONSEINAMENT OF SURFACE PROPERTY OF CONSEINAMENT OF COMPLETION	VATION DIV	//SION AFI pletion and eventual will be met: udding of well; whall be posted on e gied below shall be; imum of 20 feet into the operator and the fore well is either plu pipe shall be ceme surface casing orded date or the well shall true and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging upged or production casing is cemented in;  med from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	n <b>g;</b> e.
The undersigned hereby It is agreed that the follo  1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry h 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the complete 1 hereby certify that the Date:  7-5-0  For KCC Use ONLY API # 15 - 191-6 Conductor pipe require Minimum surface pipe	CONSEINATION OF CONSEINATION OF SURFACE PROPERTY OF SURFACE PROPERTY OF CONSEINATION OF CONSEI	VATION DIV	//SION AFI pletion and eventual will be met: udding of well; whall be posted on e gied below shall be; imum of 20 feet into the operator and the fore well is either plu pipe shall be ceme surface casing orded date or the well shall true and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; med from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemel to be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	ng; h. nting
The undersigned hereby It is agreed that the follo  1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry h 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the complete 1 hereby certify that the Date:  7-5-0  For KCC Use ONLY API # 15 - 191-6 Conductor pipe require	CONSEINATION OF CONSEINATION OF SURFACE PROPERTY OF SURFACE PROPERTY OF CONSEINATION OF CONSEI	VATION DIV	//SION AFI pletion and eventual will be met: udding of well; whall be posted on e lied below shall be: imum of 20 feet into the operator and the fore well is either pluip shall be ceme surface casing orded date or the well shall true and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  ach drilling	ng; e. nting
The undersigned hereby It is agreed that the follo  1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry 5. The appropriate di 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the Date: 9-5-0  For KCC Use ONLY API # 15 - 191-6 Conductor pipe require Minimum surface pipe	affirms that the common to form the common to form the common to form the common that the comm	VATION DIV	//SION AFI pletion and eventual will be met: udding of well; whall be posted on e lied below shall be: imum of 20 feet into the operator and the fore well is either pluip shall be ceme surface casing orded date or the well shall true and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  Plugging of this well will comply with K.S.A. 55 et. seq.  Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging and production casing is cemented in; and from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Plie Completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ng;
The undersigned hereby It is agreed that the folio  1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry h 5. The appropriate di 6. If an ALTERNATE Or pursuant to Apmust be complete 1 hereby certify that the  Date: 9 - S - O  For KCC Use ONLY API # 15 - 191- C Conductor pipe require Minimum surface pipe Approved by: 3449	CONSEINATION OF CONSEINATION O	WATION DIVIDIAL AS A MINING COMPANY CO	/ISION AFI pletion and eventual will be met: udding of well; uhall be posted on elied below shall be simum of 20 feet into the operator and the fore well is either plupipe shall be ceme surface casing ordedate or the well shall true and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  ach drilling	ng;

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 191-22485-0000	Location of Well: County: Sumner County
Operator: Bartelson Oil	
Lease: Hemberger 2	
Well Number: 2	Sec. $18$ Twp. $32$ S. R. $3$ East $\mathbf{x}$ West
Field: Love 3	•
Number of Acres attributable to well:	Is Section: X Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

## PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)


			•	•	
1650					
1		•	• •	-	
-0 330 .					
			•		•
-			•		•
:	: :		:	•	
-					
				• • • • •	
			- - -	•	
	• • • • • •			• • • • • •	
:				•	

RECEIVED

KANSAS CORPORATION COMMISSION

SEP 0 7 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: in all cases locate the spot of the proposed drilling locaton.

#### in piotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			
Bartelson O	il		License Number: 32346
Operator Address: PO_Box_45	Welling	ton VC	
Contact Person: Mitch Bartel		COII, NO	Phone Number: (620 326 - 0486
Lease Name & Well No.:			Pit Location (QQQQ):
Hemberge Type of Pit:	r 2 Pit is:		NW SW - NW -
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 18 Twp.32 R. 3 East West
Settling Pit  Workover Pit  Haul-Off Pit	If Existing, date con	nstructed:	1650 Feet from X North / South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		330 Feet from East / X West Line of Section
In the state of the		(bbis)	_Sumner County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/i
Is the bottom below ground level?  X Yes  No	Artificial Liner?	0	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits): 75			Bentonite Sealed
	Length (feet om ground level to deep		Width (feet) N/A: Steel Pits  4 (feet)
			icluding any special monitoring. KANSAS CORPORATION COM SEP 0.7 2006
Distance to nearest water well within one-mile	of pit		SEP 0 7 2006  CONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mile 383의 feet Depth of water well		Depth to shallov Source of inforn	SEP 0 7 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water 120 17 feet. Tradion: Krikes
3832 feet Depth of water well	<u> </u>	Depth to shallov Source of inforn measur	SEP 0 7 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water 120 17 feet.  Mation: Krikes Kown
3832 feet Depth of water well	<u>박</u> ○ feet _	Depth to shallow Source of inform measur Drilling, Worko	SEP 0 7 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water 120 17 feet. Pation: KPK23 Example Seed Well owner electric log KDWR  Ver and Haul-Off Pits ONLY:  utilized in drilling/workover: Fresh Mud
3832 feet Depth of water well	<u> </u>	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of work	SEP 0 7 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water 120 17 feet.  mation: Krikes Ed KDWR  well owner electric log KDWR  ver and Haul-Off Pits ONLY:  utilized in drilling/workover: Fresh Mud  ing pits to be utilized: ±wo
2832 feet Depth of water well	U feet	Depth to shallov Source of inform measur Drilling, Worko Type of material Number of work	SEP 0 7 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water 120 17 feet.  mation: Krikes Ed KDWR  well owner electric log KDWR  ver and Haul-Off Pits ONLY:  utilized in drilling/workover: Fresh Mud  ing pits to be utilized: ±wo
Barrels of fluid produced daily:  Does the slope from the tank battery allow all s	以 feet	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of work Abandonment p	SEP 0 7 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water 120 17 feet.  mation: Krikes Ed KDWR  well owner electric log KDWR  ver and Haul-Off Pits ONLY:  utilized in drilling/workover: Fresh Mud  ing pits to be utilized: ±wo
Barrels of fluid produced daily:  Does the slope from the tank battery allow all sflow into the pit?	以 feet	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of work Abandonment p Drill pits must be sect to the best of	SEP 0 7 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water 120 17 feet. The mation: Krikes electric log X KDWR  Wer and Haul-Off Pits ONLY:  Utilized in drilling/workover: Fresh Mud  Ing pits to be utilized: two  rocedure: Dry & Backfill  The closed within 365 days of spud date.
Barrels of fluid produced daily:  Does the slope from the tank battery allow all sflow into the pit?  Yes No  I hereby certify that the above staten	Feet	Depth to shallow Source of inform measur Drilling, Worko Type of material Number of work Abandonment p Drill pits must be sect to the best of	SEP 0 7 2006  CONSERVATION DIVISION WICHITA, KS  vest fresh water 120 17 feet. nation: Krikes   Learning   Lea



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

September 18, 2006

Mr. Mitch Bartelson Bartelson Oil PO Box 45 Wellington, Ks 67152

Re: Drilling Pit Application

Hemberger Lease Well No. 2 NW/4 Sec. 18-32S-03W Sumner County, Kansas

Dear Mr. Bartelson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **lined with bentonite**. The fluids are to be removed from the reserve pit within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: Doug Louis