For KCC I	Jse:	9-24-00	
Effective	Date: _	7-27-00	
District #		ル	
SGA?	Yes	💢 No	

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

September 22, 2006	
Expected Spud Date September 22, 2006 month day year	Spot Fast
	NE/4 - NE/4 - NE/4 Sec. 21 Twp. 18 S. R. 6 West
OPERATOR: License# 5192 V	330 feet from VN / S Line of Section
Name: Shawmar Oil & Gas Company, Inc.	teet from
Address: PO Box 9	Is SECTIONRegularIrregular?
City/State/Zip: Marion, KS 66861	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Beau J. Cloutier	County: Chase
Phone: 620-382-2932	Lease Name: LIPS Well #: 5-21
CONTRACTOR: License# 5192	Field Name: Lipps
Name: Shawmar Oil & Gas Company, Inc.	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): KC Lansing
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1500 est. feet MSL
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic:# of Holes Other	Depth to bottom of fresh water: 150'
Other	Depth to bottom of usable water: 180'
	Surface Pipe by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 1850 Formation at Total Depth: KC Lansing
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
If Yes, true vertical depth: N/a	DWR Permit #:
Bottom Hole Location: N/a	
	Alata: Apply for Parmit with DIMP 1
	(Note: Apply for Permit with DWR)
KCC DKT #: N/a	Will Cores be taken?
KCC DKT #: N/a	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
KCC DKT #: N/a AFFI	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
KCC DKT #: N/a AFFI The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? Yes ✓ No If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the second content of the	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the int	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the in	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the diffusion of the surface propriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the int	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If he drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set in the set i	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, afternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set in the set i	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If he drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set in the set i	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the special plus a minimum of 20 feet into the special plus and the special plus and the drill the well is dry hole, an agreement between the operator and the drill is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent Park Council and the plant of the plant o	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If he drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the drilling rig; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the drilling rig; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the drilling rig; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the drilling rig; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; the underlying formation. Istrict office on plug length and placement is necessary prior to plug length and placemen
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the special plus a minimum of 20 feet into the special plus and the special plus and the drill the well is dry hole, an agreement between the operator and the drill is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent Park Council and the plant of the plant o	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The wind the plugged of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second in the seco	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If he drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the stall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the spund all unconsolidated materials plus a minimum of 20 feet into the set of the spund and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: Sept. 18, 2006 Signature of Operator or Agent Complete Sept. 18, 2006 For KCC Use ONLY API # 15 - O17 - 20891 - OCCO Conductor pipe required Feet	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If yes I No It yes I No
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: Sept. 18, 2006 For KCC Use ONLY API # 15 - O17 - 20891 - O000 Conductor pipe required Feet Minimum surface pipe required feet per Alt 1	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If he drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of t	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; If of the will be determined in the complete of the complete o
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through a purpose with the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. The spud date or through all unconsolidated materials plus a minimum of 20 feet into the date of the well shall be completed within 30 days of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - OIT - 20891 - 0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; If of the work of the complete shall be set If of the work of the complete shall be set If of the work of the complete shall be set If of the work of the complete shall be set If of the work of the complete shall be set If of the shall be set If
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of t	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In istrict office on plug length and placement is necessary prior to plugging; If ged or production casing is cemented in; If yes are a completed in the complete shall be set to underlying formation. If yes are a complete shall be set to plugging; If yes are a complete shall be set to underlying formation. If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging; If yes are a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes a complete shall be set to plugging is completed; If yes are a complete shall be set to plugging is completed; If yes a complete shall be set to plugging is completed; If yes a complete shall be set to plugging is completed; If yes a complete shall be set to plugging is completed; If yes a complete shall be set to plugging is compl
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through a purpose with the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. The spud date or through all unconsolidated materials plus a minimum of 20 feet into the date of the well shall be completed within 30 days of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - OIT - 20891 - 0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If when we have to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 017 - 20891-0000	Location of Well: County: Chase
Operator: Shawmar Oil & Gas Company, Inc.	330feet from V N / S Line of Section
Lease: LIPS	330 feet from VE / W Line of Section
Well Number: 5-21	Sec. 21 Twp. 18 S. R. 6 V East West
Number of Acres attributable to well: NE/4 NE/4 NE/4	ls Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NE/4 - NE/4 - NE/4	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				33%	
			· · · · · · · · · · · · · · · · · · ·		10 1
			• •		
		·			
i					
		· ·	· · · · · · · · · · · · · · · · · · ·		EXAMPLE
		• •	. ·		
	. , .				
					339
			· · · · · · · · · · · · · · · · · · ·		
			· ·		
			· · · · ·		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED KANSAS CORPORATION COMMISSIC

1980

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section DIVISION
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Shawmar Oil & Gas Company, Inc.			License Number: 5192	
Operator Address: PO Box 9, Marion, KS 66861				
Contact Person: Beau J. Cloutier			Phone Number: (620) 382 - 2932	
Lease Name & Well No.: Lips #5-21			Pit Location (QQQQ):	
Type of Pit: Pit is:			<u>NE/4</u> _ <u>NE/4</u> _ <u>NE/4</u>	
Emergency Pit Burn Pit	Pit Proposed Existing		Sec21Twp18R6	
Settling Pit	over Pit Haul-Off Pit Pit capacity:		330 Feet from 📝 North / 🗌 South Line of Section	
(if WP Supply API No. or Year Drilled)			Chase County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No	Yes V	No	clay sides and bottom	
Pit dimensions (all but working pits):	5 Length (fe	et)8	Width (feet) N/A: Steel Pits	
	om ground level to de	epest point: 5	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure	liner 9.		edures for periodic maintenance and determining notuding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shall Source of info			N	
N/A feet Depth of water well 150 feet mea			ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		-	sover and Haul-Off Pits ONLY:	
			al utilized in drilling/workover: air/mud rking pits to be utilized: 2	
			procedure: let dry and cover	
Does the slope from the tank battery allow all spilled fluids to			he closed within 365 days of sould date. SEP 1 9 2000	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
Sept. 18, 2006 Date Signature of Applicant or Agent Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 9/19/06 Lease Inspection: Yes & No				