For KCC Use: Effective Date: District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	9	20	05	Spot	X ear
	month	day	year	NE. SW NE Sec. 6 Twp. 24	S. R. 14 West
	8093 🗸			~ ~ ~ ~	S. H west
OPERATOR: License# — Name:G				1615 feet from FE /	
Name: GS Address: BG				Is SECTIONRegularIrregular?	
City/State/Zip: G	ridley, KS	6685	5 2	•	ravara a sidal
Contact Person: G	arv Haas			(Note: Locate well on the Section Plat on County: Woodson	reverse side)
Phone: 6	20-836-455			Lease Name: Winterscheid	Well #: 41
		/		Field Name: Winterscheid	
CONTRACTOR: License#	33557			Is this a Prorated / Spaced Field?	Yes No
Name: Skyy	Drilling			Target Formation(s): Mississippi	
₩ẽil Drilled For:	Well Class:	Tuna Fi	quipment:	Nearest Lease or unit boundary: 215 V	
				Ground Surface Elevation: 1194	feet MSL
	<u> </u>	≠==	d Rotary	Water well within one-quarter mile:	Yes X No
Gas Storag	´ <u>=</u>		Rotary ble	Public water supply well within one mile:	Yes X No
OWWO Dispos		Ca	DIE	Depth to bottom of fresh water: 20	
Other# or				Depth to bottom of usable water: 100-/50	, <i>v</i>
				Surface Pipe by Alternate:	,
If OWWO: old well information	ation as follows:			Length of Surface Pipe Planned to be set: 40 f	
Operator:				Length of Conductor Pipe required: Non	
Well Name:				Projected Total Depth:	0
Original Completion Da	ate:Or	iginal Total D	Depth:	Formation at Total Depth: Mississi	ррт.
Directional, Deviated or Ho	orizontal wellbore?		Yes X No	Water Source for Drilling Operations:	
If Yes, true vertical depth:_					
Bottom Hole Location:				DWR Permit #:	
				(Note: Apply for Permit with DWR	
KCC DKT #:			AFF	Will Cores be taken? If Yes, proposed zone: IDAVIT	RECEIVED
The undersigned hereby a It is agreed that the follow 1. Notify the appropria	affirms that the drillin ring minimum requinate district office pri c	ng, completi ements will or to spudd	AFF ion and eventual p be met: ing of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT Slugging of this well will comply with K.S.A. 55 et. seq.	RECEIVED SEP 0 7 2006
The undersigned hereby a lt is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed.	affirms that the drilling minimum require the district office price oved notice of intention of surface pipe a blidated materials plated, an agreement be trict office will be not I COMPLETION, predendix "B" - Eastern within 30 days of the string minimum of the strict	ng, completi ements will or to spudd to drill shai as specified us a minimu etween the stified before oduction pip Kansas sur e spud date	AFF ion and eventual p be met: ing of well; if be posted on ea below shall be so im of 20 feet into t operator and the c e well is either plug be shall be cemen rface casing order e or the well shall e and to the best of	Will Cores be taken? If Yes, proposed zone: FIDAVIT Filipping of this well will comply with K.S.A. 55 et. seq. Finch drilling rig; Fig. 1. Set by circulating cement to the top; in all cases surfact the underlying formation. Fig. 2. Set by circulating cement to the top; in all cases surfact the underlying formation. Fig. 2. Set by circulating cement to the top; in all cases surfact the underlying formation. Fig. 2. Set by circulating cement to the top; in all cases surfact the underlying formation. Fig. 2. Set by circulating cement to the top; in all cases surfact the underlying formation. Fig. 2. Set by circulating rig; Fig. 2. Set by circula	PECEIVED SEP 0.7.2006 KCC WICHI e pipe shall be set any prior to plugging; o days of spud date. a, alternate II cementing
The undersigned hereby a lt is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed.	affirms that the drilling minimum require the district office priested notice of intention of surface pipe a blidated materials placed in agreement be strict office will be not I COMPLETION, priendix "B" - Eastern within 30 days of the tatements made her	ng, completi ements will or to spudd to drill shai as specified us a minimu etween the stified before oduction pip Kansas sur e spud date	AFF ion and eventual p be met: ing of well; if be posted on ea below shall be so im of 20 feet into t operator and the c e well is either plug be shall be cemen rface casing order e or the well shall e and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT Indugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drillin	PECEIVED SEP 17 2006 KCC WICHIT be pipe shall be set any prior to plugging; O days of spud date. a, alternate II cementing or to any cementing.
The undersigned hereby a lt is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed I hereby certify that the st Date: 8-31-06	affirms that the drilling minimum require the district office prior oved notice of intention of surface pipe a blidated materials plus an agreement between the completion, propendix "B" - Eastern within 30 days of the tatements made here	ng, completi ements will or to spuddi to drill sheits as specified us a minimulatween the otified before oduction pip Kansas sun e spud date ein are true	AFF ion and eventual p be met: ing of well; if be posted on ea below shall be so im of 20 feet into t operator and the c e well is either plug be shall be cemen rface casing order e or the well shall e and to the best of	Will Cores be taken? If Yes, proposed zone: FIDAVIT Slugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surfacthe underlying formation. district office on plug length and placement is necessagged or production casing is cemented in; ted from below any usable water to surface within 12th #133,891-C, which applies to the KCC District 3 are: be plugged. In all cases, NOTIFY district office prior my knowledge and belief.	PECEIVED SEP 17 2006 KCC WICHI e pipe shall be set any prior to plugging; O days of spud date. a, alternate II cementing or to any cementing.
The undersigned hereby a lt is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed I hereby certify that the st Date: 8-31-06	affirms that the drilling minimum require the district office prior oved notice of intention of surface pipe a blidated materials plus an agreement between the completion, propendix "B" - Eastern within 30 days of the tatements made here	ng, completi ements will or to spuddi to drill sheits as specified us a minimulatween the otified before oduction pip Kansas sun e spud date ein are true	AFF ion and eventual p be met: ing of well; if be posted on ea below shall be so im of 20 feet into t operator and the c e well is either plug be shall be cemen rface casing order e or the well shall e and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT Indugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drillin	PECEIVED SEP 0 7 2006 KCC WICHIT be pipe shall be set any prior to plugging; O days of spud date. a, alternate II cementing or to any cementing. Own e r Drill; Epud date;
The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed I hereby certify that the standard in the second in the sec	affirms that the drilling minimum require the district office price oved notice of intent and of surface pipe a colidated materials plus an agreement between the completion of the completion o	ng, completi ements will or to spudd to drill shall as specified as a minimu etween the oduction pip Kansas sui re spud date rein are true	AFF ion and eventual p be met: ing of well; if be posted on ea below shall be so im of 20 feet into t operator and the c e well is either plug e well is either plug face casing order e or the well shall e and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT Induging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling	PECEIVED SEP 17 2006 KCC WICHI e pipe shall be set any prior to plugging; D days of spud date. a, alternate II cementing or to any cementing. Where
The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate to Completed I hereby certify that the state of the complete in the state of the complete in the	affirms that the drilling minimum required in the district office private district office private district office private district office will be not completed in the district office will be not complete in the district office will be no	ng, completi ements will or to spudd to drill shall is specified us a minimu etween the stified before oduction pip Kansas sui e spud date ein are true erator or Ag	AFF ion and eventual p be met: ing of well; ii be posted on ea below shall be s im of 20 feet into t operator and the c e well is either plue e shall be cemen rface casing order e or the well shall e and to the best of gent:	Will Cores be taken? If Yes, proposed zone: IDAVIT Indugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drillin	PECEIVED SEP 17 2006 KCC WICHIT be pipe shall be set any prior to plugging; O days of spud date. a, alternate II cementing or to any cementing. Owner Drill; pud date; ration orders; workover or re-entry;
The undersigned hereby a state is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed thereby certify that the state: 8 - 3 1 - 0 6	affirms that the drilling minimum required interest of intentant of surface pipe a billion and are materials plus an agreement be a complete of intentant of fice will be not a complete of its complete of it	ng, completi ements will or to spudd to drill shall is specified us a minimu etween the stified before oduction pip Kansas sui e spud date ein are true erator or Ag	AFF ion and eventual p be met: ing of well; if be posted on ea below shall be so im of 20 feet into t operator and the c e well is either plug e well is either plug face casing order e or the well shall e and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT Induging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling	PECEIVED SEP 17 2006 KCC WICHIT The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; The pipe shall be set any prior t
The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate to Completed I hereby certify that the state of the complete in the state of the complete in the	affirms that the drilling minimum requirate district office private district office private district office private district office will be not complete of the complete of th	ng, completi ements will or to spudd to drill shall is specified us a minimu etween the stified before oduction pip Kansas sui e spud date ein are true erator or Ag	AFF ion and eventual p be met: ing of well; ii be posted on ea below shall be s im of 20 feet into t operator and the c e well is either plue e shall be cemen rface casing order e or the well shall e and to the best of gent:	Will Cores be taken? If Yes, proposed zone: IDAVIT Induging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling	PECEIVED SEP 17 2006 KCC WICHIT The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; The pipe shall be set any prior t
The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed I hereby certify that the standard in the second in the sec	affirms that the drilling minimum required the district office price of intent and of surface pipe a colidated materials plus an agreement be attrict office will be not a COMPLETION, propendix "B" - Eastern within 30 days of the distance of Open Signature of Open	ng, completi ements will or to spudd to drill shais as specified as a minimu etween the oduction pip Kansas sui ne spud date ein are true	AFF ion and eventual p be met: ing of well; if be posted on ea below shall be s im of 20 feet into t operator and the c e well is either plue e shall be cemen rface casing order e or the well shall e and to the best of gent: t t per Alt. 2	Will Cores be taken? If Yes, proposed zone: IDAVIT Induging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling	PECEIVED SEP 17 2006 KCC WICHIT The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; The pipe shall be set any prior t
The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed I hereby certify that the standard in the second	affirms that the drilling minimum required the district office price of intent and of surface pipe a colidated materials plus an agreement be attrict office will be not a COMPLETION, propendix "B" - Eastern within 30 days of the distance of Open Signature of Open	ng, completi ements will or to spudd to drill shais as specified as a minimu etween the oduction pip Kansas sui ne spud date ein are true	AFF ion and eventual p be met: ing of well; if be posted on ea below shall be s im of 20 feet into t operator and the c e well is either plue e shall be cemen rface casing order e or the well shall e and to the best of gent: t t per Alt. 2	Will Cores be taken? If Yes, proposed zone: IDAVIT Induging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling	PECEIVED SEP 17 2006 KCC WICHIT The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; To days of spud date. The pipe shall be set any prior to plugging; The pipe shall be set any prior t
The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed I hereby certify that the standard in the second in the sec	affirms that the drilling minimum required ate district office private district office private district office of intent point of surface pipe a solidated materials plus le, an agreement be strict office will be not a COMPLETION, propered "B" - Eastern within 30 days of the statements made here. Signature of Operation of the surface	ng, completiements will or to spuddito drill she is specified us a minimulatiwen the oduction pip Kansas sure spud date in are true perator or Applement of the feet in 6 months of the	AFF ion and eventual p be met: ing of well; if be posted on ea below shall be so im of 20 feet into t operator and the c e well is either plug be shall be cemen rface casing order e or the well shall e and to the best of gent: t t per Alt. 2	Will Cores be taken? If Yes, proposed zone: IDAVIT Induging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling	RECEIVED SEP 17 2006 KCC WICHI e pipe shall be set ary prior to plugging; days of spud date. a, alternate II cementing or to any cementing. Which is pud date; ration orders; vorkover or re-entry; completed; ang salt water. con date) please elowiscelved Corporation commissions SEP 17 2006 EVEN TO

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207 - 27061-0000 Operator: Gary Haas Lease: Winterscheid Well Number: 41 Field: Winterscheid	Location of Well: County: Woodson $ \begin{array}{ccccccccccccccccccccccccccccccccccc$
Number of Acres attributable to well: QTR / QTR of acreage:	Is Section: Regular or irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

4 I **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				1
	·		:	
			• • • • • • • • • • • • • • • • • • • •	
		· · · · · · · · · · · · · · · · · · ·		<u> 3823 -</u> 5
	•		:	
:			•	
	· · ·			EXAMPLE
:				
				1980
	• •	: : :	:	10 1980
				3390
			:	2340
				<u> </u>
		1.61	5 E	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Gary Haas			License Number: 8093		
Operator Address: Box 404 Gridley, KS 66852					
Contact Person: Gary Haas			Phone Number: (620) 836 - 4551		
Lease Name & Well No.: Wintersch	eid 41		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE_ SW. NE		
Emergency Pit Burn Pit	☑ Proposed	Existing	Sec. 6 Twp. 24 R. 14 🛭 East 🗌 West		
Settling Pit	If Existing, date or	onstructed:	3823 Feet from North / X South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:				
(ii VV Supply VV TVO. or Tool Dilliou)		(bbls)	Woodson County		
Is the pit located in a Sensitive Ground Water	Area? 🗌 Yes 🐰	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
is the bottom below ground level? X Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Clay		
Pit dimensions (all but working pits):					
рерти п	om ground level to de	epest point:			
If the pit is lined give a brief description of the			dures for periodic maintenance and determining		
material, thickness and installation procedure	.	uner integrity, a	ncluding any special monitoring.		
			RECEIVED		
			SEP 0 7 2006		
KCCWIC					
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh waterfeet.		
NA feet Depth of water wellfeet		measu	redwell owner electric log _X KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:	· · · · · · · · · · · · · · · · · · ·	Type of materia	al utilized in drilling/workover: Mud		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:			procedure: <u>Fill & Reseed</u>		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date. RECEIVED			
hereby certify that the above statements are true and correct to the best of my knowledge and belief. SEP 1 9 2000					
ו אווע ביייי בייייי בייייי ביייייי בייייייייי					
8-30-06		Dont	on Plechman co-outers in Kension		
Date		S	gnature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 9 7 06 Permit Number: Permit Date: 9 7 06 Lease Inspection: Yes 6 No					
Date Received: 97706 Permit Num	ber:	Permi	t Date: 9 7 06 Lease Inspection: Yes 🛪 No		