For KCC Use: 9-26-06 Effective Date: 4 SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	da	Spot	East
	day year	SW - NENW - SE Sec. 32 Twp. 12 S. R. 26	5 West
DPERATOR: License# 33353		3140	ne of Section
lame. Tom's Oil			ne of Section
Address: 3108 East 13th Street		Is SECTION ✓ Regular Irregular?	
City/State/Zip: Hays, KS 67601		(Note: Locate well on the Section Plat on reverse si	
Contact Person: Tom Wiesner		County: Gove	ae)
Phone: (785) 628-1510		Lease Name: Bird Well	1
		Field Name: wildcat	#:
CONTRACTOR: License# 33237			
lame: Anderson Drilling		Is this a Prorated / Spaced Field?	Yes ✓ No
		larget Formation(s): Tkensus only	
Well Drilled For: Well Class:	Type Equipment:	Nearest Lease or unit boundary: 1.800'	
Oil Enh Rec Infield	✓ Mud Rotary —	Ground Surface Elevation: 2561 est.	feet MSL
Gas Storage Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes ✓ No
OWWO Disposal V Wildcat	Cable	Public water supply well within one mile:	Yes ✓ No
Seismic; # of Holes Other	Cable	Depth to bottom of fresh water:	
Other		Depth to bottom of usable water://SD	
Otner		Surface Pipe by Alternate: 1 2	
OWWO: old well information as follows:		Length of Surface Pipe Planned to be set: 200+	
Operator:		Length of Conductor Pipe required: none	
Well Name:		Projected Total Depth: 4,000'	
Original Completion Date: Origin	noi Total Donth	Formation at Total Depth: Kansas City	
Original Completion DateOrigin	iar iolar Depili	Water Source for Drilling Operations:	
Pirectional, Deviated or Horizontal wellbore?	Yes ✓ No	Well ✓ Farm Pond Other	
Yes, true vertical depth:		DWR Permit #:	
ottom Hole Location:			
(CC DKT #:		(Note: Apply for Permit with DWR)	
NOO DICT W.		Will Cores be taken?	IVED V No
		If Yes, proposed zone:	TION COMMEC
		NANSAS CORPORA	
	ΔFF	IT Yes, proposed zone: KANSAS CORPORA	ALICIA COMMISSI
he undersioned hereby affirms that the drilling		IDAVIT	
	completion and eventual p	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. 527.2	1 2006
is agreed that the following minimum requirement	completion and eventual p ents will be met:	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. 527.2	1 2006
is agreed that the following minimum requirement. Notify the appropriate district office prior t	completion and eventual p ents will be met: to spudding of well;	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. SER 2 CONSERVATION	1 2006 ON DIVISION
 is agreed that the following minimum requirements. Notify the appropriate district office prior to a copy of the approved notice of intent to 	completion and eventual p ents will be met: to spudding of well; drill shall be posted on ea	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. SER 2 CONSERVATION Ch drilling rig;	1 2006 ON DIVISION MA, KS
 s agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as second to the control of the contr	completion and eventual p lents will be met: to spudding of well; drill shall be posted on ea specified below shall be se	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Sec. 2 CONSERVATION ch drilling rig; et by circulating cement to the top; in all cases surface pipe sh	1 2006 ON DIVISION MA, KS
 is agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a through all unconsolidated materials plus and the surface pipe as a surface prior to the surface prior to the surface prior to the surface pipe as a surface prior to the su	completion and eventual patents will be met: to spudding of well; drill shall be posted on easpecified below shall be seaminimum of 20 feet into the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Sec. 2 CONSERVATION Ch drilling rig; If by circulating cement to the top; in all cases surface pipe should be underlying formation.	1 2006 ON DIVISION MA, KS
 is agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a through all unconsolidated materials plus at 4. If the well is dry hole, an agreement between 	completion and eventual parents will be met: to spudding of well; drill shall be posted on easpecified below shall be so a minimum of 20 feet into the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. 5 2 CONSERVATION ch drilling rig; by circulating cement to the top; in all cases surface pipe ship and enderlying formation. listrict office on plug length and placement is necessary prior	1 2006 ON DIVISION MA, KS
 is agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to the copy of the approved notice of intent to the copy of the approved notice of intent to the copy of the approved notice of intent to the copy of the approved and the copy of the	completion and eventual patents will be met: to spudding of well; drill shall be posted on easpecified below shall be so a minimum of 20 feet into the cent the operator and the cent before well is either plug	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Sec. 2 CONSERVATION Ch drilling rig; bit by circulating cement to the top; in all cases surface pipe shape underlying formation. district office on plug length and placement is necessary prior aged or production casing is cemented in;	1 2006 ON DIVISION TA, KS vall be set to plugging;
 is agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to the copy of the approved notice of intent to the copy of the approved notice of intent to the copy of the approved notice of intent to the copy of the approved and the copy of the	completion and eventual plents will be met: to spudding of well; drill shall be posted on easpecified below shall be so a minimum of 20 feet into the reen the operator and the color before well is either plug uction pipe shall be cement	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Sec. 2 CONSERVATION ch drilling rig; by by circulating cement to the top; in all cases surface pipe sh the underlying formation. listrict office on plug length and placement is necessary prior aged or production casing is cemented in; led from below any usable water to surface within 120 days of	1 2006 ON DIVISION TA, KS all be set to plugging; spud date.
 Is agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to the copy of the approved notice of intent to the copy of the approved notice of intent to the copy of the approved notice of intent to the copy of the approved and the copy of the	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the centre of the completion of the completi	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Sec. 2 CONSERVATION ch drilling rig; bit by circulating cement to the top; in all cases surface pipe sh the underlying formation. listrict office on plug length and placement is necessary prior aged or production casing is cemented in; led from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alterna	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing
 Notify the appropriate district office prior A copy of the approved notice of intent to The minimum amount of surface pipe as a through all unconsolidated materials plus at the well is dry hole, an agreement betwill. The appropriate district office will be notified. If an ALTERNATE II COMPLETION, produ Or pursuant to Appendix "B" - Eastern Kalmust be completed within 30 days of the significant contents. 	completion and eventual parents will be met: to spudding of well; drill shall be posted on easpecified below shall be so a minimum of 20 feet into the entering of the properties of the properties of the communication pipe shall be cementarisas surface casing order spud date or the well shall	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Sec. 2 CONSERVATION ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shape underlying formation. listrict office on plug length and placement is necessary prior aged or production casing is cemented in; led from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing
 Notify the appropriate district office prior A copy of the approved notice of intent to The minimum amount of surface pipe as a through all unconsolidated materials plus at the well is dry hole, an agreement betwill. The appropriate district office will be notified. If an ALTERNATE II COMPLETION, produ Or pursuant to Appendix "B" - Eastern Kalmust be completed within 30 days of the significant contents. 	completion and eventual parents will be met: to spudding of well; drill shall be posted on easpecified below shall be so a minimum of 20 feet into the entering of the properties of the properties of the communication pipe shall be cementarisas surface casing order spud date or the well shall	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Sec. 2 CONSERVATION ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shape underlying formation. listrict office on plug length and placement is necessary prior aged or production casing is cemented in; led from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing
1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notified. If an ALTERNATE II COMPLETION, produce or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the statements made herein.	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the cent of the operator and the cent before well is either pluguetion pipe shall be cement ansas surface casing order spud date or the well shall are true and to the best of	lugging of this well will comply with K.S.A. 55 et. seq. 2 CONSERVATION Control of the top of the top of the top of the underlying formation. Illustrict office on plug length and placement is necessary prior of the production casing is cemented in; led from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any firmy knowledge and belief.	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing
1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notified. If an ALTERNATE II COMPLETION, product or pursuant to Appendix "B" - Eastern Kalmust be completed within 30 days of the sthereby certify that the statements made herein.	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the cent of the operator and the cent before well is either pluguetion pipe shall be cement ansas surface casing order spud date or the well shall are true and to the best of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Sec. 2 CONSERVATION ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shape underlying formation. listrict office on plug length and placement is necessary prior aged or production casing is cemented in; led from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing
1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notified. If an ALTERNATE II COMPLETION, produce or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the sthereby certify that the statements made herein the september 21, 2006. Signature of Operations.	completion and eventual plants will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the cent of the operator and the cent before well is either pluguetion pipe shall be cement ansas surface casing order spud date or the well shall are true and to the best of	lugging of this well will comply with K.S.A. 55 et. seq. 2 CONSERVATION Control of the top of the top of the top of the underlying formation. Illustrict office on plug length and placement is necessary prior of the production casing is cemented in; led from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any firmy knowledge and belief.	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing
1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified. If an ALTERNATE II COMPLETION, produce or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the sthreeby certify that the statements made herein plate: September 21, 2006 Signature of Operating Country For KCC Use ONLY	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be so a minimum of 20 feet into the reen the operator and the ced before well is either pluguation pipe shall be cement ansas surface casing order spud date or the well shall are true and to the best of attor or Agent:	CONSERVATION OF THE PROPERTY O	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing
1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwoed 5. The appropriate district office will be notified. If an ALTERNATE II COMPLETION, product or pursuant to Appendix "B" - Eastern Kalmust be completed within 30 days of the substantial to the statements made herein the series of the series	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be so a minimum of 20 feet into the reen the operator and the ced before well is either pluguation pipe shall be cement ansas surface casing order spud date or the well shall are true and to the best of attor or Agent:	CONSERVATI Conservation Cons	ON DIVISION A, KS all be set to plugging; spud date. te II cementing cementing.
1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a through all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notifie 6. If an ALTERNATE II COMPLETION, produ Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the shereby certify that the statements made herein late: September 21, 2006 Signature of Operations and the september 21, 2006 For KCC Use ONLY API # 15 - 263-21635-DOC	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the ceen the operator and the ceen the operator and the ceen price shall be cement unsas surface casing order spud date or the well shall are true and to the best of ator or Agent:	CONSERVATI Conservation Cons	ON DIVISION A, KS all be set to plugging; spud date. te II cementing cementing.
is agreed that the following minimum requirement. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a through all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notifie 6. If an ALTERNATE II COMPLETION, produ Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the substantial beautiful that the statements made herein that: September 21, 2006 Signature of Operation of Conductor pipe required None	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the ceen the operator and the ceen the surface casing order spud date or the well shall are true and to the best of ator or Agent:	CONSERVATI Conservation Cons	1 2006 ON DIVISION TA, KS sall be set to plugging; spud date. te II cementing cementing.
1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notifie 6. If an ALTERNATE II COMPLETION, produ Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the shereby certify that the statements made herein plate: September 21, 2006 For KCC Use ONLY API # 15 - 263 - 21635-000 Conductor pipe required	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the ceen the operator and the ceen the operator and the ceen price shall be cement unsas surface casing order spud date or the well shall are true and to the best of ator or Agent:	CONSERVATI Conservation Cons	ON DIVISION A, KS all be set to plugging; spud date. te II cementing cementing.
is agreed that the following minimum requirement. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a through all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notified. If an ALTERNATE II COMPLETION, produ. Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the shereby certify that the statements made herein ate: September 21, 2006 Signature of Operation of the september 21, 2006 Signa	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the ceen the operator and the ceen the surface casing order spud date or the well shall are true and to the best of ator or Agent:	CONSERVATION Co	ON DIVISION A, KS all be set to plugging; spud date. te II cementing cementing.
1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notifie 6. If an ALTERNATE II COMPLETION, produ Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the shereby certify that the statements made herein late: September 21, 2006 For KCC Use ONLY API # 15 - 263 - 21635-000 Conductor pipe required	completion and eventual parents will be met: to spudding of well; drill shall be posted on ea specified below shall be se a minimum of 20 feet into the ceen the operator and the ceen the surface casing order spud date or the well shall are true and to the best of ator or Agent:	CONSERVATION Co	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing cementing.
1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwore 5. The appropriate district office will be notified. If an ALTERNATE II COMPLETION, produce or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the substrated by the substrated of the	completion and eventual plents will be met: to spudding of well; drill shall be posted on ea specified below shall be so a minimum of 20 feet into the treen the operator and the ced before well is either pluguation pipe shall be cement insas surface casing order spud date or the well shall are true and to the best of ator or Agent:	CONSERVATION Co	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing cementing.
1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notifie 6. If an ALTERNATE II COMPLETION, produ Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the shereby certify that the statements made herein the statements of Operated September 21, 2006 For KCC Use ONLY API # 15 - Old 3 - 216 35 DOC Conductor pipe required None Minimum surface pipe required 2000 Approved by: Ruf 9-21-06 This authorization expires: 3-21-07	completion and eventual plents will be met: to spudding of well; drill shall be posted on ea specified below shall be so a minimum of 20 feet into the treen the operator and the ced before well is either pluguation pipe shall be cement insas surface casing order spud date or the well shall are true and to the best of ator or Agent:	CONSERVATION Co	1 2006 ON DIVISION TA, KS all be set to plugging; spud date. te II cementing cementing. ers; or re-entry; tater. lease
1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as a sthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betw. 5. The appropriate district office will be notifie 6. If an ALTERNATE II COMPLETION, produ Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the shereby certify that the statements made herein that: September 21, 2006 Signature of Operations and the surface of the short of the short of the signature of Operations and the surface of the short of the surface of the signature of Operations and the surface of the surface	completion and eventual plents will be met: to spudding of well; drill shall be posted on ea specified below shall be so a minimum of 20 feet into the treen the operator and the ced before well is either pluguation pipe shall be cement insas surface casing order spud date or the well shall are true and to the best of ator or Agent:	lugging of this well will comply with K.S.A. 55 et. seq. Sec. 2 CONSERVATION Conserv	ON DIVISION TA, KS Tall be set to plugging; spud date. te II cementing cementing.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 663-21635-0000	Location of Well: County: Gove
Operator: Tom's Oil	3140 feet from VN / S Line of Section
Lease: Bird	1800 feet from ✓ E / W Line of Section
Well Number: 1	Sec. 32 Twp. 12 S. R. 26 East ✓ Wes
Field: wildcat Number of Acres attributable to well:	Is Section: 🗸 Regular or 📗 Irregular
QTR / QTR / QTR of acreage: NENW _ SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:
	• •
	• •
: : : : <u></u>	
	, <i>.</i>
1	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Tom's Oil			License Number: 33353	
Operator Address: 3108 E. 13th St	reet, Hays, K	S 67601		
Contact Person: Tom Wiesner			Phone Number: (785) 628 - 1510	
Lease Name & Well No.: Bird #1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW NE NW SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 32 Twp. 12 R. 26 ☐ East ✓ West	
Settling Pit Drilling Pit	If Existing, date constructed:		3140 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			1800 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bble)	Gove	
	3,600 (bbls		County	
Is the pit located in a Sensitive Ground Water	Area? ∐ Yes 🗜	†No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	native clay	
Pit dimensions (all but working pits):	60 Length (fe	et) 60	Width (feet) N/A: Steel Pits	
	rom ground level to de	_	(feet)	
material, thickness and installation procedure				
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:		
NA feet Depth of water wellfeet		measuredwell ownerelectric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: drilling mud		
Number of producing wells on lease:		Number of working pits to be utilized: 1		
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	st of my knowledge and belief ANSAS CORPORATION COMMISSIO	
September 21, 2006 Date	(W	onna	SEF 2 1 2003 Thanda CONSERVATION DIVISION WICHTA KS	
	ксс	OFFICE USE O	DNLY	
Date Received: 9/21/05 Permit Nun	nber:	Perm	nit Date: $9/21/06$ Lease Inspection: Yes X No	