For KCC Use: Yes 🖔 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

month day year	NW - SE NW Sec. 23 Twp. 23 S. R. 13	West
OPERATOR: License# 33640	3630 feet from N / S Line of Section	n
Name: Haas Petroleum, LLC	3630 feet from F / W Line of Section	n
800 West 47th. Suite 409	Is SECTION _✓_RegularIrregular?	
City/State/Zip: Kansas City, MO 64112	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Mark L. Haas	County: Woodson	
Phone: (816) 531-5922	Lease Name: Bahr Well #: 12-LH	
	Field Name: Winterscheid	,
CONTRACTOR: License# 33557	Is this a Prorated / Spaced Field?	/ No
Name: SKYY Drilling	Target Formation(s): Viola	
	Nearest Lease or unit boundary: 990'	
Well Drilled For: Well Class: Type Equipment:		MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	_
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water:	<i>/</i>
Seismic; # of Holes Other	Depth to bottom of usable water: 200+	
Other		
	Surface Pipe by Alternate: 1 2 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 2,225'	
Original Completion Date:Original Total Depth:	Torritation at total Deptil.	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
· · · · · · · · · · · · · · · · · · ·	Well Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes	/ No
ΔFF	If Yes, proposed zone: BECFIVED	
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well:	IDAVIT RECEIVED lugging of this well will comply with K.S.A. SANSAS CORPORATION CON SEP 2 5 2006	IMISSI
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the drill	ugging of this well will comply with K.S.A. SANSAS CORPORATION CONSERVATION DIVISION BY CONSERVATION BY CONSERVATION DIVISION BY CONSERVATION BY C	ON ng; e. enting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the drill	ugging of this well will comply with K.S.A. SANSAS CORPORATION CONSERVATION DIVISION BY CONSERVATION BY CONSERVATION DIVISION BY CONSERVATION BY C	ON ng; e. enting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified before and the description of the surface propriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	ugging of this well will comply with K.S.A. SANSAS CORPORATION CONSERVATION DIVISION BY CONSERVATION BY CONSERVATION DIVISION BY CONSERVATION DIVISION BY CONSERVATION BY CONSERVA	ON ng; e. enting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the formal to the specified district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	ugging of this well will comply with K.S.A. SANSAS CORPORATION CONSERVATION DIVISION BY CONSERVATION BY CONSERVATION DIVISION BY CONSERVATION DIVISION BY CONSERVATION BY CONSERVA	ON ng; e. enting
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all through all through all the well is drill be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall be drill through the statements made herein are true and to the best of the spud date or the well shall be seen to be seen through the statements made herein are true and to the best of the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the spud date or the well shall be seen through the spud date or the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the well shall be seen through the spud date or the	lipavit pugging of this well will comply with K.S.A. SANSAS CORPORATION CONSERVATION DUST to be circulating cement to the top; in all cases surface with the underlying formation. In all cases surface within 120 days of spud date the plugged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date the plugged. In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ON <i>ng;</i> e. enting
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of sufficient to drill shall be posted on each of sufficient to drill shall be posted on each of sufficient to drill shall be posted on each of sufficient to drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall of the well is dry hole, an agreement between the operator and the drill shall of the well is dry hole, an agreement between the operator and the drill shall of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented and the drill shall be completed within 30 days of the spud date or the well shall be represented and the drill s	lipavit pugging of this well will comply with K.S.A. SANSAS CORPORATION CONSERVATION CONSERVATION CONSERVATION DIVISION by circulating cement to the top; in all cases surface with the underlying formation. Illustrict office on plug length and placement is necessary prior to pluggingled or production casing is cemented in; led from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. **Title: Agent** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	ng;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the different propriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: September 25, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27063 - OCCO Conductor pipe required	ugging of this well will comply with K.S.A. SANSAS CORPORATION CONSERVATION CONSERVATION DUST by circulating cement to the top; in all cases surface with the underlying formation. Instrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme to plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ong; enting g.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of	ugging of this well will comply with K.S.A. SANSAS CORPORATION CONSERVATION DWISE the drilling rig; the by circulating cement to the top; in all cases surface with the underlying formation. Identification on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme to plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ng;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the different propriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: September 25, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27063 - OCCO Conductor pipe required	ugging of this well will comply with K.S.A. SANSAS CORPORATION CONSERVATION DWISE the drilling rig; the by circulating cement to the top; in all cases surface with the underlying formation. Identification on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme to plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ng;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 207-27063-0000	Location of Well: County: Woodson
Operator: Haas Petroleum, LLC	3630feet fromN / ✓ S Line of Section
Lease: Bahr	3630 feet from 🗸 E / 🗌 W Line of Section
Well Number: 12-LH Field: Winterscheid	Sec. 23 Twp. 23 S. R. 13 Ves
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW - SE - NW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Haas Petroleum, LLC		License Number: 33640		
Operator Address: 800 West 47th,		ınsas City,	MO 64112	
Contact Person: Mark L. Haas		Phone Number: (816) 531 - 5922		
Lease Name & Well No.: Bahr #12-LH		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW SE NW .	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 23 Twp. 23 R. 13	3
Settling Pit Drilling Pit	If Existing, date constructed:		3630 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			3630 Feet from ✓ E	ast / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Woodson	County
Is the pit located in a Sensitive Ground Water	r Area? Yes	No		and Settling Pits only)
Is the bottom below ground level?	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic li	ner is not used?
✓ Yes No		 	native clay	
Pit dimensions (all but working pits):				N/A: Steel Pits
Depth 1	from ground level to de		edures for periodic maintenance a	
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh water	feet.	
N/4 feet Depth of water well	feet	meas	uredwell owner	electric log KDWR
Emergency, Setting and Dark 1 to One.			cover and Haul-Off Pits ONLY:	[
·			material utilized in drilling/workover: drilling mud	
		air day and bookfil		
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above sta	tements are true and	correct to the be	st of my knowledge and belief.	RECEIVED ANSAS CORPORATION COMMISSI
September 25, 2006	(No	nna	Thanda	SEP 2 5 2006
Date			Signature of Applicant or Agent	ONSERVATION DIVISION
	ксс	OFFICE USE C	ONLY	WICHITA, KS
Date Received: 9/25/05 Permit Nu	ımber:	Регг	nit Date: 9/25/04 Lease	Inspection: Yes 🗘 No