For KCC Use: Effective Date: District # SGA? Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot ✓ E	ast
month day year	A-ME NEWS SE 13 20 20 5	est
DPERATOR: License#_32461	2475feet from N / ✓ S Line of Section	
lame: Tailwater, Inc.	1350 feet from F / E / W Line of Section	
ddress: 6421 Avondale Drive, Suite 212	Is SECTION Regular Irregular?	
ity/State/Zip: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse side)	
ontact Person: Chris Martin	County: Anderson	
hone: (405) 810-0900	Lease Name: East Hastert Well #: 16-E	
	Field Name: Garnett Shoestring	
ONTRACTOR: License# 8509	Is this a Prorated / Spaced Field? Yes ✓	No
ame: Evans Energy Development, Inc.	Target Formation(s): Bartlesville	
	Nearest Lease or unit boundary: 165'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Na feet M	ISI
Oilum Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓	
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile: Yes ✓	_
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 50'	110
Seismic; # of Holes Other	Depth to bottom of usable water: 125	
Other	Surface Pipe by Alternate: 1 2	
	Length of Surface Pipe Planned to be set: 20'	
DWWO: old well information as follows:	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 900'	
Well Name:	Formation at Total Depth:Bartlesville	
Original Completion Date:Original Total Depth:	/ Offination at lotal Deptit	
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other X	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Nate: Apply for Permit with DWR)	
CC DKT #:	Will Cores be taken?Yes ✓	No
	If Yes, proposed zone:	
AFE	IDAVIT KANDAD CORPORATION C	
ne undersigned hereby affirms that the drilling, completion and eventual p	KANSAS CURPUKATION C	CIMMO
s agreed that the following minimum requirements will be met:	SEP 2 5 20	06
·	JLI Z J E	-
Notify the appropriate district office <i>prior</i> to spudding of well;	ch drilling rig: CONSERVATION DIV	
a convent the approved better at intent to drill shall be perted on ag-		リクリント
2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set		ISION
3. The minimum amount of surface pipe as specified below shall be se	of by circulating cement to the top; in all cases surface pipe ANOLITAÇAS	ISION
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constant. 	of by circulating cement to the top; in all cases surface pipe and tracks to the underlying formation. It is strict office on plug length and placement is necessary prior to plugging	
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction. The appropriate district office will be notified before well is either plug 	of by circulating cement to the top; in all cases surface pipe ANOLITY (S) he underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;	
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement. 	of by circulating cement to the top; in all cases surface pipe and tracks he underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.);
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of	of by circulating cement to the top; in all cases surface pipe ***Contracts**S he underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement);
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	by circulating cement to the top; in all cases surface pipe ***Content of the underlying formation. District office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.);
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	by circulating cement to the top; in all cases surface pipe ***Content of the underlying formation. District office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.);
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the	be by circulating cement to the top; in all cases surface pipe ***Company Section 1.0 by circulating cement to the top; in all cases surface pipe ***Company Section 1.0 by circulating formation. District office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.);
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be set of the set of th	by circulating cement to the top; in all cases surface pipe ***Content of the underlying formation. District office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.);
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the appropriate district office will be notified before well is either plug to the set of t	be by circulating cement to the top; in all cases surface pipe ***Company Section 1.0 by circulating cement to the top; in all cases surface pipe ***Company Section 1.0 by circulating formation. District office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.);
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plug to the set of the	be by circulating cement to the top; in all cases surface pipe ***Contracts** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.);
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of 20 feet into the set of the well is either plug to the set of the set of the well is either plug to the set of the well is either plug to the set of the set of the well is either plug to the set of	be by circulating cement to the top; in all cases surface pipe ***Contracts** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:** **Remember to:**);
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plug of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best of the set of the s	bet by circulating cement to the top; in all cases surface pipe ***Contracts** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;);
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of 20 feet into the set of the well is either plug to the appropriate district office will be notified before well is either plug to the set of t	be to be circulating cement to the top; in all cases surface pipe ***Contracts** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	ing
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best of the set of the constitution of Operator or Agent: September 25, 2006	bet by circulating cement to the top; in all cases surface pipe ***Contracts** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;	ing
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of 20 feet into the set of the well is either plug of the set of the set of the set of the set of the well is either plug of the set of the	be to be circulating cement to the top; in all cases surface pipe ***Contracts** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	iing
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plug to the set of the well is either plug to the set of the well is either plug to the set of the well shall need to complete within 30 days of the spud date or the well shall need to complete the well shall need to complete the statements made herein are true and to the best of the set of the well shall need to the well shall need to the set of the well shall need to the well shall n	be to be circulating cement to the top; in all cases surface pipe ***Contracts** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please	ing
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plug to the set of the well is either plug to the set of the well is either plug to the set of the well shall need to complete within 30 days of the spud date or the well shall need to complete the well shall need to complete the statements made herein are true and to the best of the set of the well shall need to the well shall need to the set of the well shall need to the	be to be circulating cement to the top; in all cases surface pipe ***Contracts** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. ***Remember to:** - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.	ing
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best of the set of th	be to be circulating cement to the top; in all cases surface pipe ***Contracts** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please	ing
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the set of the well is either plug to the appropriate district office will be notified before well is either plug to the set of the se	be to be circulating cement to the top; in all cases surface pipe ***Content** She underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:** File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ing
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the set of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of th	be to be circulating cement to the top; in all cases surface pipe ***Contents** the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. - Well Not Drilled - Permit Expired	ing

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24361-0000	Location of Well: County: Anderson
Operator: Tailwater, Inc.	2475 feet from N / ✓ S Line of Section
Lease: East Hastert	1350 feet from 🗸 E / W Line of Section
Well Number: 16-E	Sec. 13 Twp. 20 S. R. 20 ✓ East Wes
Field: Garnett Shoestring	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: ApNE - NENW - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

f					
	• •			•	
				•	
		·			
			-	•	
			•	•	-
			•	-	*
					-
	· .			•	•
	• •		•		•
	•				
1	· · ·	.	-	 -	•
] .					
			•	•	•
	·				·
		-	•	-	
	. <u>.</u>				
			•		
	 		•	• -	
			•	•	•



NQTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Tailwater, Inc.		License Number: 32461		
Operator Address: 6421 Avondale	Drive, Suite 2	212, Oklah	oma City, OK 73116	
Contact Person: Chris Martin			Phone Number: (405) 81	0 -0900
Lease Name & Well No.: East Hastert 16-E		Pit Location (QQQQ):		
pe of Pit: Pit is:		ApNE NE NW SE		
Emergency Pit Burn Pit Settling Pit ✓ Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	✓ Proposed ☐ Existing If Existing, date constructed: Pit capacity: 120 (bbls)		Sec. 13 Twp. 20 R. 20 Feast West 2475 Feet from North / South Line of Section 1350 Feet from East / West Line of Section Anderson County	
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	Νο	Chloride concentration:	
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ✓	No	(For Emergency Pits a How is the pit lined if a plastic lin native clay	and Settling Pits only) er is not used?
Pit dimensions (all but working pits):	10 Length (fe	et) 10	Width (feet)	N/A: Steel Pits
Depth t	from ground level to de	_	(feet)	
	.			
		Depth to shallo Source of info	lowest fresh waterfeet. ormation:	
NA feet Depth of water well	feet	measi	ıred well owner e	electric logKDWR
Emergency, Settling and Burn Pits ONLY	:	į -	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materi	al utilized in drilling/workover: drilli	ng mud
Number of producing wells on lease:			working pits to be utilized: 1	
Barrels of fluid produced daily: Abandonment		procedure: air dry and backfill		
Does the slope from the tank battery allow a flow into the pit? Yes No	11 spilled fluids to	Drill pits must	be closed within 365 days of spud	date. RECEIVED KANSAS CORPORATION CO
September 25, 2006 Date	tements are true and	nna	t of my knowledge and belief. Nanda Signature of Applicant or Agent	SEP 2 5 2006 CONSERVATION DIVISION OF THE PROPERTY OF THE PRO
	KCC	OFFICE USE O	NLY	
, ,	1100		1	
Date Received: 9/a5/04 Permit Nu	mber:	Perm	iit Date: <u> </u>	nspection: Yes 📐 No