For KCC Use:

Effective Date:

District #

SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date September 26, 2006	Spot East
month day year	Spot
OPERATOR: Linguist 5056	660 feet from N / S Line of Section
OPERATOR: License#	1650 feet from $\checkmark$ E / W Line of Section
Address: 9431 E. Central, Suite 100	Is SECTION Regular Irregular?
City/State/Zip: Wichita, Kansas 68207	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Franklin R. Greenbaum	County: Osborne
Phone: (316) 684-8481	Lease Name: KENDIG Well #: 1-32
CONTRACTOR: Licensett 5892	Field Name: Wildcat
Parent Delling Consequence In Dis 44	Is this a Prorated / Spaced Field?
Name: Berentz Drilling Company, Inc., Rig #1	Target Formation(s): Lansing Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1939 est. feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile:  Yes No
Seismic; # of Holes Other	Depth to bottom of fresh water: 180'  Depth to bottom of usable water: 700'
Other	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 225' A/t a.
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 4300'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #: (Contractor will apply)
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	DAVIT
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT gging of this well will comply with K.S.A. 55
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	DAVIT gging of this well will comply with K.S.A. 55 KANSAS CORPORATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	gging of this well will comply with K.S.A. 55 KANSAS CORPORATION COMMISSI  SEP 2 2 2006
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	gging of this well will comply with K.S.A. 55 KARSAS CORPORATION COMMISSI  SEP 2 2 2006
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	gging of this well will comply with K.S.A. 55 KARSAS CORPORATION COMMISSI  SEP 2 2 2006  by circulating cement to the top; in all cases surf DONSERVATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis	gging of this well will comply with K.S.A. 55 CORPORATION COMMISSI  SEP 2 2 2006  a drilling rig; by circulating cement to the top; in all cases surface surface surface and placement is necessary prior to bission with the proof to bission.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg	gging of this well will comply with K.S.A. 55  SEP 2 2 2006  a drilling rig; by circulating cement to the top; in all cases surface surface components.  Surface and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	gging of this well will comply with K.S.A. 55 CORPORATION COMMISSI  SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surface surface surface prior to pluging;  et underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  et or production casing is cemented in;  d from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	gging of this well will comply with K.S.A. 55  SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surfaces sur
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	gging of this well will comply with K.S.A. 55  SEP 2 2 2006  In drilling rig; by circulating cement to the top; in all cases surface surface prior to pitiging; be underlying formation.  WCLITA ISSUED  For the pitiging;  ed or production casing is cemented in; d from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	gging of this well will comply with K.S.A. 55 CORPORATION COMMISSI  SEP 2 2 2006  In drilling rig; by circulating cement to the top; in all cases surface surface prior to pitugging; by circulating formation.  Wiching his pitugging; ed or production casing is cemented in; d from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  The green baum
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	gging of this well will comply with K.S.A. 55  SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surface surface prior to plugging;  et underlying formation.  WCLITAL SIGN.  WCLITAL SIGN.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	gging of this well will comply with K.S.A. 55 CORPORATION COMMISSI  SEP 2 2 2006  In drilling rig; by circulating cement to the top; in all cases surface surface prior to pitugging; by circulating formation.  Wiching his pitugging; ed or production casing is cemented in; d from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  The green baum
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: 9/22/2006  Signature of Operator or Agent: Frank 1.	SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surfaces surfa
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Pate: 9/22/2006  Signature of Operator or Agent:	gging of this well will comply with K.S.A. 55  SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surfaces sur
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Pate: 9/22/2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 191-20364-DDDD	gging of this well will comply with K.S.A. 55  SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surfaces sur
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state will be notified before well is either plugg for the appropriate district office will be notified before well is either plugg for grant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plugges of the spud state of the set of the set of the spud state of the set of the spud state of the set of the spud state of the spud state of the set of the spud state of the spud state of the set of the spud state of the set of the spud state o	gging of this well will comply with K.S.A. 55  SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surfaces sur
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shail be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date:    9/22/2006	gging of this well will comply with K.S.A. 55  SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surfaces sur
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: 9/22/2006  Signature of Operator or Agent: Frank 1.  For KCC Use ONLY  API # 15 - 191 - 20364-DDDD  Conductor pipe required	gging of this well will comply with K.S.A. 55  SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surfaces sur
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state will be notified before well is either plugg for the appropriate district office will be notified before well is either plugg for grant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the pluggest	SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surface surface prior to plugging;  and the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  difform below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: 9/22/2006  Signature of Operator or Agent: Frank 1.  For KCC Use ONLY  API # 15 - 191 - 20364-DDDD  Conductor pipe required	SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surface surface prior to plugging;  and complete the complete to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing or plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: 9/22/2006  Signature of Operator or Agent: Frank 1.  For KCC Use ONLY  API # 15 - 191 - 20364-DDDD  Conductor pipe required	SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surf passers in the production casing is cemented in; defrom below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In P. Greenbaum  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Signature of Operator or Agent:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: 9/22/2006  Signature of Operator or Agent: Frank 1: 2006  For KCC Use ONLY  API # 15 - 191-20364-DDDD  Conductor pipe required	SEP 2 2 2006  In drilling rig;  by circulating cement to the top; in all cases surf passers for production casing is cemented in; defrom below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In P. Greenbaum  Title: Exploration Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Signature of Operator or Agent:  Date:

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 141-20364-0000	Location of Well: County: Osborne
Operator: F.G. Holl Company, L.L.C.	
Lease: KENDIG	1650 feet from VE / W Line of Section
Well Number: 1-32 Field: Wildcat	Sec. 32 Twp. 9 S. R. 12 East Wes
Number of Acres attributable to well:	Is Section: Pegular or Irregular
QTR / QTR / QTR of acreage: C E/2 - NW - NE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				RECEIVED KANSAS CORPORATION COMMISSION SEP 2 2 2006 CONSERVATION DIVISION WICHTIA, KS
, , ,	· · · · · · · · · · · · · · · · · · ·	32		EXAMPLE : :
 	· · · · · · · · · · · · · · · · · · ·			1980
 				3390' ·
, ,			· · · · · · · · · · · · · · · · · · ·	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: F.G. Holl Company, L.L.C.		License Number: 5056		
Operator Address: 9431 E. Cent	tral, Suite 1	00, Wichi	ta, Kansas 67206	
Contact Person: Franklin R. Gree	nbaum		Phone Number: ( 316 ) 684 -8	481
Lease Name & Well No.: KENDIG NO. 1-32		Pit Location (QQQQ):		
Type of Pit: Pit is:		and the first that are set the state of the second	<u>E/2</u> NW NE	
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 32 Twp. 9S R. 12	East 🗸 West
Settling Pit Drilling Pit	If Existing, date c	onstructed:	660 Feet from 🗸 North /	South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1650 Feet from	West Line of Section
(If WP Supply API No. or Year Drilled)	500	(bbls)	Osborne	County
Is the pit located in a Sensitive Ground Wate			Chloride concentration:	<u> </u>
			(For Emergency Pits and Settlin	· ·
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not	
Yes No	Yes 🗸	No	Drilling Mud, natural cl	ays and mud
Pit dimensions (all but working pits):	50 Length (fe	<sub>eet)</sub> 150	Width (feet)	N/A: Steel Pits
		4		
	e liner	Describe proce	dures for periodic maintenance and deternated and special monitoring.	mining
Depth t	e liner	Describe proce	dures for periodic maintenance and deter	mining
Depth of the pit is lined give a brief description of the material, thickness and installation procedur	e liner re.	Describe proce liner integrity, i	edures for periodic maintenance and determined and special monitoring.	mining
Depth of the pit is lined give a brief description of the material, thickness and installation procedur	e liner re. le of pit	Describe proce liner integrity, i Depth to shallo Source of infor	edures for periodic maintenance and determined and special monitoring.	
Depth of the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mi	e liner re. le of pit feet	Describe proce liner integrity, i  Depth to shallo Source of infor measu	west fresh waterfeet. mation: redwell ownerelectric looper and Haul-Off Pits ONLY:	gKDWR
Depth if the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-milestance to nearest water well within one-milestance. Depth of water well water w	e liner re.  le of pitfeet ':	Describe proce liner integrity, in the process of t	west fresh waterfeet. mation: redwell ownerelectric loover and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Mu	gKDWR
Depth of the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile to be puth of water well.  Emergency, Settling and Burn Pits ONLY Producing Formation:	e liner 'e.  le of pitfeet ':	Depth to shallo Source of informeast Drilling, Work Type of material Number of wor	west fresh waterfeet. mation: redwell ownerelectric loover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Muking pits to be utilized:3	ngKDWR
Depth of the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  MA feet Depth of water well	e liner 'e.  le of pitfeet ':	Depth to shallo Source of informeast Drilling, Work Type of material Number of wor	west fresh waterfeet. mation: redwell ownerelectric loover and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Mu	ngKDWR
Depth if the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mil    N	e liner re.  le of pitfeet re.	Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor	west fresh waterfeet. mation: redwell ownerelectric loover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Muking pits to be utilized:3	ngKDWR
Depth if the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mil    N	e liner 'e.  le of pitfeet ':	Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of work Abandonment Drill pits must	west fresh waterfeet. mation: redwell ownerelectric loover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Muking pits to be utilized:3 procedure: Backfill rotary pits and sm	ooth location
Depth of the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mil  Na feet Depth of water well	e liner 'e.  le of pitfeet ':	Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must learned to the besenger of the period of the	west fresh waterfeet. mation: redwell ownerelectric loover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Muking pits to be utilized:3 procedure: Backfill rotary pits and sm	ooth location  RECEIVED  AS CORPORATION CO
Depth if the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  March feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow a flow into the pit?  Yes No	e liner 'e.  le of pitfeet ':	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the bes	west fresh waterfeet. mation: redwell ownerelectric to over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Mu king pits to be utilized:3 procedure: Backfill rotary pits and sm oe closed within 365 days of spud date.  of my knowledge and belief. KANS	ngKDWR