## For KCC Use: For KCC Use: Effective Date: 10-1-06 District #

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date October 2, 2006	Spot ✓ East
month day year	NESW - NE - NE Sec. 7 Twp. 16 S. R. 21 West
PPERATOR: License# 33640	4455feet from N / ✓ S Line of Section
lame: Haas Petroleum, LLC	825feet from ✓ E / W Line of Section
ddross: 800 West 47th, Suite 409	Is SECTION RegularIrregular?
ity/State/Zip: Kansas City, MO 64112	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Mark L. Haas	County: Franklin
hone: (816) 531-5922	Lease Name: Deters Well #: 8-HP
	Field Name: Paola - Rantoul
ONTRACTOR: License# 33557	Is this a Prorated / Spaced Field?
ame: SKYY Drilling	Target Formation(s): Squirrel
	Nearest Lease or unit boundary: 825'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 120'
Seismic;# of Holes Other	Depth to bottom of usable water: 200+
Other	
	Surface Pipe by Alternate:
OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 750'
Well Name:	
Original Completion Date:Original Total Depth:	Tomation at lotal Depth.
irectional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
Yes, true vertical depth:	U Well ✓ Farm Pond Other
·	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
AEE	IDAVIT KANSAS CORPORATION COMM
ALL	IDATII
he undersigned hereby offirms that the drilling, completion and eventual o	higging of this wall will comply with K.S.A. SE at son
	lugging of this well will comply with K.S.A. 55 et. seq. SEP 2 6 2006
is agreed that the following minimum requirements will be met:	
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION DIVISION
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	CONSERVATION DIVISION on drilling rig; WICHITA. KS
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i>.</li> </ol>	CONSERVATION DIVISION on drilling rig;  WICHITA, KS  of by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea.</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o</li></ol>	CONSERVATION DIVISION on drilling rig;  WICHITA, KS  of by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the details of the well is dry hole, an agreement between the operator and the continuous continuous continuous district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement.	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the details of the well is dry hole, an agreement between the operator and the continuous continuous continuous district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the title that the well is dry hole, an agreement between the operator and the continuous c</li></ol>	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the second of th</li></ol>	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of th	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the details of the well is dry hole, an agreement between the operator and the constitution of the second of the constitution of the specific of the second of	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the second of the secon</li></ol></li></ol>	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface of the well is either pluging the surface district office will be notified before well is either pluging the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudidate or the well shall thereby certify that the statements made herein are true and to the best of the september 26, 2006.  Signature of Operator or Agent:  For KCC Use ONLY	CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constitution of the surface district office will be notified before well is either pluging the surface and the constitution of the complete of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order.  September 26, 2006 Signature of Operator or Agent:  For KCC Use ONLY	conservation division within a policy conservation division within a policy conservation division within a policy conservation date.  Title:  Conservation division within 120 days of spud date.  #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  #134,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  #136-Title:  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either pluging the set of the	CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is dry hole, an agreement between the operator and the construction of the specific plus of the specific plus strict office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the specific plus of the specific plus of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the specific plus of th	conservation division within application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	conservation division wichita, ks et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the determinant of the continuous of the desired pipe and the continuous of the continuous of the properties of the specified before well is either pluging the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the specific or Agent:  September 26, 2006 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9-25175-0000  Conductor pipe required MonL feet	conservation division within approval before disposing or injecting salt water.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the total through all unconsolidated materials plus a minimum of 20 feet into the different total through all unconsolidated materials plus a minimum of 20 feet into the total through all unconsolidated materials plus a minimum of 20 feet into the different total through all unconsolidated materials plus a minimum of 20 feet into the total through all unconsolidated materials plus a minimum of 20 feet into the different total through all unconsolidated materials plus a minimum of 20 feet into the different total through all unconsolidated materials plus a minimum of 20 feet into the different total through a surface casing order must be completed within 30 days of the spud date or through shall hereby certify that the statements made herein are true and to the best of ate:  September 26, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9-25175-0000  Conductor pipe required Monument feet per Alt.  Approved by Lut 9-2000	conservation division wichita, ks et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is either plugible. It an ALTERNATE II COMPLETION, production pipe shall be cement of the operator of the well shall neereby certify that the statements made herein are true and to the best of the set of the	conservation division within approval before disposing or injecting salt water.  Conservation division conservation division or design of the underlying formation.  Conservation district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into unconsolidated materials plus a minimum of 20 feet into the set into unconsolidated materials plus a minimum of 20 feet into the set into unconsolidated into unconsolidated materials plus a minimum of 20 feet into the set into unconsolidated into unconsoli	conservation division witchita, ks et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set in t	CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sall water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 059-25175-0000	Location of Well: County:_Franklin
Operator: Haas Petroleum, LLC	
Lease: Deters	4455 feet from N / ✓ S Line of Section 825 feet from ✓ E / W Line of Section
Well Number: 8-HP	. Sec. 7 Twp. 16 S. R. 21 ✓ East Wes
Field: Paola - Rantoul	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: NESW - NE - NE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			-
			•
		_	
	•	•	-
		<i>.</i>	
			_
			•
			_
	_	•	·
1			•
			-
_		<u>.</u>	
			-
, ,			•
, ,			
			•
	•		•
			•
			•
٠ .	•		•
• •		•	•
	•	•	•
	•		-
_			
			·
		-	•
	-		-
1			
1			
		_	
	-	, ,	•
	-		-
	-		•
t .			



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Haas Petroleum, LLC		License Number: 33640			
Operator Address: 800 West 47th,	Suite 409, K	ansas City	, MO 64112		
Contact Person: Mark L. Haas		Phone Number: ( 816 ) 531	5922		
Lease Name & Well No.: Deters 8-HP			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SW NE NE		
Emergency Pit Burn Pit	✓ Proposed  Existing		Sec. 7 Twp. 16 R. 21	<b>✓</b> East	
Settling Pit	If Existing, date constructed:		4455 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			825 Feet from  ▼  East /	West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Franklin	County	
Is the pit located in a Sensitive Ground Water	<u> </u>	·	Chloride concentration:		
is the pit located in a Sensitive Ground water	Aled: Les L	<b>7110</b>	(For Emergency Pits and S	•	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is	not used?	
Yes No	Yes 🗸	No	native clay		
Pit dimensions (all but working pits):	Length (fe	eet) 8	Width (feet)	N/A: Steel Pits	
Depth for	rom ground level to de	eepest point: 3	(feet)		
	:				
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		west fresh water feet.			
N/ feet Depth of water well	feet	measu	measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: drilling m	nud	
Number of producing wells on lease: Number of wor		king pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill	·	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must t	pe closed within 365 days of spud date	R-CEIVED	
I hereby certify that the above state	ments are true and o	correct to the best	t of my knowledge and belief.	ISAS CORPORATION COM	
September 26, 2006  Date	W <sub>o</sub>	nna s	Thanda ignature of Applicant or Agent	SEP 2 6 2006 CONSERVATION DIVISION WICHITA, KS	
	KCC (	OFFICE USE O	NLY		
Date Received: 9/26/05 Permit Num	har:	Dormi	t Date: 2/26/05 Lease Inspec	ction: Yes 👍 No	
zale Necelved. <u>77 - 25 -</u> Felial Mulli		reiiii	rease inspec مراجعة المعاددة	MOH.   169 (1) 140	