| For KCC Use:      | 10-1-06  |
|-------------------|----------|
| Effective Date: _ | 70-7 0 W |
| District #        | l        |

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

| Form C-1                  |
|---------------------------|
| December 2002             |
| Form must be Typed        |
| Form must be Signed       |
| All blanks must be Filled |
|                           |

|  | Must be approved by KCC five   |   |
|--|--|---|
| Expected Spud Date   |  | Spot SE SE Sec. 30 Twp. 18 S. R. 17 West  |
| OPERATOR: License# 3792 V<br>Name: J & D Investmen   | t <b>s 6</b>   |   |
| Address: 1584 Smokey Hil.  | l River Rd.  | Is SECTION X Regular Irregular?   |
| City/State/Zin: Hays, Kansas   | 67601  | (Note: Locate well on the Section Plat on reverse side)   |
| Contact Person: Jason Din  | ges  | County: Rush  |
| Phone: 785-623-8060  |  | Lease Name: Tammen Well #: 3  |
| 0.01   | 724  | Field Name: Rush Center SE  Is this a Prorated / Spaced Field?  Yes X No  |
| Mannan and Dell  | line LL L  | Is this a Prorated / Spaced Field?  Target Formation(s): Arbuckle   |
| Name: Wallett OIL OIL  | 0  | Navarak Lagge of unit boundary: 500   |
| Well Drilled For: Well   | Class: Type Equipment:   | Ground Surface Elevation: Ext 2010 1000 2430 est feet MSL   |
| X Oil ✓ Enh Rec X  | Infield Mud Rotary   | Water well within one-quarter mile:   |
| Gas Storage  | Pool Ext. Air Rotary   | Public water supply well within one mile:   |
| OWWO Disposal  | Wildcat Cable  | Depth to bottom of fresh water: 73  |
| Seismic;# of Holes   | Other  | Depth to bottom of usable water: 400  |
| Other  |  | Surface Pipe by Alternate: X 1 2  |
| If OWWO: old well information as followed  | lows:  | Length of Surface Pipe Planned to be set: 1100  |
|  |  | Length of Conductor Pipe required: n/a  |
| Well Name:   |  | Projected Total Depth:3750  |
| Original Completion Date:  | Original Total Depth:  | Formation at Total Depth: Arbuckle  |
|  |  | Water Source for Drilling Operations:   |
| Directional, Deviated or Horizontal we   |  | Wen I am one  |
| If Yes, true vertical depth:   |  | DWR Permit #:   |
| Bottom Hole Location:  |  | Will Cores be taken?  |
| KCC DKT #:   |  | If Von proposed 7000:   |
|  |  | RECEIVED  |
|  | AFi  | FIDAVIT   |
|  |  |   |
| The undersigned hereby affirms tha   | at the drilling, completion and eventual   | olugging of this well will comply with K.S.A. 55 et. seq. SEP 2 2 200c  |
| It is agreed that the following minim  | ium requirements will be met.  | olugging of this well will comply with K.S.A. 55 et. seq. SEP 2 2 2006  |
| this agreed that the following minim  1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated may 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF pursuant to Appendix "B" must be completed within 30   | office <i>prior</i> to spudding of well; e of intent to drill <i>shall be</i> posted on eace pipe as specified below <i>shall be</i> staterials plus a minimum of 20 feet into reement between the operator and the will be notified before well is either plue ETION, production pipe shall be cemel - Eastern Kansas surface casing order days of the spud date or the well shall  | Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  |
| It is agreed that the following minim  1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated may 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF pursuant to Appendix "B" must be completed within 30  | office <i>prior</i> to spudding of well; e of intent to drill <i>shall be</i> posted on exace pipe as specified below <i>shall be</i> aterials plus a minimum of 20 feet into reement between the operator and the will be notified before well is either pluse ETION, production pipe shall be cement.  | Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  |
| 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated may be appropriate district office 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF pursuant to Appendix "B" must be completed within 30.  I hereby certify that the statements   | office <i>prior</i> to spudding of well; e of intent to drill <i>shall be</i> posted on eace pipe as specified below <i>shall be</i> staterials plus a minimum of 20 feet into reement between the operator and the will be notified before well is either plue ETION, production pipe shall be cemel - Eastern Kansas surface casing order days of the spud date or the well shall  | Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated may be appropriate district office 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF pursuant to Appendix "B" must be completed within 30.  I hereby certify that the statements   | office <i>prior</i> to spudding of well; e of intent to drill <i>shail be</i> posted on erace pipe as specified below <i>shail be</i> saterials plus a minimum of 20 feet into reement between the operator and the will be notified before well is either plus ETION, production pipe shall be cemel a castern Kansas surface casing order to days of the spud date or the well shails made herein are true and to the best | Ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing.  Of my knowledge and belief.  Title:  Remember to: |
| 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated may a lift the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPLIA Or pursuant to Appendix "B" must be completed within 30.  I hereby certify that the statements  Date: 9-20-06 Signal  For KCC Use ONLY  API # 15 - 165-21803-  Conductor pipe required   | office <i>prior</i> to spudding of well; e of intent to drill <i>shall be</i> posted on exace pipe as specified below <i>shall be</i> staterials plus a minimum of 20 feet into reement between the operator and the ewill be notified before well is either plue ETION, production pipe shall be cemed a days of the spud date or the well shall as made herein are true and to the best sature of Operator or Agent:       | Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is sourced.   |
| 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated may be appropriate district office 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE Or pursuant to Appendix "B" must be completed within 30 1 hereby certify that the statements  Date: 9-20-06 Signate  For KCC Use ONLY  API # 15 - 165-21803-  Conductor pipe required  Minimum surface pipe required  Approved by: 149-21-06   | office prior to spudding of well; e of intent to drill shail be posted on erace pipe as specified below shail be saterials plus a minimum of 20 feet into reement between the operator and the will be notified before well is either plus ETION, production pipe shall be cemerate a days of the spud date or the well shails made herein are true and to the best sature of Operator or Agent:                             | Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.   |
| 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated may a lift the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF pursuant to Appendix "B" must be completed within 30 1. hereby certify that the statements  Date: 9-20-06  Signate  For KCC Use ONLY  API # 15 - 165-21803-  Conductor pipe required  Minimum surface pipe required  Approved by: 149-24-06  This authorization expires: 3-24   | office prior to spudding of well; e of intent to drill shall be posted on exace pipe as specified below shall be atterials plus a minimum of 20 feet into reement between the operator and the will be notified before well is either plue ETION, production pipe shall be cement adays of the spud date or the well shall armade herein are true and to the best sature of Operator or Agent:                               | Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please  |
| 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated may a lift the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF pursuant to Appendix "B" must be completed within 30 1. hereby certify that the statements  Date: 9-20-06  Signate  For KCC Use ONLY  API # 15 - 165-21803-  Conductor pipe required  Minimum surface pipe required  Approved by: 149-24-06  This authorization expires: 3-24   | office prior to spudding of well; e of intent to drill shail be posted on erace pipe as specified below shail be saterials plus a minimum of 20 feet into reement between the operator and the will be notified before well is either plus ETION, production pipe shall be cemerate a days of the spud date or the well shails made herein are true and to the best sature of Operator or Agent:                             | Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Ubtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  |
| 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated may be appropriate district office 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF pursuant to Appendix "B" must be completed within 30 1. hereby certify that the statements  Date: 9-20-06 Signa  For KCC Use ONLY  API # 15 - 165-21803-  Conductor pipe required  Minimum surface pipe required  Approved by: 149-20-06  This authorization expires: 3-20  (This authorization void if drilling notes) | office prior to spudding of well; e of intent to drill shall be posted on exace pipe as specified below shall be atterials plus a minimum of 20 feet into reement between the operator and the will be notified before well is either plue ETION, production pipe shall be cement adays of the spud date or the well shall armade herein are true and to the best sature of Operator or Agent:                               | Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please  |

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 165-21803-0000           | Location of Well: County: Rush  |
|---------------------------------------|---|
| Operator: J & D Investments           | feet from N / S Line of Section   |
| Lease: Tammen                         | 2310 feet from E / X W Line of Section  |
|                                       | 330   feet from   N / X   S   Line of Section   2310   feet from   E / X   W   Line of Section   Sec. 30   Twp. 18   S. R. 17   East X   West |
| Well Number 7                         |   |
| Field: Rush Center SE                 | Is Section: X Regular or Irregular  |
| Number of Acres attributable to well: |   |
| QTR / QTR / QTR of acreage:           | If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW  |

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

|     |    |     |   |   |   |   |  |   |   |         |    |    |     |     | - |   | _ |   |    | _ |   | _ |   |     |   | _   |
|-----|----|-----|---|---|---|---|--|---|---|---------|----|----|-----|-----|---|---|---|---|----|---|---|---|---|-----|---|-----|
| Г   |    |     |   |   |   |   |  |   |   |         |    |    |     |     |   |   | ٠ |   |    | ٠ |   |   |   |     |   |     |
| 1   |    |     |   |   |   |   |  |   |   |         |    |    |     |     |   |   |   |   |    | ٠ |   |   |   |     |   |     |
|     |    |     | _ |   |   | _ |  |   |   |         |    |    | ļ   |     |   |   |   |   |    |   |   |   |   |     |   |     |
| ł   |    |     |   |   |   |   |  |   |   |         |    |    |     |     |   |   |   |   |    |   |   |   |   |     |   |     |
| ı   |    |     |   |   |   |   |  |   |   |         |    |    | .   | ٠   |   | • |   | ٠ | ٠. |   | ٠ | ٠ |   |     | • | • • |
| Т   |    |     |   |   |   |   |  |   |   |         |    |    | ı   |     |   |   |   |   |    |   |   |   |   |     |   |     |
| 1   |    |     |   |   |   |   |  |   |   |         |    |    |     |     |   |   | • |   |    | ٠ |   |   |   |     |   |     |
| -   |    |     |   |   |   |   |  |   |   |         |    |    | - 1 |     |   |   | • |   |    | ٠ |   |   |   |     |   |     |
| ı   |    |     |   |   |   |   |  |   |   |         |    |    |     |     |   |   | • |   |    |   |   |   | • |     |   |     |
| 1   |    |     |   |   |   |   |  | - | • |         |    | •  | ٠ إ | ٠   | ٠ | • |   | • |    |   | • | • | • |     | • |     |
|     |    |     |   |   |   |   |  |   |   |         |    |    | Ì   |     |   |   |   |   |    |   |   |   |   |     |   |     |
| 1   |    |     | • |   |   | • | ,                                      |   |   | •       |    |    |     |     |   |   |   |   |    |   |   |   |   |     |   |     |
| ١   |    |     | • |   |   |   |  |   |   | •       |    |    |     |     |   |   | • |   |    | • |   |   |   |     |   |     |
| -1  |    |     | - |   |   |   |  |   |   |         |    |    |     |     |   |   |   |   |    | ٠ |   |   |   |     |   |     |
| 1   |    |     |   |   |   |   |  |   | _ |         |    |    |     |     |   |   |   |   |    |   |   |   |   |     |   |     |
| - [ | •  |     |   |   |   | • |  |   |   |         |    |    |     |     |   |   |   |   |    |   |   |   |   |     |   |     |
|     |    |     |   |   |   |   |  |   |   |         |    |    |     |     |   |   |   |   |    |   |   |   |   |     |   |     |
| -   |    |     | • |   |   |   | •                                      |   |   |         |    |    |     |     |   |   |   |   |    |   |   |   |   |     |   |     |
|     |    |     |   |   |   |   | •                                      |   |   |         |    |    | ,   |     |   |   | • |   |    | • |   |   |   |     |   |     |
| ı   |    |     |   |   |   |   |  |   |   | •       |    |    |     |     |   |   | • |   |    | • |   |   |   |     |   |     |
| ŀ   |    | _   |   |   | - |   |  |   |   |         |    | _  |     |     |   |   | - |   |    | 一 |   |   |   |     |   |     |
| ١   |    |     | • |   |   |   | •                                      |   |   | •       |    |    |     |     |   |   |   |   |    |   |   |   |   |     |   |     |
|     |    |     | ٠ |   |   |   | •                                      |   |   | •       |    |    |     |     |   |   | • |   |    | • |   |   |   |     |   |     |
|     |    |     |   |   |   |   |  |   |   |         |    |    |     |     |   |   | • |   |    | • |   |   |   |     |   |     |
| ŀ   |    |     |   |   |   |   |  |   |   |         |    |    |     | i . |   |   |   |   |    |   |   |   |   |     |   |     |
| Į   |    | • • |   |   |   | • |  | • | • | •       |    | •  | •   |     | • | • |   | • |    |   | • |   |   |     |   |     |
|     |    |     |   |   |   |   |  |   |   |         |    |    |     | i   |   |   |   |   |    |   |   |   |   |     |   |     |
| 1   |    |     |   |   |   |   |  |   |   |         |    |    |     | i   |   |   |   |   |    |   |   |   |   |     |   |     |
| -   | 1  |     | • |   |   |   | •                                      |   |   | •       |    |    |     | l   |   |   |   |   |    |   |   |   |   |     |   |     |
|     |    |     |   |   |   | _ |  |   |   | ٠.      |    |    |     | ۱.  |   |   | - |   |    |   |   |   |   |     |   |     |
|     | ١. |     |   |   |   | - | •                                      | - |   |         |    |    |     | ļ   |   |   |   |   |    |   |   |   |   |     |   |     |
|     |    |     |   |   |   |   |  |   |   |         |    |    |     | 1   |   |   | • |   |    | • |   |   |   | •   |   |     |
|     |    |     |   |   |   |   |  |   |   |         |    |    |     |     |   |   | ٠ |   |    |   |   |   |   | -   |   |     |
|     |    |     |   |   |   |   |  |   |   |         |    |    |     | į.  |   |   |   |   |    |   |   |   |   |     |   |     |
|     | Į  |     |   |   |   |   |  |   |   |         |    |    |     | i i |   |   |   |   |    |   |   |   |   |     |   |     |
|     | ١. | - • |   |   |   | • |  | ٠ | • | ٠       | •  | •  | ٠   | ١.  | • | • |   | • | •  |   | • | • | • | . • | - |     |
|     | 1  |     |   |   |   |   | •                                      |   |   |         |    |    |     |     |   |   | - |   |    |   |   |   |   |     |   |     |
|     |    |     | _ | • |   |   | ــــــــــــــــــــــــــــــــــــــ |   |   | <u></u> |    | 2  |     | 1   |   |   | • |   |    | • |   |   |   | •   |   |     |
| -   | 1  |     |   |   |   |   |  |   |   |         | 7  |    |     | ĺ   |   |   | ٠ |   |    | ٠ |   |   |   | •   |   |     |
|     |    |     |   |   |   |   |  |   |   |         | Į. | ٠Ş |     | ļ   |   |   | ٠ |   |    | • |   |   |   | •   |   |     |
|     |    |     |   |   |   |   |  |   |   |         | -1 | ₩  |     | ь.  | _ |   |   |   |    | _ | _ |   |   |     |   |     |



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

2310

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: J & D Investmen   | ts                                    | License Number: 3792   |   |  |  |  |  |  |
|--|---------------------------------------|--|---|--|--|--|--|--|
| Operator Address: 1584 Smokey Hi   | ll River Rd.                          | , Hays, Kar  |   |  |  |  |  |  |
| Contact Person:  |                                       |  | Phone Number: (785 ) 623-8060   |  |  |  |  |  |
| Lease Name & Well No.: Tammen #3   |                                       | Pit Location (QQQQ):   |   |  |  |  |  |  |
| Type of Pit:   | Pit is:                               |  | <u>SE SE SE</u>   |  |  |  |  |  |
| Emergency Pit Burn Pit   | X Proposed                            | Existing   | Sec. 30 Twp. 18 R. 17 East 🗷 West   |  |  |  |  |  |
| Settling Pit   | If Existing, date of                  | constructed:   | 330 Feet from North / X South Line of Section   |  |  |  |  |  |
| Workover Pit Hauf-Off Pit (If WP Supply API No. or Year Drilled)                                   | Pit capacity:                         | (bbis)   | 2310 Feet from East / [X] West Line of Section Rush County  |  |  |  |  |  |
| Is the pit located in a Sensitive Ground Water   | Area? 🗓 Yes                           |  | Chloride concentration:mg/l   |  |  |  |  |  |
|  | · · · · · · · · · · · · · · · · · · · |  | (For Emergency Pits and Settling Pits only)   |  |  |  |  |  |
| Is the bottom below ground level?  X Yes No  | Artificial Liner?                     | No   | How is the pit lined if a plastic liner is not used?  |  |  |  |  |  |
| Pit dimensions (all but working pits):   | 75 Length (fe                         | eet) <u>75</u>   | Width (feet) N/A: Steel Pits  |  |  |  |  |  |
| Depth fr   | om ground level to de                 | eepest point:  | <u>4</u> (feet)   |  |  |  |  |  |
| If the pit is lined give a brief description of the material, thickness and installation procedure |                                       | I as a factor of the same  | edures for periodic maintenance and determining ncluding any special monitoring.  |  |  |  |  |  |
|  |                                       |  | RECEIVED  |  |  |  |  |  |
| Distance to nearest water well within one-mile   | e of pit                              | Depth to shallo  | RECEIVED  SEP 2 2 2006  west fresh water  |  |  |  |  |  |
| Distance to nearest water well within one-mile  2300 feet Depth of water well                      | •                                     | Depth to shallo<br>Source of infor<br>measu  | RECEIVED  SEP 2 2 2006  west fresh water  |  |  |  |  |  |
|  | 73feet                                | measu  | RECEIVED  SEP 2 2 2006  west fresh water  |  |  |  |  |  |
| 2300 feet Depth of water well  | 73feet                                | measu<br>Drilling, Worke   | red well owner electric log KDWR  |  |  |  |  |  |
| 2300 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:                             | 73feet                                | Drilling, Worke  | red KDWR electric log KDWR ver and Haul-Off Pits ONLY:  |  |  |  |  |  |
| 2300 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:       | 73feet                                | Drilling, Worker Type of materia Number of work Abandonment  | red   |  |  |  |  |  |
| 2300 feet Depth of water well  | 73 feet                               | Drilling, Worker Type of material Number of work Abandonment let pits  | red   |  |  |  |  |  |
| 2300 feet Depth of water well  | 73 feet                               | Drilling, Worker Type of material Number of work Abandonment Let pits Drill pits must b                      | red   |  |  |  |  |  |
| 2300 feet Depth of water well  | 73 feet                               | Drilling, Worked Type of material Number of work Abandonment Let pits Drill pits must be correct to the best | red   |  |  |  |  |  |
| 2300 feet Depth of water well  | spilled fluids to                     | Drilling, Worked Type of material Number of work Abandonment Let pits Drill pits must be correct to the best | red well owner electric log KDWR  over and Haul-Off Pits ONLY:  Illutilized in drilling/workover Drilling mud & cuttings with the cutting state of Applicant or Agent  procedure: Haul free water to disposal, dry, backfill and level location.  of my knowledge and belief. |  |  |  |  |  |



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

September 26, 2006

Mr. Jason Dinges J & D Investments 1584 Smokey Hill River Rd. Hays, KS 67601

RE: Drilling Pit Application Tammen Lease Well No. 3 SE/4 Sec. 30-18S-17W Rush County, Kansas

Dear Mr. Dinges:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File