

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 33019
Name: Rosewood Resources, Inc.
Address: 2711 N. Haskell Ave., Suite 2800, LB 22
City/State/Zip: Dallas, TX 75201
Purchaser: _____
Operator Contact Person: Tom Roelfs
Phone: (785) 332-0374
Contractor: Name: Advanced Drilling Technologies LLC
License: 33532
Wellsite Geologist: Steven VonFeldt

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>9/29/2005</u>	<u>10/01/2005</u>	<u>10/22/2005</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 023-20628-0000
County: Cheyenne
SW NE SW NW Sec. 25 Twp. 3 S. R. 41 East West
1728 feet from S (N) (circle one) Line of Section
701 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Isernhagen Well #: 12-25
Field Name: St. Francis
Producing Formation: Niobrara
Elevation: Ground: 3521' Kelly Bushing: 3533'
Total Depth: 1470' Plug Back Total Depth: 1451'
Amount of Surface Pipe Set and Cemented at 297' csg A 297 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.
ALT I WITHIN 8-21-06

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content 5000 ppm Fluid volume 220 bbls
Dewatering method used Evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

RECEIVED
DEC 05 2005
KCC WICHITA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kathy Paelfs
Title: Production Asset Date: 11-30-05
Subscribed and sworn to before me this 30th day of November,
20 05.
Notary Public: Myra J. Douthit
Date Commission Expires: April 8, 2008

MYRA J. DOUTHIT
Notary Public - State of Kansas
My Appt. Expires 04/08/08

KCC Office Use ONLY

ND Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution



Operator Name: Rosewood Resources, Inc. Lease Name: Isernhagen Well #: 12-25
 Sec. 25 Twp. 3 S. R. 41 East West County: Cheyenne

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Platform Express Resistivity, Porosity, Density ML-GR	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum Niobrara 1338' KB
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	7 7/8"	5 1/2"	15.5#	297'	Neat	50	
Production	4 3/4"	2 7/8"	6.5#	1451'	Neat	60	2% Cal.


ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	1341' to 1373'		

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 11/15/2005		Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	none	20				

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input checked="" type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	

RECEIVED
DEC 05 2005
KCC WICHITA



A DIVISION OF ADVANCED DRILLING TECHNOLOGIES, LLC.

FIELD SERVICE TICKET
AND INVOICE

LONGHORN CEMENTING CO.

P.O. BOX 203 YUMA, COLORADO 80759
Phone: 970-848-0799 Fax: 970-848-0798

DATE 10-1-05 TICKET NO. 351

DATE OF JOB		DISTRICT		NEW WELL <input checked="" type="checkbox"/>		OLD WELL <input type="checkbox"/>		PROD <input type="checkbox"/>		INJ <input type="checkbox"/>		WDW <input type="checkbox"/>		CUSTOMER ORDER NO.:	
CUSTOMER <u>Rose wood</u>				LEASE <u>Isernhagen 12-25</u>				WELL NO.							
ADDRESS				COUNTY				STATE							
CITY				STATE				SERVICE CREW <u>MIKE-Dave</u>							
AUTHORIZED BY				EQUIPMENT <u>UNIT #111</u>											
TYPE JOB: <u>Longstring</u>		DEPTH FT.		CEMENT DATA: BULK <input type="checkbox"/>		SAND DATA: SACKS <input type="checkbox"/>		TRUCK CALLED		DATE		AM		TIME	
SIZE HOLE: <u>2 7/8"</u>		DEPTH FT.		SACKS <u>60</u>		% GEL		ARRIVED AT JOB				AM		PM	
SIZE & WT. CASTING <u>NEW C USED C</u>		DEPTH FT.		TYPE <u>1-2</u>				START OPERATION				AM		PM	
SIZE & WT. D PIPE OR TUBING		DEPTH FT.						FINISH OPERATION				AM		PM	
TOP PLUGS		TYPE:		WEIGHT OF SLURRY:		LBS. / GAL.		LBS. / GAL.				RELEASED		AM	
				VOLUME OF SLURRY								MILES FROM STATION TO WELL		PM	
				SACKS CEMENT TREATED WITH <u>2</u> % OF <u>KCL</u>											
MAX DEPTH <u>1450.97</u> FT.				MAX PRESSURE		P.S.I.									

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only these terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without written consent or an officer of Advanced Drilling Technologies, LLC.

SIGNED: _____

(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM / PRICE REF. NUMBER	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
001-2	Depth Charge - Mileage - Cement Asper Contract		<u>1</u>		<u>3200</u> <u>00</u>
300-1	2 7/8" Accu seal Flout shoe		<u>1</u>		<u>257</u> <u>12</u>
300-3	2 7/8" LATCH Down Plug + Baffle		<u>1</u>		<u>203</u> <u>56</u>
300-5	2 7/8" Centralizers		<u>7</u>		<u>157</u> <u>78</u>
300-7	2 7/8" Scratchers		<u>8</u>		<u>183</u> <u>04</u>
300-10	5 1/2" Centralizers		<u>1</u>		<u>35</u> <u>90</u>
400-1	Mud Flush		<u>501B</u>		<u>87</u> <u>75</u>
400-2	CLAYSTA		<u>2.5gal</u>		<u>118</u> <u>12</u>
400-4	KCL		<u>501B</u>		<u>13</u> <u>29</u>
RECEIVED					
DEC 05 2005					<u>4256</u> <u>46</u>
KCC WICHITA					
	Mud Flush				
	Cement				
	Displacement				
	Bump plug @ 1400				

SUB TOTAL

ACID DATA:			
	GALLONS	%	ADDITIVES
HCL			
HCL			

SERVICE & EQUIPMENT	%TAX ON \$
MATERIALS	%TAX ON \$

TOTAL

THANK YOU

SERVICE REPRESENTATIVE Mike SA

THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: [Signature]

(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.

SCHAAL DRILLING, CO.

FIELD REPORT

Rosewood
FILE COPY

DRILLING DATE 9-29-05

WELL NAME & LEASE # ISERNHAGEN 12-25

MOVE IN, RIG UP, DIG PITS ETC. DATE 9-28-05 TIME 1:00 AM PM

SPUD TIME 6:45 AM PM SHALE DEPTH 150 TIME 8:15 AM PM

HOLE DIA. 7 7/8 FROM 0 TO 289 TD TIME 10:15 AM PM

CIRCULATE, T.O.O.H., SET 284 FT CASING 297 KB FT DEPTH

9 JOINTS 5 1/2 OD #/FT 14 15.5 17 20 23

PUMP 50 SAC CEMENT 360 GAL.DISP. CIRC. 1/4 BBL TO PIT

PLUG DOWN TIME 12:15 AM PM CEMENT COST \$586.39

PIPE TALLY

- 1. 41.94
 - 2. 31.68
 - 3. 31.19
 - 4. 31.16
 - 5. 26.47
 - 6. 31.44
 - 7. 31.52
 - 8. 31.25
 - 9. 27.35
 - 10.
 - 11.
 - 12.
 - 13.
 - 14.
 - 15.
- TOTAL 284

ELEVATION 3521
+12KB 3533

RECEIVED
DEC 05 2005
KCC WICHITA