

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1  
September 1999  
Form Must Be Typed

ORIGINAL

Operator: License # 32309  
 Name: Presco Western LLC  
 Address: 5480 Valmont Road, Ste. 350  
 City/State/Zip: Boulder, CO 80301  
 Purchaser: \_\_\_\_\_  
 Operator Contact Person: Sherry Glass  
 Phone: ( 303 ) 444-8881  
 Contractor: Name: Cheyenne Drilling, LP  
 License: 33375  
 Wellsite Geologist: \_\_\_\_\_  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  

<u>5-28-05</u>	<u>5-30-05</u>	<u>9-23-05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
 CONSERVATION DIVISION  
 WICHITA, KS  
 NOV 17 2005

API No. 15 - 081-21595-00-00  
 County: Haskell  
SW SW SE NW Sec. 2 Twp. 28 S. R. 33  East  West  
2501 feet from S  (N) (circle one) Line of Section  
1344 feet from E  (W) (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE NW SW  
 Lease Name: Koehn Well #: 5-F2-28-33  
 Field Name: Hugoton  
 Producing Formation: \_\_\_\_\_  
 Elevation: Ground: 2972' Kelly Bushing: 6' 2978'  
 Total Depth: 2950' Plug Back Total Depth: \_\_\_\_\_  
 Amount of Surface Pipe Set and Cemented at 896 Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.  
ALT I WITH 8-21-06

**Drilling Fluid Management Plan**  
 (Data must be collected from the Reserve Pit)  
 Chloride content 42000 ppm Fluid volume 1200 bbls  
 Dewatering method used evaporation  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Richard McClure


Title: COO Date: 10-31-05

Subscribed and sworn to before me this 1st day of November

2005

Notary Public: Sherry E. Glass

Date Commission Expires: 10-8-06



**KCC Office Use ONLY**

NO Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

✓

X

Operator Name: Presco Western LLC Lease Name: Koehn Well #: 5-F2-28-33
Sec. 2 Twp. 28 S. R. 33 [ ] East [x] West County: Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [ ] Yes [x] No
Samples Sent to Geological Survey [ ] Yes [x] No
Cores Taken [ ] Yes [x] No
Electric Log Run [x] Yes [ ] No
List All E. Logs Run:
Dual Space Neutron
Cement Bond Log

RECEIVED
KANSAS CORPORATION COMMISSION
NOV 8 2005
02
CONSERVATION DIVISION
WICHITA, KS

CASING RECORD [x] New [ ] Used
Report all strings set-conductor, surface, intermediate, production, etc.
Table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD
Table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives

PERFORATION RECORD - Bridge Plugs Set/Type
Specify Footage of Each Interval Perforated
Acid, Fracture, Shot, Cement Squeeze Record
(Amount and Kind of Material Used)
Depth

TUBING RECORD
Size Set At Packer At Liner Run [ ] Yes [ ] No
Date of First, Resumerd Production, SWD or Enh. Producing Method [ ] Flowing [ ] Pumping [ ] Gas Lift [ ] Other (Explain)
Estimated Production Per 24 Hours Oil Bbbs. Gas Mcf Water Bbbs. Gas-Oil Ratio Gravity

Disposition of Gas METHOD OF COMPLETION Production Interval
[ ] Vented [ ] Sold [ ] Used on Lease [ ] Open Hole [ ] Perf. [ ] Dually Comp. [ ] Commingled
[ ] Other (Specify)

# ALLIED CEMENTING CO., INC. 19530

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

As Per Bid

SERVICE POINT:  
Oakley

DATE <u>5/28/05</u>	SEC. <u>2</u>	TWP. <u>28s</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>7:00 PM</u>	JOB START <u>11:30 AM</u>	JOB FINISH <u>12:05 PM</u>
LEASE <u>Koch</u>	WELL# <u>5F2-28-33</u>	LOCATION <u>Sublette 100 2W 1 1/2 N E/S</u>			COUNTY <u>Haskell</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Cheyenne #8

TYPE OF JOB Cmt 8 3/4 Surface CSG

HOLE SIZE 12 1/2 T.D. 895

CASING SIZE 8 3/4 DEPTH 896

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 500 MINIMUM 100

MEAS. LINE SHOE JOINT 42

CEMENT LEFT IN CSG. 42

PERFS.

DISPLACEMENT 54.4 BBL

OWNER Sam C

CEMENT AMOUNT ORDERED

250 sks Lite + 370 cc 9" Flo Seal

150 sks com + 370 cc

COMMON <u>150 sks</u>	@	<u>10.00</u>	<u>1500.00</u>
POZMIX	@		
GEL	@		
CHLORIDE <u>12 sks</u>	@	<u>38.00</u>	<u>456.00</u>
ASC	@		
<u>Lite weight 250 sks</u>	@	<u>8.80</u>	<u>2200.00</u>
<u>Flo-seal 62 cc</u>	@	<u>1.60</u>	<u>99.20</u>
	@		
	@		
	@		
	@		
	@		
	@		
HANDLING <u>412 sks</u>	@	<u>1.60</u>	<u>659.20</u>
MILEAGE <u>62.5 R/mi</u>			<u>1186.86</u>
TOTAL			<u>6100.96</u>

REMARKS:

Cmt 8 3/4 Surface Csg with 250 sks  
1 1/2" x 150 speed drill Plug  
Displace 54.4 BBL Land Plug  
Close in Csg  
Cement did circulate

SERVICE

DEPTH OF JOB <u>890</u>		
PUMP TRUCK CHARGE		<u>670.00</u>
EXTRA FOOTAGE <u>580</u>	@	<u>55</u> <u>319.00</u>
MILEAGE <u>48 mi</u>	@	<u>5.00</u> <u>240.00</u>
MANIFOLD	@	
	@	
	@	
TOTAL <u>1329.00</u>		

PLUG & FLOAT EQUIPMENT

<u>1-8 3/4 Guide Shoe</u>	@	<u>215.00</u>
<u>1-8 3/4 Bg Flo Plate</u>	@	<u>45.00</u>
<u>1-8 3/4 Centralizer</u>	@	<u>55.00</u>
<u>1-8 3/4 Rubber Plug</u>	@	<u>100.00</u>
	@	
TOTAL <u>415.00</u>		

CHARGE TO: Presco Western

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "TERMS AND CONDITIONS" on the back of the invoice.

PRESCO WESTERN  
CONDITION NO. 50-28-33  
SYMBOL NO. 50-28-33

USE DESC. Surface Cement

FIELD APPR. Roby J. ... DATE 5-28-05

HOME OFFICE APPR. \_\_\_\_\_

SIGNATURE \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

COPY

RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 21 2005  
CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC. 19290

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*Ogley*

DATE <i>5-30-05</i>	SEC. <i>2</i>	TWP. <i>28S</i>	RANGE <i>33W</i>	CALLED OUT	ON LOCATION <i>8:00 AM</i>	JOB START <i>12:15 PM</i>	JOB FINISH <i>1:00 PM</i>
LEASE <i>Roehn</i>	WELL# <i>5-F2-28-33</i>	LOCATION <i>Syblette 12N 2W 1/2 E/S</i>			COUNTY <i>Haskell</i>	STATE <i>KS</i>	

COPY

CONTRACTOR *Cheyenne Drlg Rig 8*

TYPE OF JOB *Production string*

HOLE SIZE *7 7/8* T.D. *2950'*

CASING SIZE *4 1/2* DEPTH *2951'*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX *1500#* MINIMUM

MEAS. LINE SHOE JOINT *41'*

CEMENT LEFT IN CSG. *41'*

PERFS.

DISPLACEMENT *46 1/4 Bbls*

EQUIPMENT

OWNER *same*

CEMENT

AMOUNT ORDERED *450 sks Lite 1/4 # plus 12.5 sks ASC*

COMMON	@		
POZMIX	@		
GEL	@		
CHLORIDE	@		
ASC	<i>12.5 sks</i>	@ <i>11.65</i>	<i>1456.25</i>
	@		
<i>Liteweight</i>	<i>450</i>	@ <i>8.80</i>	<i>3960.00</i>
	@		
<i>Plg seal</i>	<i>113#</i>	@ <i>1.60</i>	<i>180.80</i>
	@		
	@		
	@		
HANDLING	<i>57.5 sks</i>	@ <i>1.60</i>	<i>920.00</i>
MILEAGE	<i>69.5k/mile</i>		<i>1656.00</i>
TOTAL			<i>8175.05</i>

PUMP TRUCK CEMENTER *Dean*

# *373-281* HELPER *Andrew Max*

BULK TRUCK

# *218* DRIVER *Larry*

BULK TRUCK

# DRIVER *Jim*

REMARKS:

*cemented 4 1/2 csg w/ 450 sks  
Lite 1/4 # Plg Seal + 12.5 sks ASC.  
wash pump & line Disp Plug  
Plug Landed at 1500#  
Float Held  
Circulated 5 Bbls Cement To pits*

SERVICE

DEPTH OF JOB *2951'*

PUMP TRUCK CHARGE *1320.00*

EXTRA FOOTAGE @

MILEAGE *48 miles* @ *5.00* *240.00*

MANIFOLD @

TOTAL *1560.00*

*4 1/2* PLUG & FLOAT EQUIPMENT

<i>Guide shoe</i>	@	<i>125.00</i>
<i>Latch down Plug</i>	@	<i>300.00</i>
<i>8-Centralizers</i>	@ <i>45.00</i>	<i>360.00</i>
	@	
	@	
TOTAL		<i>785.00</i>

*Per Bid*

TAX

TOTAL CHARGE *[scribble]*

DISCOUNT *[scribble]* IF PAID IN 30 DAYS

CHARGE TO: *Presco Western*

STREET

CITY STATE ZIP

To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "TERMS AND CONDITIONS" listed on the reverse side.

USE DESC. *long string cement job*

FIELD APPR. *[signature]* DATE *5-30-05*

HOME OFFICE APPR.

SIGNATURE

RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 21 2005  
09:05 AM  
CONSERVATION DIVISION  
WICHITA, KS

PRINTED NAME

