For KCC Use:	10 2010
Effective Date: _	10-3-06
Oistrict #	3
SGA? Yes	∑ i No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

xpected Spud Date October 2 2006 month day year	_ Spot village
	SESW SE MW 4 21 21 A ST
PERATOR: License# 09267	3/75 Sec Wb S. A West
IDC Oil Company Tax	leet from X_IN / S Line of Section
0000 370 37	1815 feet from E / X W Line of Section Is SECTION Regular X Irregular?
	-
2013	(Note: Locate well on the Section Plat on reverse side)
ontact Person: <u>Mike Colvin</u> 785-448-5833	_ County:Anderson
one: 785-448-5833	Lease Name: Daniel
ONTRACTOR: License# 08509	Field Name: Bush City Shoestring
Evans Energy Development, I	nc. Is this a Prorated / Spaced Field?
	Target Information(s):CITETOREE
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165'
X Oil Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 990ieet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes X No.
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes X No
Seismic;# of Holes Other	Depth to bottom of fresh water:50'
Other	Depth to bottom of usable water: 125 '
	Surface Pipe by Alternate: 1 X 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: 0
Well Name:	Projected Total Depth: 800'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Little Offer
Ves, true vertical depth:	OWR Permit #:
ottom Hole Location:	— (Note: Apply for ≧ermit with DWR 🛄)
DC DKT #:	— Will Cores be taken? Yes XNo.
	If Yes, proposed zone:
AF	
	If Yes, proposed zone:
ne undersigned hereby affirms that the drilling, completion and eventua is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
ne undersigned hereby affirms that the drilling, completion and eventua is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intention of the well is dry hole, an agreement between the operator and the statements district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the statements.	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the statements district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the best and the statements made herein are true and to the statements made herein are true and to the statements made herein are true and to the statements are tr	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Vice President
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strength of the well is dry hole, an agreement between the operator and the first office will be notified before well is either post of the appropriate district office will be notified before well is either post of the appropriate district office will be notified before well is either post of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed. Signature of Operator or Agent: 9/26/2006 Signature of Operator or Agent:	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Vice President Remember to:
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be represented that the statements made herein are true and to the best ate: 9/26/2006 Signature of Operator or Agent:	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Vice President
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the figure of the spropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the best directly certify that the statements made herein are true and to the best directly shall be completed. Signature of Operator or Agent: Por KCC Use CNLY API # 15 - OO3 - 24366-OOO0	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. File prior to all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders:
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cered or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best state. 1. Por KCC Use CNLY API # 15 - OO3 - 24366-OOOO Conductor pipe required None feet	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry;
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: 1. **Post KCC Use CNLY** API # 15 - **OO3 - 24366 - OOO0 Conductor pipe required **None feet per Alt. **X ** 2	### FIDAVIT If plugging of this well will comply with K.S.A. S5 et. seq. ### each drilling rig; ### set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. ### district office on plug length and placement is necessary prior to plugging; #### slugged or production casing is cemented in; #### ented from below any usable water to surface within 120 days of spud date. ##### It is a surface within 120 days of spud date. ####################################
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either point of an ALTERNATE II COMPLETION, production pipe shall be cered or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements have the statement of the statements will be the statement of the st	### FIDAVIT If plugging of this well will comply with K.S.A. S5 et. seq. ### each drilling rig; ### set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. ### district office on plug length and placement is necessary prior to plugging; #### slugged or production casing is cemented in; #### ented from below any usable water to surface within 120 days of spud date. ##### It is a surface within 120 days of spud date. ####################################
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intended through all unconsolidated materials plus a minimum of 20 feet intended the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either proposed to the specified pipe shall be demonstrated by the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud da	### FIDAVIT If plugging of this well will comply with K.S.A. S5 et. seq. ### each drilling rig; ### set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. ### district office on plug length and placement is necessary prior to plugging; #### slugged or production casing is cemented in; #### ented from below any usable water to surface within 120 days of spud date. ##### Item #### district office prior to any cementing. ####################################
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the state of the well is dry hole, an agreement between the operator and the state of the well is either point of the spropriate district office will be notified before well is either point of the propriate district office will be notified before well is either point of pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: Por KOC Use CNLY API # 15 - OO3 - 24366-OOOO Conductor pipe required None feet per Alt. X (2) Approved by: Put 9-38-O-b	### FIDAVIT If plugging of this well will comply with K.S.A. S5 et. seq. ### each drilling rig; ### set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. #### district office on plug length and placement is necessary prior to plugging; ###################################
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intended the well is dry hole, an agreement between the operator and the figure of the well is dry hole, an agreement between the operator and the figure of the well is either properties of the specified before well is either properties of the surface casing order of the properties of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed by the shall be completed and the shall be completed within 30 days of the spuddate or the well shall be completed by the shall be posted by the shall be posted on the surface of the shall be posted by the shall be posted on th	### FIDAVIT If plugging of this well will comply with K.S.A. S5 et. seq. ### each drilling rig; ### set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. ### district office on plug length and placement is necessary prior to plugging; #### slugged or production casing is cemented in; #### ented from below any usable water to surface within 120 days of spud date. ##### Item #### district office prior to any cementing. ####################################

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 003 - 24366-0000 Operator: JRC Oil Company, Inc.	Location of Well: County: Anderson
Lease: Daniel Well Number: DL-2	
Number of Acres attributable to well: 2.5 QTR/QTR/QTR of acreage: SE ·SW - SE - NW	Is Section: Regular or X Irregular
TWW .	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE XNW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JRC Oil Company, Inc.			License Number: 09267	
Operator Address: 25558 NE Ve	ermont Road	Garnett, K	Cansas 66032-9622	
Contact Person: Mike Colvin			Phone Number: (785) 448 - 5833	
Lease Name & Well No.: Daniel DL-2	2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE _ SW _ SE _ NW	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 4 Twp. 21 R. 21 X East West	
Settling Pit X Drilling Pit	If Existing, date constructed:		2475 Feet from X North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / X West Line of Section	
(If WP Supply API No. or Year Drilled)	143	(bbis)		
Is the pit located in a Sensitive Ground Water Area? Yes X No		Chloride concentration:mg/l		
		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
X Yes No	Yes X	No	Surface Clay	
Pit dimensions (all but working pits): 20 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point:	(feet)	
material, thickness and installation procedure		nner integrity, ii	ncluding any special monitoring. None	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water		
None / feet Depth of water wellfeet		X measu	redwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh H20		
Number of producing weils on lease:		Number of working pits to be utilized:2		
Barrels of fluid produced daily:		Abandonment	procedure: Backfill with bulldozer.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ments are true and	correct to the best	t of my knowledge and belief.	
September 26, 2006 Date	M	ichap ;	S. Coloi, Vice President ignature of Applicant or Agent	
	KCC	OFFICE USE OI	NLY	
Date Received: 9/28/06 Permit Num	her.	Permi	RECEIVED	