For KCC Use: Effective Date: 10-3-06 District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

month day year	Spot V East
	E2W2 - SW - NE Sec. 28 Twp. 23 S. R. 11 West
PERATOR: License# 31878	1980feet from V N / S Line of Section
ame: Jim Snyder	
Idress: 656 Remington Forest Drive	ls SECTION RegularIrregular?
ty/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
ontact Person. Jim Snyder	County: Greenwood
hone: (904) 230-9856	Lease Name: Freeman Well #: 7
30567	Field Name: Seeley-Wick
ONTRACTOR: License# 30567 / ame; Rig 6 Drilling, Inc.	Is this a Prorated / Spaced Field?
ame; ring o braining, and.	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 620'
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: n/a feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes √No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water: 50'
Other	Depth to bottom of usable water: 80'
Other	Surface Pipe by Alternate:
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 2,000'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
/	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
AFF	IDAVIT KANSAS CORPORATION COMM
he undersigned hereby affirms that the drilling, completion and eventual p	07 0000
	lugging of this well will comply with K.S.A. 55 et. seq. SEP 2.7 2000
is agreed that the following minimum requirements will be met:	CONSERVATION DIVISION
 Notify the appropriate district office prior to spudding of well; 	12 Company and a second
2. A copy of the approved notice of intent to drill shall be nected on ea	
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set	•
• • • • • • • • • • • • • • • • • • • •	of by circulating cement to the top; in all cases surface pipe shall be set
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set o	of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction. The appropriate district office will be notified before well is either plug 	of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plug of an ALTERNATE If COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging ; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plug of an ALTERNATE If COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plug of the set of t	by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the appropriate district office will be notified before well is either plucing the set of t	be by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plus of the set of	be to be circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plug of the set of	be by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	be to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of 20 feet into the set of the well is either plug to the set of	be to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; attended the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the se	be to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of th	be to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the se	be to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the se	be to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the se	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set in the set of the	be to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 073 24041-0000	Location of Well: County: Greenwood
Operator: Jim Snyder	1980 feet from V N / S Line of Section
Lease: Freeman	2020 feet from 🗸 E / 🗌 W Line of Section
Well Number: 7 Field: Seekey-Wick	Sec28Twp23 S. R11
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	: :		· · ·
-		• .	
			· · ·
			· ·
		•	• •
	: :		
•	•		
•	· · ·	•	
	: :	•	· ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Jim Snyder		License Number: 31878	
Operator Address: 656 Remington	Forest Drive, Ja	acksonvi	lle, Florida 32259
Contact Person: Jim Snyder		Phone Number: (904) 230 - 9856	
Lease Name & Well No.: Freeman #7		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>E2</u> _ <u>W2</u> _ <u>SW</u> _ <u>NE</u>
Emergency Pit Burn Pit	✓ Proposed ☐ E	Existing	Sec. 28 Twp. 23 R. 11
Settling Pit	If Existing, date constru	ucted:	1980 Feet from 🗸 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		2020 Feet from 🗸 East / West Line of Section
(If WP Supply API No. or Year Drilled)	350	(bbls)	Greenwood County
Is the pit located in a Sensitive Ground Water	· ·		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes		How is the pit lined if a plastic liner is not used? native clay
		10	
,	Length (feet)	_	Width (feet) N/A: Steel Pits
If the pit is lined give a brief description of the	rom ground level to deepest		dures for periodic maintenance ant ANSAS COMPORATION COMM
			SEP 7 7 JOHE 1
Distance to nearest water well within one-mile			SEP 2 7 2006 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet.
t .	Soi	ource of infor	CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. nation:
	Sou feet	nurce of information	CONSERVATION DIVISION WICHITA, KS
,	feet	measu	CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. nation: redwell owner electric logKDWR
Emergency, Settling and Burn Pits ONLY:	feet Dri	measurilling, Works	CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. nation: redwell owner electric logKDWR
Emergency, Settling and Burn Pits ONLY:	feet Dri Typ	measu illing, Worke pe of materia	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: I utilized in drilling/workover: drilling mud king pits to be utilized: 3
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet Dri Typ Nui Aba	measu rilling, Worke pe of materia umber of worke pandonment	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: I utilized in drilling/workover: drilling mud king pits to be utilized: 3
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet Dri Typ Nui Aba I spilled fluids to Dril	measurilling, Worked pe of material umber of worked pandonment	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: I utilized in drilling/workover: drilling mud king pits to be utilized: 3
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	feet Dri Typ Nui Aba I spilled fluids to Dril	measu rilling, Worke pe of materia umber of work pandonment rill pits must t ct to the best	CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: I utilized in drilling/workover: drilling mud king pits to be utilized: 3 orocedure: air dry and backfill se closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state September 28, 2006	feet feet Dri Typ Nui Aba I spilled fluids to Dril ements are true and correct	measu rilling, Worke pe of materia umber of work pandonment rill pits must t ct to the best	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: I utilized in drilling/workover: drilling mud king pits to be utilized: 3 orocedure: air dry and backfill de closed within 365 days of spud date. of my knowledge and belief. Alamaka gnature of Applicant or Agent