For KCC Use: 10-3-00

Effective Date: 3

SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-t
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date October 3, 2006 month day year	Spot	West		
31878	2120 feet from VN / S Line of Section			
OPERATOR: License# 31878 Value: Jim Snyder	1650 Feet from F W Line of Section			
656 Reminaton Forest Drive	is SECTIONRegularirregular?			
City/State/Zip:				
Ontact Person: Jim Snyder	(Note: Locate well on the Section Plat on reverse side) County: Greenwood			
Phone: (904) 230-9856	Lease Name: Freeman Well #: 8 Field Name: Seeley-Wick			
•				
CONTRACTOR: License# 30567		/ No		
lame: Rig 6 Drilling, Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Bartlesville Yes	A MO		
	Nearest Lease or unit boundary: 660'			
Well Drilled For: Well Class: Type Equipment:		t MSL		
Oil Enh Rec Infield Mud Rotary		✓ No		
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes			
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 50'	<u>v</u> 1140		
Seismic; # of Holes Other	Depth to bottom of usable water: 80'			
Other	Surface Pipe by Alternate: 1 2			
	Length of Surface Pipe Planned to be set: 100'			
f OWWO: old well information as follows:	Length of Conductor Pipe required: none			
Operator:	Projected Total Depth: 2,000'			
Well Name:	Formation at Total Depth: Bartlesville			
Original Completion Date:Original Total Depth:	Mater Source for Drilling Operations:			
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations. Well Farm Pond Other			
Yes, true vertical depth:	DWR Permit #:			
Bottom Hole Location:	DVVN FORMIL #			
	(Mades Apply for Donnit with DMD			
	(Note: Apply for Permit with DWR)	No		
	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone:	√ No		
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:	√ No		
CCC DKT #:AFFI	Will Cores be taken? If Yes, proposed zone: DAVIT	√ No		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants.	Will Cores be taken? If Yes, proposed zone: DAVIT	√ No		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: DAVIT	√ No		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugginged or production casing is cemented in;	<i>t</i> <i>ing;</i> e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the second	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugging of the production casing is cemented in; ed from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cemple plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief.	<i>t</i> <i>ing;</i> e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of the surface pipe is either plug. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing in the knowledge and belief.	<i>t</i> <i>ing;</i> e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugging of the production casing is cemented in; ed from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cemple plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief.	<i>t</i> <i>ing;</i> e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be completed. September 28, 2006 Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. In istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If yes are the drilling rig; If yes are the drilling rig; If yes are the drilling rig; If yes are the seq. If yes are the yes are the yes are th	<i>t</i> <i>ing;</i> e. entinç		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the second of the appropriate district office pipe as specified below shall be second all unconsolidated materials plus a minimum of 20 feet into the second of the s	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cemerate plugged. In all cases, NOTIFY district office prior to any cementing in the model of the cases, NoTIFY district office prior to any cementing in the plugged. Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	t ing; e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the sest of the plant of the season of the spud date. For KCC Use ONLY API # 15 - 073-24042-0000	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugging of the underlying is cemented in; ed from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cemerate plugged. In all cases, NOTIFY district office prior to any cementing in the properties of the KCC District office prior to any cementing in the properties. File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	t e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the inimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of state: September 28, 2006	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cemerote plugged. In all cases, NOTIFY district office prior to any cementing in the properties of the KCC District office prior to any cementing in the properties. File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry	t e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed to see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cemerote plugged. In all cases, NOTIFY district office prior to any cementing in the property of the prior to any cementing in the property of the prior to any cementing in the property of the prior to any cementing in the prior to the prior to any cementing in the prior to the prior to be prior to any cementing in the prior to the prior to prior	t e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. In istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If yet from below any usable water to surface within 120 days of spud dated the special state of the top of	t ing; e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the seath of the s	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cemeloe plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	t ing; e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the intention of the approved notice of intent to drill shall be posted on each at the intention of	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If he drilling rig; If the by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. Istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemeloe plugged. In all cases, NOTIFY district office prior to any cementing in the plugged and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	t e. enting		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the seath of the s	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be sene underlying formation. istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cemeloe plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	t ing; e. enting		

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 073-24042-0000	Location of Well: County: Greenwood
Operator: Jim Snyder	2120 feet from VN / S Line of Section
Lease: Freeman	1650 feet from 🗸 E / W Line of Section
Well Number: 8	Sec. 28 Twp. 23 S. R. 11 ✓ East Wes
Field: Seeley-Wick	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 📗 Irregular
QTR / QTR / QTR of acreage: N2SE - SW - NE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•	, ,	
•		•		
		_		
•		•		
	•	•		
		. •		
		,		
•	-			
		•	. ,	
 	•	•		
·		•		
		•		
 ·		•		!
 ·			· · · · · ·	:
 	•	· ·	· · · · · · · · · · · · · · · · · · ·	
 ·	•	· ·	· · · · · ·	:
 	•	· ·	· · · · · · · · · · · · · · · · · · ·	:
 	•	· ·	· · · · · · · · · · · · · · · · · · ·	:
	:			:
	: 		· · · · · · · · · · · · · · · · · · ·	:
				:
				:
				:
				:



NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Jim Snyder			License Number: 31878	
Operator Address: 656 Remington	Forest Drive,	, Jacksonv	ille, Florida 32259	
Contact Person: Jim Snyder			Phone Number: (904) 230 - 9856	
Lease Name & Well No.: Freeman #8		Pit Location (QQQQ):		
Type of Pit: Pit is:		N2 SE SW NE		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 28 Twp. 23 R. 11	
Settling Pit	If Existing, date constructed:		2120 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit			1650 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Greenwood County	
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l	
is the particaled in a densitive dround video.			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	native clay	
Pit dimensions (all but working pits):	10 Length (fe	et)10	Width (feet) N/A: Steel Pits	
	rom ground level to de	_	(feet)	
material, thickness and installation procedure			ncluding any special monitoring. KANSAS CORPORATION COMMIS SEP 2 7 2006 CONSERVATION DIVISION	SION
Distance to nearest water well within one-mike	e of pit	Depth to shallo Source of info	west fresh waterfeet. WICHITA, KS	
N/Afeet	feet	meas	redwell owner electric logKDWR	
				15
Producing Formation: Type of			Type of material utilized in drilling/workover: drilling mud	
			rking pits to be utilized: 3	073
Barrels of fluid produced daily: Aba		Abandonment	properture. air dry and backilli	40
Does the slope from the tank battery allow all spilled fluids to			ist be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and	correct to the bes	it of my knowledge and belief.	74
September 28, 2006 Date	ω	onna	Inanda Signature of Applicant or Agent	4042-0000
	КСС	OFFICE USE O	NLY	
Date Received: $\frac{9/2}{3}$ $\frac{7}{6}$ Permit Num	nber:	Perm	nit Date: 9/28/c/Lease Inspection: Yes No	