For KCC Use:	10 11 01-
Effective Date: _	10-4-06
District #	4
SGA2 TVos	l⊠ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date10-02-06	
month day year	Spot
,,	N/2 - S/2 - NW/4 Sec. 3 Twp. 16 S. R. 14
DPERATOR: License# 5259	1720 feet from N / S Line of Section
tame; Mai Oil Operations, Inc.	Teet from ☐ E / ✓ W Line of Section
Address: P.O. Box 33 City/State/Zip: Russell, Ks. 67665	ls SECTIONRegular Irregular?
City/State/Zip: Nusson, Ns. 67003	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Allen Bangert Phone: 785 483 2169	County: Barton
Shone: 100 400 2100	Lease Name: Dietz Well #: 1
CONTRACTOR: License# 33350	Field Name: Wildcat
ame: Southwind Drilling, Inc.	Is this a Prorated / Spaced Field?
	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1320'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1930 feet M
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal V Wildcat Cable	Public water supply well within one mile: Yes
Seismic;# of Holes Other	Depth to bottom of tresh water: 220' Depth to bottom of usable water: 380'
Other	Surface Pipe by Alternate:
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 400'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 3450'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
· · · · · · · · · · · · · · · · · · ·	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Welf ✓ Farm Pond Other
Yes, true vertical depth:	
	DWR Permit #:
Sottom Hole Location:	(Note: Apply for Permit with DWR
lottom Hole Location:	(Note: Apply for Permit with DWR)
AF The undersigned hereby affirms that the drilling, completion and eventual	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ If Yes, proposed zone: □ FIDAVIT
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating coment to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is comented in; and from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing.
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pla 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: 9-27-06 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. such drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pla 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best site: 9-27-06 Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging upged or production casing is cemented in; anded from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pla 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best site: 9-27-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 24987-OO-OD	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. such drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; midd from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the plugged and belief. Completion Form ACO-1 with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prilor to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be to through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best site: 9-27-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 24987-OO-OD Conductor pipe required NONL feet	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. such drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; midd from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. According to File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AF: Description Hole Location: Description and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be either best discrebly certify that the statements made herein are true and to the best discrepance of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 24987-OO-OO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; mited from below any usable water to surface within 120 days of spud date. If all cases, NOTIFY district office prior to any cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best site: 9-27-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 009 - 24987-00-00 Conductor pipe required 1000 feet Minimum surface pipe required 1000 feet Minimum surface pipe required 1000 feet	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; anded from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the plugged in all cases, NOTIFY district office prior to any cementing. Title: Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best site: 9-27-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 009 -24987-00-00 Conductor pipe required NONC feet per Alt. 1 Approved by: Pull 9-29-06 This authorization expires: 3-29-07	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sech drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; midd from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the plugged, In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best site: 9-27-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 009 - 24987-00-00 Conductor pipe required NONC feet per Alt. 1 Approved by: 12419 - 29-06	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best site: 9-27-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 009 - 24987-00-00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sech drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; midd from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the plugged, In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 009 - 24987-000	Location of Well: County: Barton
Operator: Mai Oil Operations, Inc.	
Lease: Dietz	1720 feet from VN / S Line of Section 1320 feet from E / VW Line of Section
Well Number: 1	Sec. 3Twp. 16 S. R. 14 East
Field: Wildcat	_
Number of Acres attributable to well: OTR / QTR / QTR of acreage: N/2 _ S/2 _ NW/4	Is Section: Regular or Irregular
ann ann an	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	1720'		-	:	-
-132	0'-6			•	
	·	÷ 5	}	•	:
	·	· · · · · ·			· · · · · ·
	·				•
	· · · · · · · · · · · · · · · · · · ·				



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEP 2 8 2006

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

the state of the s				
Operator Name: Mai Oil Operations, Inc.			License Number: 5259	
Operator Address: P.O. Box 33,	Russell, Ks.	67665		
Contact Person: Allen Bangert			Phone Number: (785) 483 - 2169	
Lease Name & Well No.: Dietz #1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		N/2 S/2 NW/4	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 3 Twp. 16 R. 14 ☐ East	
Settling Pit Drilling Pit	If Existing, date constructed:		1720 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			1320 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Barton Feet from East / W west Line of Section	
	500	(bbls)	Dartori County	
Is the pit located in a Sensitive Ground Water	r Area? ☐ Yes 🗸	No	Chloride concentration:mg/l	
	T - 115 - 115 - 5		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?	
			Drilling Mud	
Pit dimensions (all but working pits):	75 Length (fe	et) 75	Width (feet) N/A; Steel Pits	
Depth f	rom ground level to de	eepest point: 3	(feet)	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:		
	feet	measu	uredwelt owner electric tog KDWR	
Emergency, Settling and Burn Pits ONLY	:	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Drilling Mud		
Number of producing wells on lease:		Number of working pits to be utilized: 3		
Barrels of fluid produced daily:		Abandonment procedure: Let dry and Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and	correct to the bes	t of my knowledge and belief.	
9-27-06 Date		Aller	Bangut Signature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 9/28/04 Permit Nur	nber:	Perm	it Date: 9/28/06 Lease Inspection: Yes 4 No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202