For KCC Use:

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

| Must be approved by KCC five   |  |
|--|--|
| Expected Spud Date October 9 2006  | Spot East  |
| month day year   | SW - NW - NW Sec. 32 Twp. 16 S. R. 29   ✓ West   |
| ODEDITOR 4: 5144 /   | 1264 feet from N / S Line of Section   |
| OPERATOR: License# 5144 V Name: Mull Drilling Company, Inc.  | 385 feet from E / W Line of Section  |
| A.J.J. P.O. Box 2758   | Is SECTION _✓_RegularIrregular?  |
| City/State/Zip: Wichita KS 67201-2758  |  |
| Contact Person: Mark Shreve  | ( <i>Note:</i> Locate well on the Section Plat on reverse side)  County: Lane  |
| Phone: 316-264-6366 Ext. 13  | Lease Name: Dickey Well #: 1-32  |
| ,  | Field Name: Wildcat  |
| CONTRACTOR: License# 33575   | Is this a Prorated / Spaced Field? Yes ✓ No.   |
| Name: WW Drilling, LLC   | Target Formation(s): Cherokee Sand   |
| Well Drilled For: Well Class; Type Equipment;  | Nearest Lease or unit boundary: 385'   |
|  | Ground Surface Elevation: 2811.7 feet MSL  |
| ✓ Oil Enh Rec Infield ✓ Mud Rotary   | Water well within one-quarter mile: Yes ✓ No   |
| Gas Storage Pool Ext. Air Rotary  OWWO Disposal Wildcat Cable  | Public water supply well within one mile:  |
|  | Depth to bottom of fresh water: 180'   |
| Seismic; # of Holes Other Other  | Depth to bottom of usable water: 1400'   |
| lottlet  | Surface Pipe by Alternate: 1 2   |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set: 200'   |
| Operator:  | Length of Conductor Pipe required: None  |
| Well Name:   | Projected Total Depth: 4650'   |
| Original Completion Date:Original Total Depth:   | Formation at Total Depth: Mississippian  |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No   | Water Source for Drilling Operations:  |
| If Yes, true vertical depth:   | Well Farm Pond Other X   |
| Bottom Hole Location:  | DWR Permit #: Contractor will apply  |
| KCC DKT #:   | (Note: Apply for Permit with DWR ✓)  |
| NOO DIX #  | Will Cores be taken? Yes ✓ No  |
|  | If Yes, proposed zone:   |
|  | IDAVIT   |
| The undersigned hereby affirms that the drilling, completion and eventual p  | lugging of this well will comply with K.S.A. 55 et. seq.   |
| It is agreed that the following minimum requirements will be met:  |  |
| e erakin kan managarinka diakitak affila majanka amuddian afilika (i.  |  |
| through all unconsolidated materials plus a minimum of 20 feet into the second    | et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon</li></ol> | et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon</li></ol> | et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: President/COO  |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the second of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the plus of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the pl   | et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  **Title:** President/COO**  **Remember to:*  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;   |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 14. If the well is dry hole, an agreement between the operator and the 65. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 9/29/05    Signature of Operator or Agent:   | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  |
| 2. A copy of the approved notice of intent to drill <b>shall be</b> posted on ea 3. The minimum amount of surface pipe as specified below <b>shall be</b> so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 4. If the well is district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall in hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15  | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please   |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall be removed by:    Approved by:   10 - 2 - 9   9   9   9   9   9   9   9   9   9  | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the second of th   | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please   |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 101-21966-000                               | Location of Well: County: Lane   |
|--|--|
| Operator: Mull Drilling Company, Inc.                    | 1264feet from V / S Line of Section  |
| Lease: Dickey  | 385 feet from ☐ E / ✔ W Line of Section  |
| Well Number: 1-32  | Sec. 32 Twp. 16 S. R. 29 East ✓ Wes  |
| Field: Wildcat  Number of Acres attributable to well: 40 | Is Section: ✓ Regular or ☐ Irregular   |
| QTR / QTR / QTR of acreage:                              | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| . *<br>1264' FNL |   |             |       |                                       |         |
|------------------|---|-------------|-------|---------------------------------------|---------|
| 385' F           | WL .<br>                                |             |       |                                       |         |
|                  | :                                       | :  <br>32   | 2 - : | :<br>:<br>:                           |         |
|                  | · · · · · · · · · · · · · · · · · · ·   | ·<br>·<br>· |       |                                       | · · · · |
|                  | • | ·           |       |                                       | ·       |
|                  |   |             |       | · · · · · · · · · · · · · · · · · · · |         |



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Mull Drilling Company, Inc.  |  | License Number: 5144                            |   |  |
|---|--|---|---|--|
| Operator Address: P.O. Box 2758 Wichita KS 67201-2758   |  |   |   |  |
| Contact Person: Mark Shreve   |  | Phone Number: ( 316 ) 264 - 6366                |   |  |
| Lease Name & Well No.: Dickey #1-32   |  | Pit Location (QQQQ):                            |   |  |
| Type of Pit:  | Pit is:  |   | SE SW NW NW   |  |
| Emergency Pit Burn Pit  | ✓ Proposed Existing  |   | Sec. 32 <sub>Twp.</sub> 16S <sub>R.</sub> 29 ☐ East ✓ West  |  |
| Settling Pit  | If Existing, date constructed:                                 |   | 1264 Feet from 🗸 North / 🗌 South Line of Section  |  |
| Workover Pit Haul-Off Pit   | Pit capacity:  |   | Feet from East / 🗸 West Line of Section   |  |
| (If WP Supply API No. or Year Drilled)  |  | (bbls)  | Lane County   |  |
| Is the pit located in a Sensitive Ground Water  | Area? ☐ Yes 🔽  | No  | Chloride concentration:mg/l   |  |
| is the bottom below ground level?   | Artificial Liner?  |   | (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used? |  |
| ✓ Yes No  | Yes 🗸  | No  | Drilling Mud  |  |
| Pit dimensions (all but working pits):  | 30 Length (fe  | eet) 80   | Width (feet) N/A: Steel Pits  |  |
|   | rom ground level to de   |   | (feet)  |  |
| material, thickness and installation procedure  | <del>.</del>   | iiiei iitegrity, i                              | ncluding any special monitoring.  |  |
| Source of infor   |  | 1   |   |  |
| 1587_feet Depth of water well \$65feet measu  |  | redwell owner electric logKDWR                  |   |  |
| Emorgonos, Commig and Demorate Commission   |  | •   | over and Haul-Off Pits ONLY:  |  |
|   |  | ial utilized in drilling/workover: Drilling Mud |   |  |
| Number of producing wells on lease:   | <u> </u>   | Number of wor                                   | rking pits to be utilized: 3  procedure: Allow to evaporate and backfill with                     |  |
| Barrels of fluid produced daily: Abandonment original soil.   |  | procedure: 7 most to disaporate and seeming.    |   |  |
| Does the slope from the tank battery allow al flow into the pit? Yes No                                 | es the slope from the tank battery allow all spilled fluids to |   | be closed within 365 days of spud date.   |  |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. |  |   |   |  |
|   | $\wedge$   | Lunis   | VX 1+4  |  |
| 9/29/05   | 3/23/03  |   |   |  |
| Date Signature of Applicant of Agent  |  |   |   |  |
| KCC OFFICE USE ONLY   |  |   |   |  |
| Date Received: 9/29/04 Permit Num   | nber:  | Perm  | iit Date: 9/29/05 Lease Inspection: Yes ( No  |  |