For KCC Use:	10-8-06
Effective Date:	10-3-06
District #	3
SGA? Yes	<b></b> No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

·	
Expected Spud Date10/6/2006	Spot X East
month day year	SW . SE . SE Sec. 30 Twp. 26S S. R. 20E West
32912 🗸	360 feet from N / X S Line of Section
OPERATOR: License#	900 feet from AE / W Line of Section
Address: 2198 Valley High Dr	Is SECTION Regular X Irregular?
City/State/Zip: Independence, KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Terry Carroll Jr.	County: Allan
Phone: (620) 330-7213	Lease Name: BECKER Well #: 30-D4
CONTRACTOR: Licensett 33374	Field Name: HUMBOLDT-CHANUTE
L & S Mall Service LLC	Is this a Prorated / Spaced Field?
Name: La o Well del Nice; LLO	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 360'
X Oil / Enh Rec X Infield Mud Rotary	Ground Surface Elevation: 980 feet MSL
X Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
O/W/O Disposal Wildcat Cable	Public water supply well within one mile:    Yes   x   No
Seismic; # of Holes Other	Departo bottom of fresh water.
Other	Depth to bottom of usable water:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1100'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?  Yes X No	Well X Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
	Will Cores be taken?
	Will Cores be taken?  If Yes, proposed zone:
	L
	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFF  The undersigned hereby affirms that the drilling, completion and eventual pl  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the set of the well is dry hole, an agreement between the operator and the description of the set	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eac  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the defense that the statement of the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual pl  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the december of the set	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and be pl.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of the seco	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging;  Inged or production casing is cemented in;  Ided from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and be in all cases.  Title: Land Manager
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug to the analyse of the appropriate district office will be notified before well is either plug to find an ALTERNATE II COMPLETION, production pipe shall be dement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if thereby certify that the statements made herein are true and to the best of the polyment of the operator of Agent:    For KCC Use ONLY	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in;  If yet from below any usable water to surface within 120 days of spud date.  If yet from below any usable water to surface within 120 days of spud date.  If yet from below any usable water to first office prior to any cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and be jet.  Title: Land Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging;  liged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and be plugged.  Title: Land Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the specified before well is either pluging to a proposition of the set of the specified before well is either pluging.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudidate or the well shall if thereby certify that the statements made herein are true and to the best of the proposition of the specific	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and be plat.  Title: Land Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the polymore.  Date: 09/30/2006 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 001 - 29521-0000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. X 2  Approved by: 444 10-3-706	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging;  liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and be of the completion form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the specified before well is either pluging to the specified before well is either pluging.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudidate or the well shall if thereby certify that the statements made herein are true and to the best of the polyhological polyhological signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OOI - 29521-0000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. 10-3-06  This authorization expires: 4-3-07	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and be in all cases, NOTIFY district office prior to any cementing.  Title: Land Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15 - OOL - 29521 - OOO	Location of Well: County: Allan
Operator: Carroll Energy, LLC	
Lease: BECKER	900 feet from X E / W Line of Section
Well Number:30-D4	Sec. 30 Twp. 26S S. R. 20E X East Wes
Field: HUMBOLDT-CHANUTE	
Number of Acres attributable to well:	Is Section: Regular or X Irregular
QTR / QTR / QTR of acreage: <u>SW</u> - <u>SE</u> - <u>SE</u>	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW XSE SW

### PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

In plotting the proposed location of the well, you must show:

**KCC WICHITA** 

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Carroll Energy, LLC		License Number: 32912			
Operator Address: 2198 Valley High Dr, Independence, KS 67301					
Contact Person: Terry Carroll Jr.		Phone Number: ( 620 ) 330-7213			
Lease Name & Well No.: BECKER 30-D4		Pit Location (QQQQ):			
Type of Pit:	Pit is:		C <u>SW_</u> - <u>SESE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 30 Twp. 26S R 20E X East West		
Settling Pit Drilling Pit	If Existing, date constructed:		360 Feet from 🔲 North / 🔀 South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	900 Feet from X East / West Line of Section Allán County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: NA mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  X Yes No	Artificiał Liner?		How is the pit lined if a plastic liner is not used? CLAY		
Pit dimensions (all but working pits):	20 Length (fe	et)8	Width (feet) N/A: Steel Pits		
	om ground level to de	epest point:	5 (feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of pit  Depth to shallo Source of inform		west fresh water20feet.			
			redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, 1		<del>-</del>	over and Haul-Off Pits ONLY:		
Producing Formation: Type of material			I utilized in drilling/workover: FRESH WATER		
			ring pits to be utilized:I procedure: AIR DRY		
Does the slope from the tank battery allow all spilled fluids to		Abandonment p			
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.					
hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
09/30/2006			J-C11		
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 10/2/00 Permit Numb	per:	Permit	Date: 10/2/06 Lease Inspection: Yes 1 No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED