For KCC Use:	10-8-06
Effective Date:	10000
District #	
0010 -	L <b>X</b> 1 ν −

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

				€ = = ant
Expected Spud Date	10 21	06	Spot	K East
	month day	year	NW SE - NW Sec. 14 Twp. 17 s.	H
OPERATOR: License#	6168		3908feet from N / X s	Line of Section
Name: Leste	r Scheuneman			V Little Of Section
Address: 27800 Plea	asant Valley		Is SECTION X Regular Irregular?	
City/State/Zin: Wellsvill	le, Ps. 66092	?	(Note: Locate well on the Section Plat on reve	rse side)
Contact Person: Kester S	cheuneman /		County: Miami	77 1
Phone: (795) 883-4	621		Lease Name: Boyscout	Well #: F-4
	4339		Field Name: Rantaul	
CONTRACTOR: License#			Is this a Prorated / Spaced Field?  Target Formation(s): Squirrel	Yes No
Name: <u>Darre</u>	: Jackson		708	<del></del>
Well Drilled For:	Well Class: Ty	pe Equipment:	Nearest Lease or unit boundary.	
	<i>-</i>	Mud Rotary	Ground Surface Elevation: N.A.	feet MSL
# <b>#</b> _	Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes X No
Gas Storage  OWWO Disposal	Wildcat	Cable	Public water supply well within one mile:	Yes X No
Seismic;# of Holes	<u></u>		Deput to bottom of fresh water.	
Other			Departo Battorn of double marining	
- JOHNEL			Surface Pipe by Alternate: 1 X 2	/
If OWWO: old well information			Length of Surface Pipe Planned to be set: 20	
Operator:			Length of Conductor Pipe required: 750	
Well Name:			Formation at Total Depth: Squirre	1
Original Completion Date:_	Original T	otal Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizon	ntal wellhore?	Yes No	Well X Farm Pond Other	/
If Yes, true vertical depth:			DWR Permit #:	
D. II. State Landilana			(Note: Apply for Permit with DWR	,
Bottom Hole Location:			(Note: Apply for Permit with DWR	/ Yes XNo
			Will Cores be taken?  If Yes, proposed zone:	Yes XNo
KCC DKT #:		AFF	Will Cores be taken?  If Yes, proposed zone:	Yes XNo
KCC DKT #: The undersigned hereby affirm It is agreed that the following r	ns that the drilling, cor minimum requirement:	AFF npletion and eventual p s will be met:	Will Cores be taken?  If Yes, proposed zone:	Yes XNo
The undersigned hereby affirm It is agreed that the following r  1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendicust be completed with	ns that the drilling, corminimum requirements district office prior to sinctice of intent to drillof surface pipe as spected materials plus a man agreement betweer office will be notified IDMPLETION, production "B" - Eastern Kansanin 30 days of the spu	AFF repletion and eventual p s will be met: pudding of well; I shall be posted on ea cified below shall be s inimum of 20 feet into n the operator and the before well is either plu on pipe shall be cemer as surface casing orde d date or the well shall	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pithe underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in;  attention below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, at the plugged. In all cases, NOTIFY district office prior to	pe shall be set prior to plugging; sys of spud date. Iternate II cementing
The undersigned hereby affirm It is agreed that the following r  1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount or through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO	ns that the drilling, corminimum requirements district office prior to sinctice of intent to drillof surface pipe as spected materials plus a man agreement betweer office will be notified IDMPLETION, production "B" - Eastern Kansanin 30 days of the spu	AFF repletion and eventual p s will be met: pudding of well; I shall be posted on ea cified below shall be s inimum of 20 feet into n the operator and the before well is either plu on pipe shall be cemer as surface casing orde d date or the well shall	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pithe underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in;  attention below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, at the plugged. In all cases, NOTIFY district office prior to	pe shall be set prior to plugging; sys of spud date. Iternate II cementing
The undersigned hereby affirm It is agreed that the following r  1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendiculate the completed with I hereby certify that the statem	ns that the drilling, corminimum requirements district office prior to sinctice of intent to drillof surface pipe as spected materials plus a man agreement betweer office will be notified IDMPLETION, production "B" - Eastern Kansanin 30 days of the spu	AFF repletion and eventual p s will be met: repudding of well; I shall be posted on eacified below shall be s inimum of 20 feet into n the operator and the before well is either plu on pipe shall be cemer as surface casing orde d date or the well shall e true and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pithe underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 days at 133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior to finy knowledge and belief.	yes X No  pe shall be set  prior to plugging;  nys of spud date.  Iternate II cementing o any cementing.
The undersigned hereby affirm It is agreed that the following r  1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount or through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendice must be completed with I hereby certify that the statem	ns that the drilling, corminimum requirements district office prior to sinctice of intent to drill of surface pipe as spected materials plus a man agreement betweer office will be notified IDMPLETION, production in 30 days of the spuments made herein arments arments arments arments are made arments are mad	AFF repletion and eventual p s will be met: repudding of well; I shall be posted on eacified below shall be s inimum of 20 feet into n the operator and the before well is either plu on pipe shall be cemer as surface casing orde d date or the well shall e true and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pithe underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in;  attend from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, as the plugged. In all cases, NOTIFY district office prior to find the knowledge and belief.  Remember to:	yes X No  pe shall be set  prior to plugging;  ys of spud date.  Iternate il cementing be any cementing.
The undersigned hereby affirm It is agreed that the following rows 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with I hereby certify that the statem Date: 9-28-06  For KCC Use ONLY API # 15 - 280	ns that the drilling, corminimum requirements district office prior to sinctice of intent to drill of surface pipe as specifice will be notified in the control of the cont	AFF repletion and eventual pass will be met: spudding of well; shall be posted on earlifed below shall be siminum of 20 feet into the operator and the before well is either plus on pipe shall be cemeras surface casing orded date or the well shall be true and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  blugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pit the underlying formation. district office on plug length and placement is necessary to a production casing is cemented in; and the from below any usable water to surface within 120 days of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drilling acreage attribution plat according to field proration.	Pes XNo  pe shall be set  prior to plugging;  sys of spud date.  Iternate ti cementing.  pany cementing.  perater  II;  date;  on orders;
The undersigned hereby affirm It is agreed that the following r  1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with I hereby certify that the staten Date: 9-28-06  For KCC Use ONLY API # 15 - 28-26  Conductor pipe required Minimum surface pipe required	ns that the drilling, corminimum requirements district office prior to so notice of intent to drill of surface pipe as spected materials plus a man agreement betweer office will be notified lompLETION, production in 30 days of the spuments made herein and Signature of Operator Nore	AFF repletion and eventual p s will be met: repudding of well; I shall be posted on eacified below shall be s inimum of 20 feet into n the operator and the before well is either plu on pipe shall be cemer as surface casing orde d date or the well shall e true and to the best	Will Cores be taken?  If Yes, proposed zone:  PIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  Let by circulating cement to the top; in all cases surface pit the underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in; at 120 days of the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drille acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work.  Submit plugging report (CP-4) after plugging is comp	yes X No  pe shall be set  prior to plugging;  rys of spud date.  Iternate 11 cementing.  any cementing.  Department  It;  date;  on orders;  over or re-entry;  leted;
The undersigned hereby affirm It is agreed that the following r  1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount or through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendir must be completed with I hereby certify that the staten Date: 9-28-06  For KCC Use ONLY API # 15 - 28-26  Conductor pipe required Minimum surface pipe required Approved by: Put 10-28	ns that the drilling, corminimum requirements district office prior to signification of surface pipe as spected materials plus a man agreement betweer office will be notified lompletion, production with a Eastern Kansanin 30 days of the spuments made herein and Signature of Operator Nore 299-000	AFF ripletion and eventual p s will be met: pudding of well; I shall be posted on ea cified below shall be s inimum of 20 feet into in the operator and the before well is either plu on pipe shall be cemer as surface casing orde d date or the well shall e true and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  ach drilling	pe shall be set  prior to plugging;  ys of spud date.  Iternate II cementing.  perater  li; date; on orders; over or re-entry; leted; salt water.  date) please
The undersigned hereby affirm It is agreed that the following r  1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendice must be completed with I hereby certify that the statem Date: 9-28-06  For KCC Use ONLY API # 15 - 28-28-28  Conductor pipe required Minimum surface pipe required Approved by: Put 10-3  This authorization expires:	ns that the drilling, corminimum requirements district office prior to sinctice of intent to drill of surface pipe as spected materials plus a man agreement betweer office will be notified lompletion, production in 30 days of the spuments made herein and Signature of Operator Nore 299-000 Nore 20 3-06 20 4-3-07	mpletion and eventual ps will be met: pudding of well; I shall be posted on eacified below shall be siminum of 20 feet into a the operator and the before well is either plus on pipe shall be cemeras surface casing orded date or the well shall be true and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  Let by circulating cement to the top; in all cases surface pithe underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in;  attend from below any usable water to surface within 120 days of the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drift in Completion Form ACO-1 within 120 days of spud.  File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work.  Submit plugging report (CP-4) after plugging is comp.  Obtain written approval before disposing or injecting.	pe shall be set  prior to plugging;  ys of spud date.  Iternate II cementing.  perater  li; date; on orders; over or re-entry; leted; salt water.  date) please
The undersigned hereby affirm It is agreed that the following r  1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendit must be completed with I hereby certify that the staten Date: 9-28-06  For KCC Use ONLY API # 15	ns that the drilling, corminimum requirements district office prior to sinctice of intent to drill of surface pipe as spected materials plus a man agreement betweer office will be notified lompletion, production in 30 days of the spuments made herein and Signature of Operator Nore 299-000 Nore 20 3-06 20 4-3-07	mpletion and eventual ps will be met: pudding of well; I shall be posted on eacified below shall be siminum of 20 feet into a the operator and the before well is either plus on pipe shall be cemeras surface casing orded date or the well shall be true and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  ach drilling	pe shall be set  prior to plugging;  rys of spud date.  Iternate il cementing  any cementing.  Decrater  Il; date; on orders; over or re-entry; leted; salt water.  date) please
The undersigned hereby affirm It is agreed that the following r  1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendice must be completed with I hereby certify that the statem Date: 9-28-06  For KCC Use ONLY API # 15 - 28-28-28  Conductor pipe required Minimum surface pipe required Approved by: Put 10-3  This authorization expires:	ms that the drilling, corminimum requirements district office prior to so inotice of intent to drill of surface pipe as spected materials plus a man agreement betweer office will be notified IDMPLETION, production in 30 days of the spurments made herein and Signature of Operator Signature of Operator Norgery 20 3-06 4-3-07 Ing not started within 6 me	mpletion and eventual ps will be met: pudding of well; I shall be posted on eacified below shall be siminum of 20 feet into a the operator and the before well is either plus on pipe shall be cemeras surface casing orded date or the well shall be true and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  PIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  the top circulating cement to the top; in all cases surface pithe underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in;  the from below any usable water to surface within 120 days.  ##133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior to my knowledge and belief.  ### Horizon Title:  ### Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drille acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work.  Submit plugging report (CP-4) after plugging is composition.  Obtain written approval before disposing or injecting.  If this permit has expired (See: authorized expiration of check the box below and return to the address below.	pe shall be set  prior to plugging;  ys of spud date.  Iternate il cementing.  perater  li; date; on orders; over or re-entry; leted; salt water.  date) please

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 12	1-28299-000	Location of Well: County: Niami
Operator:		3908 feet from N/XS Line of Section
Lease:	Boyscout	3348 teet from E E / W Line of Section
Well Number:	F_4 Rantaul	Sec. 14 Twp. 17 S. R. 21 X East Wes
Field:	Kantaul	
Number of Acres	attributable to well: 200	Is Section: X Regular or I Irregular
QTR / QTR / QTR	of acreage: NW - SE - NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton. Miami  ${\tt Co}\, {\tt .}$ 

### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

nagonal (1965) e promitiva de la estado de 1960 de la estada e promitiva del estada e promitiva de la estada e promitiva de la estada e promitiva de la estada e promitiva del estada e promitiva de la estada e promitiva e promitiva de la estada e promitiva entre e promitiva entre e promitiva e promitiva e promitiva e promitiva entre e promitiva entre e promitiva e promiti

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lester Scheuneman		License Number: 6168		
Operator Address: 27800 Flea	sant Valley F	d. Wellsv	ille, Ks. 66092	
Contact Person: Lester Scheuneman			Phone Number: (785 ) 883-4621	
Lease Name & Well No.: Boyscout F-4			Pit Location (QQQQ).	
Type of Prt:	Pit is:		NE NW. SE NW	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 14 Twp. 17 R. 21 East West	
Settling Pit X Drilling Pit	If Existing, date constructed:		$3908$ Feet from North / $_{ m X}$ South Line of Section	
Workover Pit   Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		3348 Feet from X East / West Line of Section Miami County	
Is the pit located in a Sensitive Ground Water Area? Yes You			Chloride concentration: mg/l  (For Emergency Pits and Settling Pits anly)	
Is the bottom below ground level?  X   Yes     No	Artificial Liner?	40	How is the pit lined it a plastic liner is not used?	
I to the construction of t	20 Length (fe	•	Width (feet) N/A: Steet Pits (feet)	
Distance to nearest water well within one-mi	le of pit		owest fresh water feet.	
N/n-feet Depth of water well	feet	Source of information:measuredwell ownerelectric logKDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh water mud.  Number of working pits to be utilized:  Abandonment procedure: isvaporate & backfill		
Does the slope from the tank battery allow all spitled fluids to flow into the pit? [ ] Yes [ ] No		Drill pits must be closed within 365 days of spud date		
i hereby certify that the above sta	itements are true and	correct to the be	st of my knowledge and belief.	
9-28-06 Date	- · · · · · · · · · · · · · · · · · · ·	Teste	Signature of Applicant or Agent	
	KGC	OFFICE USE	DNLY	
			mit Date: 10/2/06 Lease Inspection: Yes ( No	

Mail to: KCC - Conservation Division, 13

OCT - 2 2006

**KCC WICHITA**