For KCC Use:	10-8-06
Ellective Date.	0
District #	<u> </u>

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	141031	be approved by itoo into t	-,, -	
			5) days prior to commencing well	k East
Expected Spud Date	<u>1017</u>		Spot NW SE NW Sec. 14 Twp.	17 s. R. 21 West
	month da	y year	3910	N / X S Line of Section
PERATOR: License#	6168		3625 feet from X	E / W Line of Section
Les	ster Scheunema	<u> </u>	Is SECTION X Regular Irregular	?
27800 F	Pleasant Valle	y Rd.		
raffoll	4116 KS 660	92	(Note: Locate well on the Section)	
Contact Person: Lester	r Scheuneman_		County: <u>Miami</u> Lease Name: <u>Boyscout</u>	Well #:
hone: (795) 881	3-4621	<u>/</u>	Field Name: Rantaul	
	4339		Is this a Prorated / Spaced Field?	Yes K No
CONTRACTOR: License#	ale Jackson		Target Formation(s): Squirm	el
Jame: D 8	are ogninon		Nearest Lease or unit boundary: 985	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation: N.A.	feet MSL
X Oil Enh R	lec lonfield	Mud Rotary	Water well within one-quarter mile:	∭Yes X∭No
Gas Storag		Air Rotary	Public water supply well within one mile:	Yes X No
OWWO Dispos	" -	Cable	Depth to bottom of fresh water: 20	
Seismic;# of	=	_	Depth to bottom of usable water:180)
Other			Surface Pine by Alternate: 1 X 2	
			Length of Surface Pipe Planned to be set:	
f OWWO: old well informa	ation as follows:		Length of Conductor Pipe required:	11
Operator:				750
Well Name:	Orlain	and Total Denth:	Formation at Total Depth:	iquirrei
Original Completion D	ate:Origin		Water Source for Drilling Operations:	
Directional, Deviated or Ho	orizontal wellbore?	Yes No		
If Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit wi	ith DWA 🔲)
				! IVoe L'YINO
KCC DKT #:			Will Cores be taken?	Yes X No
KCC DKT #:			If Yes, proposed zone:	
KCC DKT #: The undersigned hereby It is agreed that the follow	affirms that the drilling,	AFF, completion and eventual parts will be met:	Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 of	
The undersigned hereby It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry hi 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	affirms that the drilling, wing minimum requirem iate district office prior roved notice of intent to sunt of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notiful COMPLETION, procependix "B" - Eastern Kd within 30 days of the	AFF, completion and eventual prents will be met: to spudding of well; of the shall be posted on ease specified below shall be a minimum of 20 feet into ween the operator and the fied before well is either plustron pipe shall be cemeransas surface casing orde spud date or the well shall	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 of the drilling rig; et by circulating cement to the top; in all cases the underlying formation. Idistrict office on plug length and placement is gged or production casing is cemented in; the from below any usable water to surface with a surface with the first plugged. In all cases, NOTIFY district of the complex control of the plugged. In all cases, NOTIFY district of the control of the cases, NOTIFY district of the cases.	et. seq. s surface pipe shall be set necessary prior to plugging; ithin 120 days of spud date. ct 3 area, alternate II cementing
The undersigned hereby It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry he 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	affirms that the drilling, wing minimum requirem iate district office prior roved notice of intent to sunt of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notiful COMPLETION, procependix "B" - Eastern Kd within 30 days of the	AFF, completion and eventual prents will be met: to spudding of well; of the shall be posted on ease specified below shall be a minimum of 20 feet into ween the operator and the fied before well is either plustron pipe shall be cemeransas surface casing orde spud date or the well shall	If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 of the drilling rig; Let by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is gged or production casing is cemented in; atted from below any usable water to surface with the plugged. In all cases, NOTIFY district of my knowledge and belief.	et. seq. s surface pipe shall be set necessary prior to plugging; tithin 120 days of spud date. ct 3 area, alternate II cementing ffice prior to any cementing.
The undersigned hereby It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry he 5. The appropriate di 6. If an ALTERNATE Or pursuant to Apmust be completed. I hereby certify that the second	affirms that the drilling, wing minimum requirer iate district office <i>prior</i> roved notice of intent to built of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notiful COMPLETION, procependix "B" - Eastern Kd within 30 days of the statements made herei	AFF, completion and eventual prents will be met: to spudding of well; of the shall be posted on ease specified below shall be a minimum of 20 feet into ween the operator and the fied before well is either plustron pipe shall be cemeransas surface casing orde spud date or the well shall	If Yes, proposed zone: IDAVIT Indugging of this well will comply with K.S.A. 55 of the drilling rig; In the underlying formation. In the underlying formation. In the underlying formation are the underlying formation. In the underlying formation are the underlying formation are the underlying formation. If the underlying formation are the underlying formation are the underlying formation. If the underlying right and placement is great or production casing is cemented in; and the underlying	et. seq. s surface pipe shall be set necessary prior to plugging; tithin 120 days of spud date. ct 3 area, alternate II cementing. ffice prior to any cementing.
The undersigned hereby It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry hi 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed I hereby certify that the second that	affirms that the drilling, wing minimum requirem iate district office prior roved notice of intent to sunt of surface pipe as solidated materials plus solidated materials plus istrict office will be notiful II COMPLETION, produpendix "B" - Eastern K d within 30 days of the statements made hereing Signature of Operation of the statement o	AFF, completion and eventual prents will be met: to spudding of well; of drill shall be posted on easy a minimum of 20 feet into ween the operator and the fied before well is either plustion pipe shall be cemeransas surface casing orde spud date or the well shall in are true and to the best rator or Agent:	If Yes, proposed zone: IDAVIT Islugging of this well will comply with K.S.A. 55 of the drilling rig; In the drilling rig; In the drilling rig; In the underlying formation. It is the underlying is cemented in; It is the underlying is the under	et. seq. s surface pipe shall be set necessary prior to plugging; ithin 120 days of spud date. ct 3 area, alternate II cementing. ffice prior to any cementing. owner/operater Intent to Drill; lays of spud date; field proration orders; prior to workover or re-entry; ing is completed; or injecting salt water.
The undersigned hereby It is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry his the appropriate di 6. If an ALTERNATE Or pursuant to Apmust be completed I hereby certify that the second certification certification explicitly that the second certification ce	affirms that the drilling, wing minimum requirem interest district office prior coved notice of intent to count of surface pipe as solidated materials plus ole, an agreement between the complete of the comp	AFF, completion and eventual prents will be met: to spudding of well; of drill shall be posted on easy specified below shall be so a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemeransas surface casing orde spud date or the well shall in are true and to the best rator or Agent:	If Yes, proposed zone: IDAVIT Islugging of this well will comply with K.S.A. 55 of the drilling rig; In the drilling rig; In the underlying cement to the top; in all cases the underlying formation. In the underlying formation. In the underlying formation are underlying formation. In the from below any usable water to surface with the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of the plugged. In the completion form ACO-1 within 120 of the plugged and belief. Remember to: It is completion form ACO-1 within 120 of the plugging report (CP-4) after plugging report (CP-4) after plugging report (CP-4) after plugging the permit has expired (See; authorized).	et. seq. s surface pipe shall be set necessary prior to plugging; ithin 120 days of spud date. ct 3 area, alternate II cementing. ffice prior to any cementing. Owner/operater Intent to Drill; lays of spud date; field proration orders; prior to workover or re-entry; ing is completed; or injecting salt water. d expiration date) please
The undersigned hereby It is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry his 5. The appropriate di 6. If an ALTERNATE Or pursuant to Apmust be completed I hereby certify that the second certification certification explicitly that the second certification certification explicitly that the second certification certification explicitly that the second certification c	affirms that the drilling, wing minimum requirem interest district office prior coved notice of intent to count of surface pipe as solidated materials plus ole, an agreement between the complete of the comp	AFF, completion and eventual prents will be met: to spudding of well; to drill shall be posted on ea specified below shall be a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer ansas surface casing orde spud date or the well shall in are true and to the best rator or Agent:	IDAVIT Jugging of this well will comply with K.S.A. 55 of the ch drilling rig; Let by circulating cement to the top; in all cases the underlying formation. Idistrict office on plug length and placement is gged or production casing is cemented in; the from below any usable water to surface with the surface with the surface with the surface with the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of the surface with the surface with the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of the plugged and belief. Remember to: File Drill Pit Application (form CDP-1) with the file Completion Form ACO-1 within 120 control to the surface with the plugging report (CP-4) after plugged. Obtain written approval before disposing the sufficient that the surface with the surface wit	et. seq. s surface pipe shall be set necessary prior to plugging; ithin 120 days of spud date. ct 3 area, alternate II cementing ffice prior to any cementing. Owner/operater Intent to Drill; lays of spud date; field proration orders; prior to workover or re-entry; ling is completed; or injecting salt water. Indexpiration date) please didress below.
The undersigned hereby It is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry h 5. The appropriate di 6. If an ALTERNATE Or pursuant to Apmust be completed I hereby certify that the second certification certific	affirms that the drilling, wing minimum requirem interest district office prior roved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notified. If COMPLETION, produced within 30 days of the statements made hereing Signature of Open Si	AFF, completion and eventual prents will be met: to spudding of well; of drill shall be posted on easy specified below shall be so a minimum of 20 feet into ween the operator and the field before well is either pluduction pipe shall be cemeransas surface casing orde spud date or the well shall in are true and to the best rator or Agent:	IDAVIT Jugging of this well will comply with K.S.A. 55 of the drilling rig; Let by circulating cement to the top; in all cases the underlying formation. Idistrict office on plug length and placement is gged or production casing is cemented in; the from below any usable water to surface with the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with file Completion Form ACO-1 within 120 of Notify appropriate district office 48 hours of Notify appropriate district office 48 hours of Submit plugging report (CP-4) after plugging. If this permit has expired (See: authorized check the box below and return to the acceptance.	et. seq. s surface pipe shall be set necessary prior to plugging; ithin 120 days of spud date. ct 3 area, alternate II cementing. ffice prior to any cementing. Owner/operater Intent to Drill; lays of spud date; field proration orders; prior to workover or re-entry; ing is completed; or injecting salt water. d expiration date) please ddress below.

RECEIVED

OCT - 2 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - /	21-28301-0000	Location of Well: County: Niami
Operator: Lester Scheuneman		3910 feet from N / X S Line of Section
Lease:	Datas	3625 feet from E E / W Line of Section
Well Number:	F-6	Sec. 14 Twp. 17 S. R. 21 X East Wes
Field:	Rantaul	
Number of Acres	attributable to well: 200	ls Section: 🔀 Regular or 🔲 Irregular
	of acreage: <u>NW - SE - NW</u>	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton. Miami Co.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

en de la composition della com

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lester Scheuneman		License Number: 6168			
Operator Address: 27800 Pleasant Valley Rd. Wellsville, Ks. 66092					
Contact Person: Lester Scheuneman			Phone Number: (785) 883-4621.		
Lease Name & Well No.: Boyscout F-6			Pit Lecation (QQQQ).		
Type of Prt:	Pit is:		NE NW SE NW		
Emergency Pit Burn Pit	X Proposed Existing		Sec. 14 Twp. 17 R. 21 East West		
Settling Pit Dritling Pit	If Existing, date co	nstructed:	3910 Feet from North $f(x)$ South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3625 Feet from X East / West Line of Section		
is the pit located in a Sensitive Ground Water	Area? Yes	110	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
is the bottom below ground level? Yes [] No	Artificial Liner?	ło	How is the pit lined if a plastic liner is not used?		
Pit dimensions rall but working pits): 20 Length (feet) 8 Width (feet) N/A; Steel Pits Depth from ground level to deepest point: 4 (feet)					
		Conth to shall	owest fresh water feet.		
Distance to nearest water well within one-mi		Source of information:			
NA feet Depth of water well		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh water mud. Number of working pits to be utilized: 1 Abandonment procedure: Evaporate & backfill			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? [] Yes [] No		Drill pits must be closed within 365 days of spud date			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
9-28-06 Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 10/2/04 Permit Nu	ımber:	Per	nit Date: 10/2/06 Lease Inspection: Yes K No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

OCT - 2 2006

KCC WICHITA