For KCC Use:	In Dalla
Effective Date:	10-8-00
District #3	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

SGA? Yes X No		•	MOTIOE OF I	AITENT TO DOI!! Form must be Signe	ed
				NTENT TO DRILL Form must be Signated All blanks must be Filled and Signated All blanks must be Filled All blanks must be F	ed
	40		06		
Expected Spud Date	10	8		Spot K Eas	
	month	day	year	SE SW NW Sec. 14 Twp. 17 S. R. 21 Wes	st
OPERATOR: License#	<u>6168</u>			2926 feet from N / X S Line of Section	
Name: Lest	<u>er Sche</u>			Is SECTION X Regular	
Address: 27800 P1					
City/State/Zip: Wellsvi	<u>lle, Ks</u>	. 66092	2	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Lester		nan		County: <u>Miami</u> Lease Name: <u>Boyscout</u> Well #: G- 5	_
Phone: (7 9 5) 883-	4021			Field Name: Rantaul	_
CONTRACTOR: License#	433	9		Is this a Prorated / Spaced Field?	— √o ⊿
	e Jacks	on		Target Formation(s): Squirrel	
				Nearest Lease or unit boundary: 946	_
Well Drilled For:	Well Class		pe Equipment:	Ground Surface Elevation: N.A. feet MS	3Ĺ
X Oil Z Enh Rec	<u></u>	Ħ	Mud Rotary	Water well within one-quarter mile:	
Gas Storage	Pool	<u></u>	Air Rotary	Public water supply well within one mile:	10
OWWO Disposal	=	-	Cable	Depth to bottom of fresh water: 20	_
Seismic;# of Ho	_			Depth to bottom of usable water:180	_
Other				Surface Pipe by Alternate: 1 1 X 2	
If OWWO: old well information	n as follows:			Length of Surface Pipe Planned to be set: 20	—
Operator:		_		Length of Conductor Pipe required: 750	
Well Name:					
Original Completion Date	:	Original T	otal Depth:	Formation at Total Depth: Squirrel	_
•			,	Water Source for Drilling Operations:	
		^	I IVaa IM‴iNa		
Directional, Deviated or Horiz			Yes No	Well X Farm Pond Other	_
If Yes, true vertical depth:				DWR Permit #:	-
If Yes, true vertical depth:				DWR Permit #:(Note: Apply for Permit with DWR]	- -
If Yes, true vertical depth:				DWR Permit #:	10
If Yes, true vertical depth:	irms that the g minimum re district office of notice of ir of surface plated materia an agreement office will be COMPLETION of ix "B" - Easithin 30 days ements made	drilling, cor equirements e prior to s atent to drill ipe as spec its plus a m nt between be notified to N, production etern Kansa of the spuc e herein are	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either pi on pipe shall be ceme as surface casing ord id date or the well shall is true and to the best	DWR Permit #:	
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affilt is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COP pursuant to Appenmust be completed with the state of the provided of the p	irms that the g minimum re district office of notice of ir of surface plated materia an agreement office will be COMPLETION of ix "B" - Easithin 30 days ements made	drilling, cor equirements e prior to s atent to drill ipe as spec its plus a m nt between be notified to N, production etern Kansa of the spuc e herein are	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either pi on pipe shall be ceme as surface casing ord id date or the well shall is true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sech drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; unted from below any usable water to surface within 120 days of spud date. Fig. 133,891-C, which applies to the KCC District 3 area, alternate 11 cementing of my knowledge and belief. Title: Owner/operater Remember to:	
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affilt is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state Date: 10-28-06	irms that the g minimum redistrict office of notice of interest of surface plated materia an agreement office will be completion and it "B" - Eastithin 30 days ements made	drilling, cor equirements e prior to s atent to drill ipe as spec is plus a m nt between se notified to N, production etern Kansa of the spun e herein are	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either pi on pipe shall be ceme as surface casing ord id date or the well shall is true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sech drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; unted from below any usable water to surface within 120 days of spud date. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: OWNET/OPETATET Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affilt is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II COr pursuant to Appen must be completed with the state I hereby certify that the state Date: 10-28-06 For KCC Use ONLY API # 15 - 121-26	irms that the g minimum re district office of notice of ir of surface p lated materia an agreeme ct office will be COMPLETION idix "B" - Easithin 30 days ements made Signature of the complete of the complet	drilling, corequirements or prior to sitent to drillinge as species plus a mint between the notified to the species of the spe	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either pl on pipe shall be ceme as surface casing ord d date or the well sha is true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sech drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Owner/operater Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affilt is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II COr pursuant to Appen must be completed with the state I hereby certify that the state Date: 10-28-06 For KCC Use ONLY API # 15 - 121- 20 Conductor pipe required.	irms that the g minimum redistrict office of notice of interest of surface plated materia an agreeme ct office will be completion and a completion of its "B" - East of its "B" - East office will be completed in 30 days ements made. Signature of Saou-o	drilling, corequirements or prior to sitent to drillipe as species plus a month between the notified to the species of the spe	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either pl on pipe shall be ceme as surface casing ord d date or the well sha is true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sech drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: OWner/operater Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	ng
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affilt is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II COr pursuant to Appen must be completed with the state I hereby certify that the state Date: 10-28-06 For KCC Use ONLY API # 15 - 221-20 Conductor pipe required Minimum surface pipe required	irms that the g minimum redistrict office of notice of interest of surface plated materia an agreement office will be COMPLETION dix "B" - East of ithin 30 days ements made Signature of Saou-O	drilling, corequirements or prior to sitent to drillipe as species plus a month between the notified to the species of the spe	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either pl on pipe shall be ceme as surface casing ord d date or the well sha is true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sech drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	ng
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affilt is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II COr pursuant to Appen must be completed with the state I hereby certify that the state Date: 10-28-06 For KCC Use ONLY API # 15 - 121- 20 Conductor pipe required.	irms that the g minimum redistrict office of notice of interest of surface plated materia an agreement office will be COMPLETION dix "B" - East of ithin 30 days ements made Signature of Saou-O	drilling, corequirements or prior to sitent to drillinge as species plus a mint between the notified to the species of the spe	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either pl on pipe shall be ceme as surface casing ord d date or the well sha is true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: Plugging of this well will comply with K.S.A. 55 et. seq. Water drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Indistrict office on plug length and placement is necessary prior to plugging; under from below any usable water to surface within 120 days of spud date. Fill be plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ng
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affilt is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed with the state 10-28-06 For KCC Use ONLY API # 15 - 21-20 Minimum surface pipe required Minimum surface pipe required Approved by: 24+10-3 This authorization expires:	irms that the g minimum redistrict office of notice of ir of surface nateria an agreement office will be completion of the completion of t	drilling, corequirements of prior to satent to drilling as specially be notified to the special of the special of Operator	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either p on pipe shall be ceme as surface casing ord d date or the well sha is true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: Plugging of this well will comply with K.S.A. 55 et. seq. Seach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Indistrict office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. File plugged. In all cases, NOTIFY district office prior to any cementing. If this permit has expired (See: authorized expiration date) please	ng
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affilt is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state Date: 10-28-06 For KCC Use ONLY API # 15 - /2/- 2c Conductor pipe required Minimum surface pipe required Approved by: 24H 10-3	irms that the g minimum redistrict office of notice of ir of surface nateria an agreement office will be completion of the completion of t	drilling, corequirements of prior to satent to drilling as specially be notified to the special of the special of Operator	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either p on pipe shall be ceme as surface casing ord d date or the well sha is true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: PIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; under or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the prill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ng
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affilt is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed will hereby certify that the state Date: 10-28-06 For KCC Use ONLY API # 15 - 21-20 Minimum surface pipe required Minimum surface pipe required Approved by: 24+10-3 This authorization expires:	irms that the g minimum redistrict office and notice of ir of surface plated materia an agreement office will be completion of its "B" - Easithin 30 days ements made Signature of the completion of the completio	drilling, corequirements of prior to satent to drilling as specials plus a minus of the spuns of	AF impletion and eventual is will be met: ipudding of well; it shall be posted on a cified below shall be inimum of 20 feet into in the operator and the before well is either p on pipe shall be ceme as surface casing ord d date or the well sha is true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: Plugging of this well will comply with K.S.A. 55 et. seq. Seach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Indistrict office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. File plugged. In all cases, NOTIFY district office prior to any cementing. If this permit has expired (See: authorized expiration date) please	ng

Mail to: KCC - Corts William 130 S. Market - Room 2078, Wichita, Kansas 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 121-28304-0000	Location of Well: County: Niami
Operator: Lester Scheuneman	
Lease: Boyscout	4098 teet from E E / W Line of Section
Well Number: C-5	Sec. 14 Twp. 17 S. R. 21 X East West
Field: Rantaul	
Number of Acres attributable to well: 200	ls Section: X Regular or I Irregular
OTR / OTR / OTR of acreage: SE - SW - NW	H Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section content disea. [] The [] The [] Sec [] Sh

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton. Miami ${\tt Co}\, {\tt .}$

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lester S	cheuneman	License Number: 6168			
Operator Address: 27800 Plea	sant Valley R	d. Wellsv	ille, Ks. 66092		
Contact Person: Lester Scheun			Phone Number: (785) 883-4621		
Lease Name & Well No.: Boyscout	C-5		Pit Location (QQQQ).		
Type of Pit:	Pit is:		SESESWNW		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 1 ¹ 4 Twp. 17 R. 21 X East West		
Settling Pit X Drilling Pit	If Existing, date cor	nstructed;	2926 Feet from North / X South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		4098 Feet from K East / West Line of Section Miami County		
	<u> </u>		Chloride concentration: mg/l		
Is the pit located in a Sensitive Ground Water	Area? Yes	.1/10	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? *** Yes [] No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used? clay		
Pit dimensions rall but working pits):2	20 Length (fee	en) 8	Width (feet) N/A: Steel Pits		
	rom ground level to dec	epest point: <u> </u>	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure	e .	liner integrity, ir	dures for periodic maintenance and determining including any special monitoring.		
Distance to nearest water well within one-mil	e of pit	•	Depth to shallowest fresh water		
N/A feet Depth of water well feet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:	Mark president and the street and	Type of material utilized in drilling/workover: Fresh Water mud.			
Number of producing wells on lease:		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:,		Abandonment	procedure: Evaporate & backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? [] Yes [] No		Drill pits must be closed within 365 days of spud date			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
10-28 - 06 Date		Seste	Scheurencon ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 10/2/06 Permit Nur	mber:	Perm	it Date: 10/2/04 Lease Inspection: [Yes (No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OCT - 2 2006

KCC WICHITA