For KCC Use:	10 00
Effective Date: _	10-8-06
District #	3
0040 🗔	W v-

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five	
xpected Spud Date	Spot NE - NE - NE Sec. 7 Twp. 31 S. R. 17 West
	Sec Iwp S. N west
PERATOR: License# 5150	feet from V N / S Line of Section 640 feet from V E / W Line of Section
ame: COLT ENERGY, INC.	Is SECTION Regular Irregular?
Idress: P O BOX 388	is SECTION Regular Integular?
ty/State/Zip: IOLA, KS 66749	(Note: Locate well on the Section Plat on reverse side)
ontact Person: DENNIS KERSHNER	County: MONTGOMERY
one: 620-365-3111	Lease Name: L FRIESS Well #: 1-7 Field Name: COFFEYVILLE-CHERRYVALE
DNTRACTOR: License# 5989	
me: KURT FINNEY DRILLING CO	Is this a Prorated / Spaced Field?
	Target Formation(s): FT SCOTT
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 200
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 908 feet MSL
Gas Storage ✓ Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No Public water a graph well within and prifers.
OWWO Disposal Wildcat Cable	Public water supply well within one mite: Yes √No Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 150
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 20
DWWO: old well information as follows:	Length of Conductor Pipe required: NONE
Operator:	Projected Total Depth: 1000
Well Name:	Formation at Total Depth: MARMATON
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
es, true vertical depth:	DWR Permit #:
ttom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? ✓ Yes No
	If Yes, proposed zone: FT SCOTT
	IDAVIT
	olugging of this well will comply with K.S.A. 55 et. seq.
s agreed that the following minimum requirements will be met:	olugging of this well will comply with K.S.A. 55 et, seq.
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	ich drilling rig;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> e	ich drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the	ich drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set
 agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plug 	ich drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the first than the surface properator and the control of the surface properate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cemental.	tch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	tch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into table of the well is dry hole, an agreement between the operator and the case of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before casing order must be completed within 30 days of the spud date or the well shall	tch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into table of the well is dry hole, an agreement between the operator and the case of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before casing order must be completed within 30 days of the spud date or the well shall	tch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea as. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the deterministic office will be notified before well is either plus for an ALTERNATE If COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the spud date.	tch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eas. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the following the surface of the well is dry hole, an agreement between the operator and the constitution of the constitution of the constitution of the surface of the	the drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Let district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. Let 4133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eas. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the determinent of the description of the de	the drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the spud date or the well shall be the statements made herein are true and to the best of the spud date or the well shall be specified before the spud date or the well shall be specified before the spud date or the well shall be spud date or the well shall be specified before the spud date or the well shall be specified before the spud date or the well shall be specified before the spud date or the well shall be spud date.	ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PRODUCTION CLERK ###################################
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the specific through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the specific through all the complete district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the specified before well is either plus of the spe</i>	the drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK #emember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into tea. 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the specified district office will be notified before well is either pluging and all the surface of th	ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK ###################################
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the office of the specified district office will be notified before well is either plut office in the complete district office will be notified before well is either plut office in the complete office will be notified before well be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud date or the well shall be reby certify that the statements made herein are true and to the best of the specific of the spud date or the well shall be specified. For KCC Use ONLY API # 15 - Signature of	ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK ###################################
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet into to the through all unconsolidated materials plus a minimum of 20 feet minimum surface pipe required	the drilling rig; the toy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK ### PRODUCTION CLERK ### PRODUCTION CLERK ### PRODUCTION CLERK #### PRODUCTION CLERK ##### PRODUCTION CLERK ##### PRODUCTION CLERK ##### PRODUCTION CLERK ##### PRODUCTION CLERK ###################################
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the interest of the second of the specific of the second of the seco</i>	ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK Femember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to the surface price of the surface price well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the surface of	the drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRODUCTION CLERK Title: PRODUCTION CLERK File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the: 9-27-06 Signature of Signature of feet For KCC Use ONLY API # 15 - Signature of feet Minimum surface pipe required feet per Alt. More feet Minimum surface pipe required feet per Alt.	the drilling rig; If the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; If gged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Ititle: PRODUCTION CLERK Itemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the velocity of the well is dry hole, an agreement between the operator and the composition of the properties of the production pipe shall be cement. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE If COMPLETION, production pipe shall be cement. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the end of the production of th	the drilling rig; In the underlying formation. In the underlying formation to the underlying to the underlying salt water. In this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-312	33-0000		Location of Well: Cou	Inty: MONTGOMERY	
Operator: COLT ENERGY, INC.			200 feet from VN/ S Line of Section		
Lease: L FRIESS					
Well Number: 1-7			Sec7 Twp	31 S. R. 17 East V	
Field: COFFEYVILLE-CHER	RRYVALE				
Number of Acres attributable t	to well:		Is Section: 🗸 Reg	gular or 🗌 Irregular	
QTR / QTR / QTR of acreage:	A 1 =	_ NE			
			Section corner used:	ar, locate well from nearest corner boundary	
(e well and shade attribu	AT 200 Itable acreage for prorate Lease of unit boundary I		
· .		: ;	<u> </u>	640	
	• • • • • • •				
			•		
:			:		
	•		,		
·			;	EXAMPLE	
		/			
,	•				
	•			1980	
				3390'	
	•		.		
	•				

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

RECEIVED

 The distance to the nearest lease or unit boundary inte.
 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil proposed location) CG-8 for gas wells).

SEWARD CO.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: COLT ENERGY, INC			License Number: 5150		
Operator Address: P O BOX 388, IOLA, KS 66749					
Contact Person: DENNIS KERSHNER			Phone Number: (620) 365 - 3111		
Lease Name & Well No.: L FRIESS 1-7			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE NE NE</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 7 Twp. 31 R. 17 🗸 East 🗌 West		
Settling Pit	If Existing, date constructed:		200 Feet from 📝 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		640 Feet from Feet from Section MONTGOMERY		
Is the pit located in a Sensitive Ground Water	Area? Ves I		Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? NATIVE CLAY SOIL		
Pit dimensions (all but working pits):	0 Length (fe	eet) 15	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	5 (feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
		Depth to shallo	west fresh water UNKNOWN feet.		
NONE KNOWN feet Depth of water wellfeet		measu	measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY:		
Emergency, Settling and Burn Pits ONLY:		NATUE OOU			
Producing Formation:			pe of material utilized in drilling/workover: NATIVE SOIL		
Number of producing wells on lease: Barrels of fluid produced daily:			Number of working pits to be utilized: 1 Abandonment procedure: PUMP OUT PUSH IN		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Abandonment procedure: PUMP OUT PUSH IN Drill pits must be closed within 365 days of spud date.			
9-27-06 Date Date					
	KCC (OFFICE USE ON	NLY		
Date Received: 10/z/06 Permit Number: Permit Date: 10/z/06 Lease Inspection: Research					
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202					