S. Harb

For KCC Use: Effective Date:	10-8-06
District #	3
SGA? Yes	∑ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot SW-NE Consider the East
month day year	SE/4 SE Sec. 33 Twp. 28 S. R. 22 West
OPERATOR: License# 6766	1485feet fromN / 🗸 S Line of Section
Name: N & W Enterprises Inc	825 feet from F E / W Line of Section
Address: 1111 S. Margrave	Is SECTION ✓ RegularIrregular?
Address: City/State/Zip: Fort Scott, KS 66701	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip: Contact Person: Thomas L. Norris	County: Crawford
Phone: 620-223-6559 or 620-224-0006	Lease Name: Meyer Weil #: 18
	Field Name: Walnut SE
CONTRACTOR: License# 33734	Is this a Prorated / Spaced Field?
Name: Hat Drilling LLC	Target Information(s): Bartlesville
	Nearest Lease or unit boundary: 660'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: NA feet MSL
✓ Oil ✓ ☐ Enh Rec ☐ Infield ✓ Mud Rotary	Water well within one-quarter mile:
Gas Storage ✓ Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 1000' +
Seismic; # of Holes Other	Depth to bottom of usable water: 1000' +
Other	Surface Pipe by Alternate: 1 2
W. CHARACO. and well information to follows:	Length of Surface Pipe Planned to be set: 20'
If OWWO: old well information as follows:	Length of Conductor Pipe required: NA
Operator:	Projected Total Depth: 425'
Well Name: Original Total Contribution Policy Original Total Contribution	Formation at Total Depth: Bartlesville
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓	
If Yes, true vertical depth:	DWR Permit #:
	(Note: Apply for Permit with DWR [])
Bottom Hole Location:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? Yes ✓ No
Bottom Hole Location:	Will Cores be taken? Yes ✓ No.
Bottom Hole Location:KCC DKT #:	Will Cores be taken? Yes ✓ No. If Yes, proposed zone: AFFIDAVIT
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even It is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes ✓ No. If Yes, proposed zone: AFFIDAVIT
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either than the complete of	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging;
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either than the constant of	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either of the properties of the production pipe shall be completed within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. In the each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; are plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either that the statements of the spud date or the well is ecompleted within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief.
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either that the Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the Date: Date: 9 5 9 0 6 Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Remember to:
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either the organization of the specific properties of the specific properties and the statements made herein are true and to the plate: Signature of Operator or Agent: For KCC Use ONLY Signature of Operator or Agent: The appropriate district office will be notified before well is either the second of the specific properties and the specific properties within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the plate: Signature of Operator or Agent: The appropriate district office will be notified before well is either the second of the specific properties.	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well in hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 21848-033	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; are plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 21848-0000 Conductor pipe required None feet	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either in an ALTERNATE II COMPLETION, production pipe shall be computed within 30 days of the spud date or the well in hereby certify that the statements made herein are true and to the plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 21848-000 Conductor pipe required None feet per Ait.	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. On each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either in an ALTERNATE II COMPLETION, production pipe shall be concurred or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well. I hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. It the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either in a hard to appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: Signature of O	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in the appropriate district office will be notified before well is either in a ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 21848-000 Conductor pipe required None feet per Alt. Approved by: 44-10-3-06 This authorization expires: 4-3-07	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of any knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either in a hard to appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: Signature of O	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Itual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of any knowledge and belief. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21848-0000	Location of Well: County: Crawford
Operator: N & W Enterprises Inc	
Lease: Meyer	1485 feet from N / S Line of Section 825 feet from E / E / W Line of Section
Well Number: 18	Sec. 33 Twp. 28 S. R. 22 ✓ East Wes
Field: Walnut SE	
Number of Acres attributable to well: 2 1/2	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SE/4 - NE SE - SE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

_								 																	
												1													
	•	٠	•		٠	• •		 •		•		ł	•	•		•	•	•	•	•	•	•	•		
							_					ŀ													
												1													
				•			•					1						•							
									٠.									,							
												ì													
				•								1										•			
				•																		•			
				•			•		•						•			•				•			
										٠									٠	٠					
				-			-		-						-			٠							
				•											٠		4l	•				•			
									٠			1	i			-	ģΙ	•							
											51	~	Ь.	į											
\vdash										_	51	٥.	۱4	L											_
				•			•		•		•	- /			•			•				-			
				•			•		•						•			•				•			
į				•											•			•				•			
ļ																									
ļ																									
																						•			
							٠		-						•			٠				•			
-									-																
ļ	•	•	•		•			 •	•	٠	٠.		•	•				•	•	•	•	•	•		
÷																						-			
1																									
ĺ																									
į																			_		_				
i		•	•		•			 •	. •	•	•			•		٠			•				•	•	
1																						,			
i																									
1							-																		
1							•								-										



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- CG-8 for gas wells).

OCT - 2 2005

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 January 2001 Form must be Typed

APPLICATION FOR SURFACE POND

Submit in Duplicate

Operator Name: N & W Enterpris	ses Inc		License Number: 6766				
Operator Address: 1111 S. Margrave	3	<u></u> .					
Contact Person: Thomas L. Norri	S		Phone Number: (620) 223 - 6559				
Lease Name: Meyer 18			Pit Location:				
Type of Pond: Emergency PitTreatment Pit Workover PitDrilling Pit Burn Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water	Pit is: Proposed If Existing, date conception Pit capacity: 80 Area? Yes	onstructed:(bbls)	All of SE Qtr. Sec. 33 Twp. 28 R. 22 VE W 1485 Feet from N (S) (circle one) Line of Section 825 Feet from (E) / W (circle one) Line of Section Crawford County Chloride concentration: mg/f				
Is the bottom below ground level? Yes No Pit dimensions (all but working pits): Depth fi	Artificial Liner? Yes Length (ferom ground level to de	eet) 5'					
material, thickness and installation procedure	e. 	liner integrity, i	ncluding any special monitoring.				
Distance to nearest water well within one-mit 2000 feet Depth of water well		Source of info	west fresh water NAfeet. mation: ired well owner electric log KDWR				
Emergency, Treatment and Burn Pits ONI		1 -	orkover Pits ONLY:				
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of material utilized in drilling/workover: Water Number of working pits to be utilized: 2 Abandonment procedure: Fill with earth Drill pits must be closed within 365 days of spud date.					
Does the slope from the tank battery allow al flow into the pond? Yes No							
i hereby certify that the above stat	ements are true and	I from	t of my knowledge and belief. January, ignature of Applicant or Agent				
Date			MODARDINE OF ANDRICADE OF AUGUS				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Permit Date: 16/2/06 Lease Inspection: RECENCED

Market - Room 2078, Wichita, Kansas 67202

CCC WICHITA