. . . *و توسول*

For KCC Use:	10-8-06
Effective Date:	
District #	<u>3</u>

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed
Form must be Signed
blanks must be Filled

pected Spud Date	Spot 5½ -
month day year	SE Sec. 33 Twp. 28 S. R. 22 West
6766	1650feet fromN / V S Line of Section
-HATOH: License# — — — — — — — — — — — — — — — — — — —	660feet from F E / W Line of Section
me: N & W Enterprises Inc	Is SECTION ✓ Regularirregular?
dress: 1111 S. Margrave //State/Zip: Fort Scott, KS 66701	(Note: Locate well on the Section Plat on reverse side)
y/State/Zip: Thereas I. Norris	Crawford
ntact Person: Thomas L. Norris	Lease Name: MeyerWell #. Inj 16
one: 620-223-6559 or 620-224-0006	Field Name: Walnut SE
NTRACTOR: License# 33734	Is this a Prorated / Spaced Field?
me: Hat Drilling LLC	Target Information(s): Bartlesville
IIIG	Nearest Lease or unit boundary: 660'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: NA feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: oil wsw Yes N
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 1000'+
Seismic; # of Holes Other	Depth to bottom of usable water: 1000' +
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 20'
OWWO: old well information as follows:	Length of Conductor Pipe required: NA
Operator:	Projected Total Depth; 425'
Well Name:	Formation at Total Depth: Bartlesville
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
rectional. Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
rectional. Deviated or Horizontal Wellbore?	
<u></u>	
Yes, true vertical depth:	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
AFF The undersigned hereby affirms that the drilling, completion and eventual prior is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	OWR Permit #: (Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the fitted well is dry hole, an agreement between the operator and the construction of the properties of the plus of the	Will Cores be taken? [Note: Apply for Permit with DWR] Will Cores be taken? [Yes ✓ N [Yes, proposed zone: [IDAVIT] [Jugging of this well will comply with K.S.A. 55 et. seq. [In the drilling rig; [I
AFF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into table. 4. If the well is dry hole, an agreement between the operator and the case of the surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the fitted well is dry hole, an agreement between the operator and the construction of the properties of the plus of the	Will Cores be taken? [Note: Apply for Permit with DWR] Will Cores be taken? [Yes ✓ N [Yes, proposed zone: [IDAVIT] [Jugging of this well will comply with K.S.A. 55 et. seq. [In the drilling rig; [I
AFF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into table. 4. If the well is dry hole, an agreement between the operator and the case of the surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yes to be circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Insight or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. If yes v N IDAVIT Insight of this well will comply with K.S.A. 55 et. seq. In all cases surface pipe shall be set the underlying formation. In the different prior to plugging; the different prior to plugging; the different prior to surface within 120 days of spud date. If yes v N In the seq. No plugging is cases surface pipe shall be set the underlying formation. If yes v N In the seq. No plugging is cases surface pipe shall be set the underlying formation. If yes v N In the seq. No plugging is the seq. If yes v N In the seq. No plugging is the seq. No plugging is the seq. If yes v N In the seq. No plugging is the seq. No plugging is the seq. If yes v N In the seq. No plugging is the seq. No plugging is the seq. If yes v N In the seq. No plugging is the seq. No plugging is the seq. If yes v N In the seq. No plugging is the seq. No plugging is the seq. If yes v N In the seq. No plugging is the seq. No plugging is the seq. If yes v N In the seq. No plugging is the seq. No plugging is the seq. If yes v N In the seq. No plugging is the seq. No plugging is the seq. If yes v N In the seq. No plugging is the seq. No plugging is the seq. If yes v N In the yes v N
AFF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the drill shall be posted on ea 4. If the well is dry hole, an agreement between the operator and the construction of the defore well is either plus 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the determinant of the dete	Will Cores be taken? If Yes, proposed zone: IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; In the great from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If we knowledge and belief. In the Completion Form ACO-1 within 120 days of spud date; If It is acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of	Will Cores be taken? If Yes, proposed zone: IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; In the ground or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. If Itel Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into teles. 4. If the well is dry hole, an agreement between the operator and the center of the surface will be notified before well is either plus of the surface to the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order and the surface casing order and the surface casing order of the surface casing order and the surface and	Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. seq. In the underlying formation. In the underlying formation. In the difference or plug length and placement is necessary prior to plugging; and placement is necessary prior to plugging; and or production casing is cemented in; are from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21851-0000	Location of Well: County: Crawford	
Operator: N & W Enterprises Inc	1650 feet from N / S Line of Section	
Lease: Meyer	660 feet from VE / W Line of Section	
Well Number: Inj 16 Field: Walnut SE	Sec. 33 Twp. 28 S. R. 22 Fast Wes	
Number of Acres attributable to well: 2 1/2 QTR / QTR / QTR of acreage: SE/4 NE SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					
ļ					
		•			
ł			i.		
	• •	•	1	•	
			. i		
1	,				
			,		
		•		•	
	•				
' ' '			.		
ļ		•			
		_			
	•	•			
i		•		Ø	'
				/O	
		•	' / '	•	
		. ,	01.1.1		,
_	• •		5k/4		
			<i>/ ' / </i>	•	'
			- f	•	
			1 .		
i					
1					
		•		•	•
		•	,	•	
		•		•	•
		•			•
		•	1 .		
	· ·				
i	•			•	
				•	•
1		•		-	

NOTE: In all cases locate the spot of the proposed drilling locaton.

EXAMPLE 1980 3390' SEWARD CO. RECEIVED

In plotting the proposed location of the well, you must show:

KCC WICHITA

OCT - 2 2006

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 January 2001 Form must be Typed

APPLICATION FOR SURFACE POND

Submit in Duplicate

Operator Name: N & W Enterprises Inc			License Number: 6766		
Operator Address: 1111 S. Margrave					
Contact Person: Thomas L. Norris			Phone Number: (620) 223 - 6559		
Lease Name: Meyer	INJ 16		Pit Location:		
Type of Pond: Emergency Pit Treatment Pit Workover Pit Drilling Pit Burn Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits): 5'	Pit is: ✓ Proposed Existing If Existing, date constructed: Pit capacity: 80 (bbls) er Area? Yes ✓ No Artificial Liner? Yes ✓ No				
If the pit is lined give a brief description of the material, thickness and installation procedur Distance to nearest water well within one-mile	le of pit	Describe proce liner integrity, in the process of the process of information of the process of t	edures for periodic maintenance and determining ncluding any special monitoring.		
2000 feet Depth of water well 1000+ feet Emergency, Treatment and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pond? Yes No		Drilling and Workover Pits ONLY: Type of material utilized in drilling/workover: Water Number of working pits to be utilized: 2 Abandonment procedure: Fill with earth Drill pits must be closed within 365 days of spud date.			
1 hereby certify that the above statements are true and correct to the best of my knowledge and belief. 09/29/2006 Date Company Description Descrip					
Date Received: 16/2/06 Permit Nu	mber:	Perm	nit Date: 10 2 01 Lease Inspection: Yes 2 No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

00T - 2 2006

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.