For KCC Use:	10-8-06	
District #	3	
SGA? [ Yes	X No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date 10/6/2006	Spot S/2-N/L	
Expected Spud Date		✓ East
	SE/4 NE SE Sec. 33 Twp. 28 S. R.	
OPERATOR: License# 0700		Line of Section
Name: N & W Enterprises Inc		Line of Section
Address: 1111 S. Margrave	Is SECTION Regular Irregular?	
City/State/Zip: Fort Scott, KS 66701	(Note: Locate well on the Section Plat on reverse	e side)
Contact Person: Thomas L. Norris	County: Crawford	. orutj
Phone: 620-223-6559 or 620-224-0006	Lease Name: Meyer W	Inj 18
	Field Name: Walnut SE	en #:
CONTRACTOR: License# 33734		
Name: Hat Drilling LLC	Is this a Prorated / Spaced Field?	Yes ✓ No
	Target Information(s): Bartlesville	74.402
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660'	
Oil  Enh Rec Infield  Mud Rotary	Ground Surface Elevation: NA	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	✓ Yes No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes 🗸 No
Seismic: # of Holes Other	Depth to bottom of fresh water: 1000' +	
Other	Depth to bottom of usable water: 1000' +	
01101	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	770.14
Operator:	Length of Conductor Pipe required: NA	2.37 272
Weil Name:	Projected Total Depth: 425'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville	
Original Completion DateOriginal Total Deptil:	Water Source for Dritling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:		
Dottom 11010 Location.	( <b>Note:</b> Apply for Permit with DWR	
KCC DKT #-	1100 0 1 1 1 1 0	1 1 1 1 1 1
KCC DKT #:	Will Cores be taken?	Yes V No
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:	
	If Yes, proposed zone:	J
AFF	If Yes, proposed zone:	J
AFF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:	
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	J
AFF  The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone:  IDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If the top circulating cement to the top; in all cases surface pipe the underlying formation.  Idistrict office on plug length and placement is necessary printinged or production casing is cemented in; ted from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a	shall be set or to plugging; of spud date. mate II cementing
AFF  The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:  IDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If the top circulating cement to the top; in all cases surface pipe the underlying formation.  Idistrict office on plug length and placement is necessary printinged or production casing is cemented in; ted from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a	shall be set or to plugging; of spud date. mate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into table of the well is dry hole, an agreement between the operator and the case of the specified district office will be notified before well is either plug to find a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best-one of the specific days of the spud date.	If Yes, proposed zone:  IDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary pringed or production casing is cemented in;  Ited from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.	shall be set or to plugging; of spud date. mate II cementing
AFF  The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone:  IDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If the top circulating cement to the top; in all cases surface pipe the underlying formation.  Idistrict office on plug length and placement is necessary printinged or production casing is cemented in; ted from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a	shall be set or to plugging; of spud date. mate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into table of the well is dry hole, an agreement between the operator and the case of the specified district office will be notified before well is either plug to find a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best-one of the specific days of the spud date.	If Yes, proposed zone:  IDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary pringed or production casing is cemented in;  Ited from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.	shall be set or to plugging; of spud date. mate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the substitution of the substitutio	If Yes, proposed zone:  IDAVIT  Idugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation.  Idistrict office on plug length and placement is necessary pringged or production casing is cemented in; ted from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.	shall be set or to plugging; of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the completed district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best-on the statements of Operator or Agent:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O37-2 1853-000  Conductor pipe required None feet per Alt. (2)  Approved by: Pub 10-3-06  This authorization expires: 4-3-07	ch drilling rig;  the top circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pringed or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt.  If this permit has expired (See: authorized expiration date.	shall be set or to plugging; of spud date, nate II cementing ny cementing.  te; orders; er or re-entry; d; water.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe is either plus and the well is either plus and the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best-on pate:    Grant   Gra	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pringed or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to filed proration of Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt.  If this permit has expired (See: authorized expiration date check the box below and return to the address below.	shall be set or to plugging; of spud date. mate II cementing ny cementing.  te; orders; er or re-entry; d; water.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the determinant of the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as specified before well is either plus to the surface pipe as specified before well is either plus to the surface district office will be notified before well is either plus to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best-on the properties of the surface pipe required to the perfect of the perfect pipe required to	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pringed or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to filed proration of Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration date check the box below and return to the address below.	shall be set or to plugging; of spud date, nate II cementing ny cementing.  te; orders; er or re-entry; d; water.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21853-0000	Location of Well: County: Crawford
Operator: N & W Enterprises Inc	1650 feet from N / S Line of Section
Lease: Meyer	1320 feet from
Well Number: Inj 18	Sec. 33 Twp. 28 S. R. 22 V East Wes
Field: Walnut SE	
Number of Acres attributable to well: 2 1/2	Is Section:   ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SE/4 - NE - SE	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc. RECEIVED
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 QCJ wells) CG-8 for gas wells).

KCC WICHITA

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 January 2001 Form must be Typed

### **APPLICATION FOR SURFACE POND**

Submit in Duplicate

		•			
Operator Name: N & W Enterprises Inc			License Number: 6766		
Operator Address: 1111 S. Margrave					
Contact Person: Thomas L. Norris			Phone Number: ( 620 ) 223 - 6559		
Lacca Nama Marran		Pit Location:			
Type of Pond:  — Emergency Pit — Treatment Pit  — Workover Pit ✓ Drilling Pit  — Burn Pit (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  ✓ Yes No  Pit dimensions (all but working pits): 5'	Pit is:  Proposed  If Existing, date of  Pit capacity:  80  Area? Yes  Length (feom ground level to definer  of pit  000+  feet  Y:	Depth to shallo Source of infor measu.  Drilling and W. Type of material Number of wor	And the pit lined if a plastic liner is not used?    Note of Section   Note of Section		
flow into the pond? Yes No Drill pits must			be closed within 365 days of spud date.		
09/29/2006  Date		1 forms	ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 10/2/06 Permit Num	ber:	Perm	it Date: /U/Z/QL Lease Inspection: Yes No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED OCT - 2 \*\*\*

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MYCHAEL C. MOFFET, COMMISSIONER

### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.