For KCC Use:	10-8-06
Effective Date: _	70000
District #	<u> </u>
	<b>□</b>

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

wiust be approved by K	CC five (5) days prior to commencing Well
	CC five (5) days prior to commencing well
Expected Spud Date	Spot ✓ East
month day year	NE NE NW Sec. 33 Twp. 15 S. R. 20 West
ORERATOR: License# 5150	350feet from ✓ N /S Line of Section
OPERATOR: License# 5150 V	2240 feet from E / V W Line of Section
	Is SECTION
City/State/Zip: IOLA, KS 66749	(Note: Locate well on the Section Plat on reverse side)
Contact Person: DENNIS KERSHNER	County: FRANKLIN
Phone: 620-365-3111	Lease Name: PAULINE SCOTT Well #: 3-33
	Field Name: NORWOOD FIELD
CONTRACTOR: License# 8509 V Name: EVANS ENERGY DEV, INC	Is this a Prorated / Spaced Field? Yes ✓ No  Target Formation(s): SQUIRREL
vanie.	Nearest Lease or unit boundary: 350
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 960feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:  Yes VNo
Gas Storage Pool Ext.	Public water supply well within one mile:  Yes V No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 165
Seismic; # of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 2
A CIABACO, and wall information on follows:	Length of Surface Pipe Planned to be set: 20
If OWWO: old well information as follows:  Operator:	NONE
Well Name:	Projected Total Depth: 1100
Original Completion Date:Original Total Depth:	SOURREI
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	✓ No
If Yes, true vertical depth:	
Bottom Hole Location:	` '''
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	AFFIDAVIT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well	entual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poster	entual plugging of this well will comply with K.S.A. 55 et. seq. ; ed on each drilling rig;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> .	entual plugging of this well will comply with K.S.A. 55 et. seq. ; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> , through all unconsolidated materials plus a minimum of 20 fe	entual plugging of this well will comply with K.S.A. 55 et. seq. ; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> , through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator as  5. The appropriate district office will be notified before well is eight.	entual plugging of this well will comply with K.S.A. 55 et. seq.  d on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> . through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be	rentual plugging of this well will comply with K.S.A. 55 et. seq.  i; ad on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set set into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin	entual plugging of this well will comply with K.S.A. 55 et. seq.  ; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set set into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 days of spud date. and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> . through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w	icentual plugging of this well will comply with K.S.A. 55 et. seq.  iced on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the lell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> . through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w	rentual plugging of this well will comply with K.S.A. 55 et. seq.  ; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 days of spud date. and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing. e best of my knowledge and belief.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> , through all unconsolidated materials plus a minimum of 20 fc  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be  Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the w  hereby certify that the statements made herein are true and to the	icentual plugging of this well will comply with K.S.A. 55 et. seq.  iced on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the lell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> , through all unconsolidated materials plus a minimum of 20 fc 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	is the set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  In the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 days of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the lell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: PRODUCTION CLERK
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fc 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casimust be completed within 30 days of the spud date or the wall hereby certify that the statements made herein are true and to the Date: 9-27-06  Signature of Canada Agent:	entual plugging of this well will comply with K.S.A. 55 et. seq.  ical on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing are best of my knowledge and belief.  Title: PRODUCTION CLERK  Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the post of the specific of th	ice don each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set set into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; accemented from below any usable water to surface within 120 days of spud date. and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing sell shall be plugged. In all cases, NOTIFY district office prior to any cementing. se best of my knowledge and belief.  Title: PRODUCTION CLERK  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill:
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the wall hereby certify that the statements made herein are true and to the Date: 9-27-06  Signature of Signature of Signature Agent: For KCC Use ONLY  API # 15 - OS9-25180-0000	entual plugging of this well will comply with K.S.A. 55 et. seq.  ical on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing are best of my knowledge and belief.  Title: PRODUCTION CLERK  Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> . through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eight of the appropriate district office will be notified before well is eight of the production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date: 9-27-06  Signature of Signature	ice do neach drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district 3 area, alternate II cementing the listent of my knowledge and belief.  Shilly States  Title: PRODUCTION CLERK  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w II hereby certify that the statements made herein are true and to the Date: 9-27-06  Signature of Signature of Agent:  For KCC Use ONLY  API # 15 - OS9 - 25 180-0000  Conductor pipe required feet Minimum surface pipe required feet per Alt.	rentual plugging of this well will comply with K.S.A. 55 et. seq.  is do on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; ecemented from below any usable water to surface within 120 days of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: PRODUCTION CLERK    PRODUCTION CLERK   PRODUCTION CL
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w I hereby certify that the statements made herein are true and to th  Date: 9-27-06  Signature of Signature of Agent:  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required  feet per Alt.	rentual plugging of this well will comply with K.S.A. 55 et. seq.  is do on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; ecemented from below any usable water to surface within 120 days of spud date.  In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: PRODUCTION CLERK    PRODUCTION CLERK
2. A copy of the approved notice of intent to drill shall be posted.  3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feels. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eight of an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date: 9-27-06  Signature of Signature Agent:  For KCC Use ONLY  API # 15 - OS9 - 25180-0000  Conductor pipe required None feet  Minimum surface pipe required feet  Approved by: Perf 10-3-06	rentual plugging of this well will comply with K.S.A. 55 et. seq.  is do on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  Ind the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; ecemented from below any usable water to surface within 120 days of spud date.  In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: PRODUCTION CLERK    PRODUCTION CLERK
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w I hereby certify that the statements made herein are true and to th  Date: 9-27-06  Signature of Signature of Agent:  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required  feet per Alt.	rentual plugging of this well will comply with K.S.A. 55 et. seq.  is do on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in;  In cemented from below any usable water to surface within 120 days of spud date.  In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  In the plugged in all cases, NOTIFY district office prior to any cementing.  In the production CLERK  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office prior to spudding of well 2. A copy of the approved notice of intent to drill shall be poste 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is ei 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: 9-27-06  Signature of Signature of Feet Minimum surface pipe required  Approved by: Perf 10-3-06  This authorization expires: 4-3-07	rentual plugging of this well will comply with K.S.A. 55 et. seq.  is all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  Indicate the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; accemented from below any usable water to surface within 120 days of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: PRODUCTION CLERK    PRODUCTION CLERK

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 . 059-251800000	Location of Well: County: FRANKLIN
Operator: COLT ENERGY, INC.	350feet from V N / S Line of Section
Lease: PAULINE SCOTT	2240 feet from E / ✓ W Line of Section
Well Number: 3-33 Field: NORWOOD FIELD	Sec. 33 Twp. 15 S. R. 20 Fast Wes
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: NE - NE - NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: ■NE ✓NW ■SE ■SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.) 224) **EXAMPLE** 



NOTE: In all cases locate the spot of the proposed drilling locaton.

### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

RECEIVED

3. The distance to the nearest lease or unit boundary line.
 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for Oil wells; 2 2 200)

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

		<u> </u>			
Operator Name: COLT ENERGY	, INC		License Number: 5150		
Operator Address: POBOX 388, IOLA, KS 66749					
Contact Person: DENNIS KERSHNER			Phone Number: ( 620 ) 365 - 3111		
Lease Name & Well No.: PAULINE SCOTT 3-33			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NENENW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 Twp. 15 R. 20		
Settling Pit	If Existing, date constructed:		350 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity: (bbls)		2240 Feet from ☐ East / ✓ West Line of Section		
(If WP Supply API No. or Year Drilled)			FRANKLIN County		
Is the pit located in a Sensitive Ground Water	Area? Yes	ý Ńo	Chloride concentration: mg/l		
Le the bettern helevy ground level?	Autificial Linear		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?    Ves   No	Artificial Liner?  ✓ Yes	No	How is the pit lined if a plastic liner is not used?  NATIVE CLAY SOIL		
Pit dimensions (all but working pits):					
		I			
, · · · · · · · · · · · · · · · · · · ·			dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water UNKNOWN feet.			
327    NONE KNOWN   feet   Depth of water well   35   feet		Source of information: ~20			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
1		Type of material utilized in drilling/workover: NATIVE SOIL			
		Number of working pits to be utilized:1			
Barrels of fluid produced daily:		Abandonment procedure: PUSH IN			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
9-27-06 Shive			y stotler		
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 10/2/04 Permit Number: Permit			t Date: 10/2/0 C Lease Inspection: REGENTED		
<del></del>					