Form C-1

KANSAS CORPORATION COMMISSION COMMISSION December 2002
OIL & GAS CONSERVATION DIVISION OCT 0 5 2006

OIL & GAS CONSERVA	fil i ii E Jilii E Fointmust be i yped
For KCC Use: NOTICE OF INTEN	I O DRILL Form must be signed
Effective Date:	ys prior to commencingons ERVATION DIVISION All blanks must be Filled
	WICHITA, KS
SGA? Yes 1 No	· · · · · · · · · · · · · · · · · · ·
	24 - 30
Expected Spud Date group day year	SE NW SE Sec 11 Twp 34 S.R 36 X West
month day year	1580 feet from N/S X Line of Section
	leet flotti
OPERATOR: License # 5278	1800 feet from X E / W Line of Section
Name: EOG Resources, Inc.	Is SECTION X Regular Irregular?
Address: 3817 NW Expressway, Suite 500	(Note: Locate well on Section Plat on Reverse Side)
72112	(Note: Locate well off Section Plat off Neverse Side)
	County: STEVENS
Contact Person: BREANA VARIAS Phone: (405) 246–3158	Lease Name: RECTOR Well #: 11 #1
Phone: (405) 246-3136	Field Name:
CONTRACTOR: License #: 30684	Is this a Prorated/Spaced Field? Yes X No
CONTINUE FINANCIAL FINANCI	(5 () (0 d) (0 d) (0 d) (0 d)
Name: AFERCROMBIE RID, INC.	Target Formation(s): ST. LOUIS
	Nearest Lease or unit boundary: 1580
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3182 feet MSL
	Water well within one-quarter mile: yes x no
Oil Enh Rec Infield X Mud Rotary	Public water supply within one mile: yes x no
X Gas Storage Pool Ext. Air Rotary	Depth to bottom of fresh water:620 '
OWWO Disposal X Wildcat Cable	Depth to bottom of nesh water680!
Seismic: # of Holes Other	Depth to bottom of usable water: 680 ' Surface Pipe by Alternate: X 1 2 -
Other	Surface Pipe by Alternate.
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700'
	Length of Conductor pipe required: 40*
Operator:	Projected Total Depth: 6750'
Well Name:	Formation at Total Depth: ST. LOUIS
Original Completion Date: Original Total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X No	
If yes, true vertical depth:	
• •	DWR Permit #:
Bottom Hole Location	(Note: Apply for Permit with DWR X)
KCC DKT#	Will Cores Be Taken?: Yes X No
PRORATEO, SPACED HULDTON & PANOMA	If yes, proposed zone:
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pluggi	ng of this wen will comply with 12.5.7. 55- 101 64, 364,
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office prior to spudding of well; 	
2. A copy of the approved notice of intent to drill shall be posted on each	n drilling rig;
3. The minimum amount of surface pipe as specified below shall be set	by circulating cement to the top; in all cases surface pipe snail be set
through all unconsolidated materials plus a minimum of 20 feet into the	e underlying formation;
 If the well is dry hole, an agreement between the operator and the dist 	rict office on plug length and placement is necessary prior to plugging;
The appropriate district office will be notified before well is either plugg	ged or production casing is cemented in;
If an ALTERNATE II COMPLETION, production pipe shall be cemented.	d from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of my	knowledge and belief.
* 100	
Date: 10/4/06 Signature of Operator or Agent: 2/1/4	Title: OPERATIONS ASSISTANT
FackCC Has ONLY	Remember to V
For KCC Use ONLY 89-22553-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill;
Alore	 File Completion Form ACO-1 within 120 days of spud date;
	 File acreage attribution plat according to field proration orders;
Minimum surface pipe required 700 feet per Alt(1)	- Notify appropriate district office 48 hours prior to workover or re-entry;
Approved by: Put 10-5-06	- Submit plugging report (CP-4) after plugging is completed;
This authorization expires: 4-5-07	- Obtain written approval before disposing or injecting salt water.
(This authorization void if drilling not started within 6 months of effective date.)	If permit has expired (See: authorized expiration date) please
Spud date: Agent	check the box below and return to the address below
Opud dato:	Well Not Drilled - Permit Expired
	Signature of Operator or Agent:

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 189-22553-0000	Location of Well: County: STEVENS
Operator EOG Resources, Inc.	1580 feet from N/S X Line of Section
Lease RECTOR	1800 feet from X E / W Line of Section
Well Number 11 #1 Field	Sec11Twp34 S. R38 East X Wes
Number of Acres attributable to well:	is Section <u>x</u> Regular or Irregular
QTR/QTR/QTR of acreage: SE - NW - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to nearest lease or unit boundary line)

		•		EXAMPLE 1	1980'
		•		SEWARD CO.	3390'

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- The distance of the proposed drilling location from the section's south/north and east/west; and3.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

OCT 0 5 2006

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
CONSERVATION DIVISION April 2004
WICHITA, KS

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: FOO 5		omicini Dupncat			
Operator Name: EOG Resources, Inc.			License Number: 5278		
Operator Address: 3817 NW Expressway Suite #500			Oklahoma City, OK 73112		
Contact Person: Breanna Vargas			Phone Number: (405) 246 - 3158		
Lease Name & Well No.: Rector 11	#1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW . SE . NW . SE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 11 Twp. 34S R. 38 East V West		
Settling Pit Drilling Pit	If Existing, date of	onstructed:	1580 Feet from North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		1800 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	1 ' '	(bbls)			
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l		
to the pictocated in a consiste create water	Alcu: Lica P	J	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	Na	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet)X N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	(feet)		
1			dures for periodic maintenance and determining ncluding any special monitoring.		
			273		
Distance to nearest water well within one-mile of pit Dep		Depth to shallo	west fresh water 280 feet.		
221		Source of infor	×1		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Gel			
Producing Formation:		Number of working pits to be utilized: None			
Number of producing wells on lease: Barrels of fluid produced daily:		Abandonment procedure: Haul to haul-off pit.			
Does the slope from the tank battery allow all spilled fluids to					
· · · · · · · · · · · · · · · · · ·		Drill nits must be closed within 365 days of sould date			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
\mathcal{P} 1 \mathcal{A}					
10/4/06					
Date Signature of Applicant or Apent					
KCC OFFICE USE ONLY					
Date Received: 10/5/66 Permit Number: Permit Date: 10/5/66 Lease Inspection: Yes Power No					
Date Received: 10/5/66 Permit Number: Permit Date: 10/5/66 Lease Inspection: Yes Power No					



KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

"The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."

- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.