Effective Date: 10-14-06 District #_ SGA? PYes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

pected Spud Date October 3, 2006	Spot East
ected Spud Date	SW SW Sec. 20 Twp. 29 S. R. 16 West
33739 🗸	2280feet from VN / S Line of Section
ERATOR: License# 33739	360feet from E / V W Line of Section
SEK Energy, LLC	is SECTION <u>✓ Regular</u> Irregular?
P.O. Box 55 press: P.O. Box 65714	(Note: Locate well on the Section Plat on reverse side)
y/State/Zip: Benedict, KS 66714	O Wilson
ntant Person: George Slaughter	Lasa Nama: Edwards AllanWell #: 1-20
one: (620) 698-2150	Field Name: Cherokee Basin CBM
NTRACTOR: License# Will be licensed by KCC	Is this a Prorated / Spaced Field? Yes ✓ No
NTRACTOR: License# me: Will Advise on ACO-1	Target Formation(s): Mississippi
me:	Nearest Lease or unit boundary: 360
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 830 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
	Tubility Walter Bappily Well Information
OWNO Disposal Wildcat Cable	Depth to bottom of fresh water: 100 Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 2 2 Length of Surface Pipe Planned to be set: 25 None
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set None
Operator:	Length of Conductor Pipe required.
Well Name:	Projected Total Depth: 1150' Mississippi
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations: Well Farm Pond Other Air
rectional, Deviated or Horizontal wellbore?Yes [✓] No	Well Farm Pond Other All
Yes, true vertical depth:	DWR Permit #:
	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
ves, true vertical depth: bitom Hole Location: CC DKT #:_ et surface Casing through all un ansolidate Material ts'. 20' Minimum - AFI	DWR Permit #:
Yes, true vertical depth: Stom Hole Location: CC DKT #: et surface Casing through all un ansolidate Material +5'. 20' Minimum - AFI The undersigned hereby affirms that the drilling, completion and eventual	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
Yes, true vertical depth: Stom Hole Location: CC DKT #: et surface Casing through all un ansolidated Material +5'. 20' Minimum - AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DWR Permit #:
Yes, true vertical depth: Stom Hole Location: CC DKT #: et surface Casing through all un ansolidate Material +5'. 20' Minimum - AFI The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; Company of the appropriate district of intent to drill shall be posted on a	DWR Permit #:
Yes, true vertical depth: Sittom Hole Location: CC DKT #: et surface Casing through all un ansolidated Material +5'. 20' Minimum - ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
Yes, true vertical depth: Attorn Hole Location: Let surface Casing through all un ansolidated material ts'. 20' minimum - Me undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the posterior and the constant of the posterior and the posterior and the constant of the posterior and the constant of the posterior and	DWR Permit #:
Are wertical depth: Let Surface Casing through all un ansolidated material to a proposed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the state of the post of t	DWR Permit #:
AFRICAL CASING THROUGH All UN ansolidated material to complete and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the standard of the complete through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the standard of the complete through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the standard of the complete through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the standard of the complete through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the standard of the complete through the complete	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
Are undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either be 1. If an ALTERNATE II COMPLETION, production pipe shall be come of the appropriate district office will be notified before well is either before well is either before to appropriate district of the production pipe shall be come of the appropriate district of the production pipe shall be come of the production pipe shall be producted the production pipe shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation of the underlying formation of the underlying formation.
Yes, true vertical depth: OC DKT #: et surface Casing through all un ansolidated naterial ts'. 20' Minimum - ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; surjugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementinall be plugged. In all cases, NOTIFY district office prior to any cementing.
Are undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either be 1. If an ALTERNATE II COMPLETION, production pipe shall be come of the appropriate district office will be notified before well is either before well is either before to appropriate district of the production pipe shall be come of the appropriate district of the production pipe shall be come of the production pipe shall be producted the production pipe shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; surjugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementinall be plugged. In all cases, NOTIFY district office prior to any cementing.
Yes, true vertical depth: OC DKT #: et Surface Casing Through all un ansolidated naterial +5'. 20' Minimum - ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the figure of the sport of the well is either place. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation of the underlying formation of the underlying formation. I to finy knowledge and belief
Yes, true vertical depth: OC DKT #: et surface Casing through all un ansolidated naterial ts'. 20' Minimum - ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; surjugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementinall be plugged. In all cases, NOTIFY district office prior to any cementing.
Yes, true vertical depth: OC DKT #: et Surface Casing Through all un ansolidated naterial +5'. 20' Minimum - ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the figure of the sport of the well is either place. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation. e district office on plug length and placement is necessary prior to plugging; length of the underlying formation of the underlying formation of the underlying formation. I to finy knowledge and belief
AFRENCE Use ONLY The vertical depth: AFRENCE Cosing through all un ansolidated properties of the statements made herein to Appendix "B" - Eastern Kansas surface casing of the statements made herein to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud Operator or Agent: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the statements of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best sate: 10-3-2006 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate It cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief Fite Drill Pit Application (form CDP-1) with Intent to Drill;
AFRENCE Use ONLY The vertical depth: AFRENCE Cosing through all un ansolidated properties of the statements made herein to Appendix "B" - Eastern Kansas surface casing of the statements made herein to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud Operator or Agent: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the statements of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best sate: 10-3-2006 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; surface from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate It cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
AFROM Services of the statements made herein are true and to the best ate: 10-3-2006 Signature of Operator or Agent: 15-20-26-98/-0000	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; surface from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate It cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
AFRENCE Use ONLY The vertical depth: AFRENCE Cosing through all un ansolidated properties of the statements made herein to Appendix "B" - Eastern Kansas surface casing of the statements made herein to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud Operator or Agent: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the statements of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best sate: 10-3-2006 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; surface from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate It cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
Are wertical depth: Are the continuous of the superior of the well is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strict office will be notified before well is either place. The appropriate district office will be notified before well is either place. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certified that the statements made herein are true and to the best hate: 10-3-2006 Signature of Operator or Agent: Signature of Operator or Agent: Conductor pipe required feet Minimum surface pipe required feet	Will Cores be taken? Will Cores be taken? Yes No.
Are wertical depth: Are the continuous of the superior of the well is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strict office will be notified before well is either place. The appropriate district office will be notified before well is either place. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certified that the statements made herein are true and to the best hate: 10-3-2006 Signature of Operator or Agent: Signature of Operator or Agent: Conductor pipe required feet Minimum surface pipe required feet	Will Cores be taken? If Yes, proposed zone: SFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Be district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
New year true vertical depth: ACC DKT #: A Surface Casing + hrough all un ansolidated material +5'. 20' Minimum - The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best hate: 10-3-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing to finy knowledge and belief Title: Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
Approved by: Wes, true vertical depth: Action Hole Location: Action Hole Location and eventual to deventual to deventua	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
New year true vertical depth: ACC DKT #: A Surface Casing + hrough all un ansolidated material +5'. 20' Minimum - The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best hate: 10-3-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	Will Cores be taken? If Yes, proposed zone: PIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Peach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; be district office on plug length and placement is necessary prior to plugging; be district office on plug length and placement in necessary prior to plugging; be district office below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate It cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Prile Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
Approved by: Wes, true vertical depth: Action Hole Location: Action Hole Location and eventual to deventual to deventua	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205 26981-0020	Location of Well: County: Wilson
Operator: SEK Energy, LLC	2280 feet from ✓ N / S Line of Section
Lease: Edwards Allan	360 feet from ☐ E / ✓ W Line of Section
Well Number: 1-20	Sec. 20 Twp. 29 S. R. 16 ✓ East Wes
Field: Cherokee Basin CBM	ls Section: ✓ Regular or ☐ Irregular
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: SW - SW - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 lef oil wells; KCC CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SEK Energy, LLC		License Number: 33739		
Operator Address: P.O. Box 55 Benedict, KS 66714				
Contact Person: George Slaughter			Phone Number: (620) 698 - 2150	
Lease Name & Well No.: Edwards Allan 1-20		Pit Location (QQQQ):		
Type of Pit:			<u>SW _ SW _ NW</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec20 _{Twp.} 29 _{R.} 16 East West	
Settling Pit	If Existing, date constructed:		2280 Feet from 🗸 North / 🗌 South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity: (bbls)		360 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)			Wilson County	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? ☐ Yes ✓ No		Chloride concentration:mg/l	
is the pit located in a occision of district visitor visitor.		·	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ✓ Yes No	Artificial Liner? Yes ✓ No		How is the pit lined if a plastic liner is not used?	
	25 Length (fe		Width (feet) N/A: Steel Pits	
Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 6 (feet)				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of pit $f^{-\frac{1}{2}}$ Depth to shall Source of info		mation:		
n/afeet Depth of water well n/afeet mea		meası	uredwell owner electric logKDWR	
1		_	over and Haul-Off Pits ONLY:	
1 ,		erial utilized in drilling/workover: Air		
Number of producing wells on lease: Number of wo		king pits to be utilized: 1 Allow pit to air dry, then backfill with original dirt.		
Barrels of fluid produced daily: Abandoni		Abandonment	procedure: Allow pit to air dry, then backfill with original dirt.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
10-3-2006 Date Date Deory: Slangth Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 15 / 6 / 5 C Permit Nur	nber:	Perm	nit Date: 10/09/01 Lease Inspection: Yes Wo	