For KCC Use:	10-14-06
Effective Date:	
District #	
0010 []16- [™ VNI-

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

	10	10	06	Spot	✓ East
xpected Spud Date	month _	day	year	NE SE SE Sec. 10 Twp. 09 S. R. 04	West
PERATOR: License#	5920			990 feet from N / S Line of S	
TE-DE ∩II	L & GAS				Section
me: P.O. BOX				is SECTION Regularirregular?	
(State/Zin: CANTON,	KANSAS 67428			(Note: Locate well on the Section Plat on reverse side)	
ntact Person: TERRY P	P. BANDY			County:CLAY	
one: 620-628-	-4428			Lease Name: UNA	3
	22217 6	/		Field Name:WILDCAT	
NTRACTOR: License#- me: THREE RIVER	33217 RS EXPLORATI	ON		Target Formation(s): MISSISSIPPIAN	es ✓ No
W # 5 # 7 Fee	May Class	Ti-	a Equipment:	Nearest Lease or unit boundary:	
Well Drilled For:	Well Class:		e Equipment:	Ground Surface Elevation: 1250	feet MSL
Oil / Enh Re		<u> </u>	Muc Rotary	Train troil triain and deather times	es 🗸 No
Gas Storag		<u> </u>	i Air Rotary		′es 🚺 No
OWWO Dispos	''	<u></u>	Cable	Depth to bottom of fresh water:	<u> </u>
Seismic;# of	. —			Depth to bottom of usable water:160'	
Other				Surface Pipe by Alternate: [\(\frac{1}{2} \) 1 \(\begin{array}{c} 2 \\ 200' + \end{array} \)	
OWWO: old well informa	ation as follows:			Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe required:	
Well Name:				Projected Total Depth: 2000' Formation of Total Pooth: KINDERHOOK	
Original Completion Da	ite:	Original To	otal Depth:	Formation at total Depth	
			「 Yes ✓ No	Water Source for Drilling Operations:	
ectional, Deviated or Ho				Well ✓ Farm Pond Other	
				DWR Permit #:	
ottom Hole Location:				(Note: Apply for Permit with DWR [])	7 N
ottom Hole Location:					∕es ✓ No
ottom Hole Location:			AF	Will Cores be taken? If Yes, proposed zone:	∕es ✓ No
ottom Hole Location:			AF	Will Cores be taken? If Yes, proposed zone:	∕es ✓ No
is agreed that the follow	affirms that the dr	illing, com uirements	AFI pletion and eventual will be met:	Will Cores be taken? If Yes, proposed zone:	⁄es
ne undersigned hereby a is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate disi 6. If an ALTERNATE II	affirms that the driving minimum requite district office poved notice of integrate pipolidated materials ele, an agreement office will be to COMPLETION, sendix "B" - Faste	illing, comuirements orlor to spent to drill e as spec plus a mit between notified be production Kansa	AFI poletion and eventual will be met: pudding of well; shall be posted on e defined below shall be inimum of 20 feet into the operator and the effore well is either plus pipe shall be cemes surface casing order	Will Cores be taken? If Yes, proposed zone:	ne set lugging; d date. cementing
he undersigned hereby a is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate disi 6. If an ALTERNATE II Or pursuant to Appmust be completed	affirms that the draining minimum requite district office poved notice of interpolidated materials elle, an agreement strict office will be COMPLETION, sendix "B" - Easte within 30 days out the contents of	rilling, comuirements prior to spent to drill e as spec plus a minimized between notified between production from Kansas f the spuce	appletion and eventual will be met: budding of well; shall be posted on endified below shall be inimum of 20 feet into the operator and the perfore well is either plan pipe shall be cemes surface casing orded date or the well shall be true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spuce of the thick the thic	ne set lugging; d date. cementing
the undersigned hereby a is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dest hereby certify that the st	affirms that the draining minimum requite district office poved notice of interpolidated materials lie, an agreement strict office will be COMPLETION, the condix "B" - Easter within 30 days o	rilling, comuirements prior to spent to drill e as spec plus a minimized between notified between production ern Kansar f the spuce	appletion and eventual will be met: budding of well; shall be posted on endified below shall be inimum of 20 feet into the operator and the perfore well is either plan pipe shall be cemes surface casing orded date or the well shall be true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; ach by circulating cement to the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spucing #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Title:	ne set lugging; d date. cementin
the undersigned hereby a is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to Expression of the completed thereby certify that the strate: 10/4/06 For KCC Use ONLY API # 15 - 027 - Conductor pipe required	affirms that the driving minimum requite district office of unit of surface pipolidated materials lie, an agreement strict office will be 1 COMPLETION, sendix "B" - Easte within 30 days of tatements made of the complete of	rilling, comuirements orlor to spent to drill e as spec plus a minimized be production ern Kansar f the spuce herein are Operator	AFI Inpletion and eventual is will be met: Shall be posted on e diffied below shall be inimum of 20 feet into the operator and the perfore well is either plan pipe shall be ceme is surface casing order it date or the well shall be true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; ach drilling rig; ach by circulating cement to the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spucer #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resumbing plugging report (CP-4) after plugging is completed;	d date. cementine
he undersigned hereby a is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate disi 6. If an ALTERNATE II Or pursuant to Appropriate to example the completed hereby certify that the state: 10/4/06 For KCC Use ONLY API # 15	affirms that the driving minimum requite district office poved notice of integrated and the surface pipolidated materials lile, an agreement strict office will be a COMPLETION, and "B" - Easte within 30 days of tatements made a signature of the surface of the s	illing, comuirements orlor to spent to drill e as spec plus a minimo de control or contr	appletion and eventual will be met: budding of well; shall be posted on experience of the posted on the operator and the perfore well is either plan pipe shall be cemes surface casing order to the operator and the best or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; need from below any usable water to surface within 120 days of spuce #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-	e set lugging; d date. cementin enting.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 027-20040-0000	Location of Well: County:CLAY
Operator: TE-PE OIL & GAS	990 teet from N / ✓ S Line of Section 330 feet from ✓ E / W Line of Section Sec. 10 Twp. 09 S. R. 04 ✓ East West
Number of Acres attributable to well: 10	Is Section: 📝 Regular or 📋 Irregular
QTR / QTR / QTR of acreage: NE SE SE SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells: CG-8 for gas wells).

KCCVIERTA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TE-PE OIL & GAS			License Number: 5920				
Operator Address: P.O. BOX 522, CANTON, KANSAS 67428							
Contact Person: TERRY P BANDY			Phone Number: (620) 628 - 4428				
Lease Name & Well No.: UNA #3			Pit Location (QQQQ):				
Type of Pit:	Pit is:		CNESESE_ ~				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 10 _{Twp.} 09 _{R.} 04 ✓ East				
Settling Pit	If Existing, date co	nstructed:	990 Feet from North / 🗸 South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from 🗸 East / 📋 West Line of Section County				
Is the pit located in a Sensitive Ground Water		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)					
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ N	No	How is the pit lined if a plastic liner is not used? BENTONITE GEL SEALED				
Pit dimensions (all but working pits):	Length (fee						
			west fresh water 70) feet.				
NONE feet Depth of water well	(-\ feet	Source of information: measuredwell owner electric logKDWR					
Emergency, Settling and Burn Pits ONLY	:						
1			ype of material utilized in drilling/workover: FRESH WATER BENTONITE				
			EMPTY DITC OF FLUID MULTIN DITC ADE				
Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	Il spilled fluids to	DRY, BACKFILL WITH ORIGINAL CONSTRUCTION MATERIAL Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above state	ements are true and co	orrect to the best	FILL WITH ORIGINAL CONSTRUCTION MATERIAL pe closed within 365 days of spud date. Of my knowledge and belief.				
10/4/06 Date Tempo. Bard Signature of Applicant or Agent							
KCC OFFICE USE ONLY							
Date Received: 16 / 6 Permit Num	nber:	Permi	t Date: // /6// 9/, Lease Inspection: Yes 17/No				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KOCHOMIA