For KCC Use:		10-12-21-
Effective	Date:	10-17-06
District #	<u>ت</u>	
SGA?	Yes	X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date October 16, 2006 month day year	Spot E/2 NW NW Sec. 19 Twp. 30 S. R. 22 West
OPERATOR: License# 32711	feet from N / ✓ S Line of Section
Name: Mike Becker	2040feet from VE / W Line of Section
Address: 15135 Broadmoor	Is SECTION
City/State/Zip: Stanley, KS 66223	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Mike Becker	County: Crawford
Phone: 913-271-5179	Lease Name: Amershek Well #: 1
. /	Field Name: Unknown
CONTRACTOR: License# 32711	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Bartlesville
Well Dilled Fav. Well Class. Time Favinment	Nearest Lease or unit boundary: 1/2 mile to the east
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Unknown feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No .
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 120 feet
Seismic;# of Holes Other	Depth to bottom of usable water: 1000 feet
Other	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20 feet
Operator:	Length of Conductor Pipe required: n/a
Well Name:	Projected Total Depth: 300 feet
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville
Oliginal Completion DateOliginal lotal Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Water tank
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
	(Note: Apply for Permit with DWR 🔝)
KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken?
KCC DKT #:	
KCC DKT #:	Will Cores be taken?
AFF	Will Cores be taken?
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken?
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the complete of the set of the specified below shall be set into the complete of the specified before well is either plug to the	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Title:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plant is the plant of	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying cement to the top; in all cases surface pipe shall be set he underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the first office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plant is a surface plug for the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plug for the	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the proposed zone to the top; in all cases surface pipe shall be set to the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; and production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Titl
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set in the set of the s	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; In the great of production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Ittle:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the surface of the specified before well is either pluging the surface of the su	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the proposed zone to the top; in all cases surface pipe shall be set to the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; and production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Titl
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plant of the plant of the determinant of the plant of t	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the underlying formation. In the underlying formation. In the underlying formation. In the underlying formation are underlying in the underlying formation are underlying formation. In the underlying formation are underlying in the underlying formation are underlying for spud date. In the underlying formation are underlying in the underlying formation and underlying formation are underlying formation orders; In the underlying formation formation orders; In this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the surface of the specified before well is either pluging the surface of the su	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and the set of the plugged or production casing is cemented in; and the plugged. In all cases, NOTIFY district office prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Itile: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21862-0000	Location of Well: County: Crawford
Operator: Mike Becker	2310 feet from ☐ N / ✓ S Line of Section
Lease: Amershek	2040 feet from 🗸 E / W Line of Section
Well Number: 1	Sec. 19 Twp. 30 S. R. 22 VEast West
Field: Unknown	
Number of Acres attributable to well: 120	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NW 1/4 - SE - SE NW	if Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		: :
	·	
	· · · ·	
	E EL	
. , .	y mary	
		· · · · · · · · · · · · · · · · · · ·
		: :
	·	
	·	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

KCC WICHITA
th 8 surrounding sections,

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Address: 15135 Broadmoor, Stanley, KS 66223 Contact Person: Mike Becker Lease Name & Well No.: A more back 1 Woll #1 Pit Location (QQQQ):	
Contact Person: Mike Becker Phone Number: (913)271 - 5179	
Lease Name & Well No.: Amershek, Well #1	
Type of Pit: Pit is: NW _ SE _ SE _ NVV	
Emergency Pit ☐ Burn Pit	West
☐ Settling Pit	of Section
Workover Pit ☐ Haul-Off Pit ☐ Pit capacity: ☐ 2040 Feet from ✓ East / ☐ West Line (of Section
(If WP Supply API No. or Year Drilled) 200 (bbls) Crawford	County
Is the pit located in a Sensitive Ground Water Area? Yes Chloride concentration:	mg/l
Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used?	
✓ Yes No Clay	
Pit dimensions (all but working pits): 25 feet Length (feet) 8 feet Width (feet)	Pits
Depth from ground level to deepest point: 6 feet (feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	
material, thickness and installation procedure. N/A N/A N/A	
IN/A	
Distance to nearest water well within one-mile of pit Depth to shallowest fresh water 120 feet.	
Source of information: N/A feet Depth of water well feet measured well owner electric log k	KDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation: Type of material utilized in drilling/workover: Water	
Number of producing wells on lease: Number of working pits to be utilized: 1	
Barrels of fluid produced daily: Abandonment procedure: Drain water, fill back in with dirt	<u>t</u>
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.	
10-9-06 RECEI	IVED 1 2006
KCC OFFICE USE ONLY KCC W	
Date Received: 10/11/05 Permit Number: Permit Date: 10/11/05 Lease Inspection: Yes	[v] No