For KCC Use: 10-17-06

Effective Date: 3

SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

| October 17, 2006  | 0.4   |                                |
|---|---|--------------------------------|
| Expected Spud Date October 17, 2006   | Spot  | tast                           |
| •   | SW NW Sec. 24 Twp. 29                                   |                                |
| OPERATOR: License# 33365  | 1980 feet from  |                                |
| Name Layne Energy Operating, LLC  | leet from c /   | ✓ W Line of Section            |
| Address: 1900 Shawnee Mission Parkway   | is SECTIONRegularIrregular?                             |                                |
| City/State/Zip: Mission Woods, KS 66205   | (Note: Locate well on the Section Plat of               | n reverse side)                |
| Contact Person. Victor H. Dyal  | County: Wilson  |                                |
| Phone: 913-748-3987   | Lease Name: Garner                                      | Welt #: 5-24                   |
|   | Field Name: Cherokee Basin Coal                         |                                |
| CONTRACTOR: License# 33606  | Is this a Prorated / Spaced Field?                      | Yes ✓ No                       |
| Name: Thorton Air   | Target Formation(s): Cherokee Coals                     |                                |
| Well Dellard Serv. Well Class: Type Equipment:  | Nearest Lease or unit boundary: 660'                    |                                |
| Well Drilled For: Well Class: Type Equipment:   | Ground Surface Elevation: 931'                          | feet MSL                       |
| Oit Enh Rec Infield Mud Rotary  | Water well within one-quarter mile:                     | Yes ✓ No                       |
| ✓ Gas Storage Pool Ext. ✓ Air Rotary  | Public water supply well within one mile:               | Yes ✓ No                       |
| OWWO Disposal Wildcat Cable   | Depth to bottom of fresh water: 150                     |                                |
| Seismic; # of Holes Other   | Depth to bottom of usable water: 200                    |                                |
| Other   | . Surface Pipe by Alternate: 1 2 .                      | 11-1                           |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:               | 40 Minimum                     |
| Operator:   | Length of Conductor Pipe required: None                 |                                |
| Well Name:  | Projected Total Depth: 1500 Feet                        |                                |
| Original Completion Date:Original Total Depth:  | Formation at Total Depth: Mississippian                 |                                |
|   | Water Source for Drilling Operations:                   | _                              |
| Directional, Deviated or Horizontal wellbore?Yes ✓ No   | Well Farm Pond Other X                                  |                                |
| If Yes, true vertical depth:  | DWR Permit #:   |                                |
| Bottom Hole Location:   | (Note: Apply for Permit with DV                         | (R □)                          |
| KCC DKT #:  | Will Cores be taken?                                    | Yes √ No                       |
|   | If Yes, proposed zone:                                  |                                |
|   | • •   | RECEIVED                       |
|   |   | AS CORPORATION COMMISSION      |
| The undersigned hereby affirms that the drilling, completion and eventual placed it is agreed that the following minimum requirements will be met:                      | ugging of this well will comply with K.S.A. 55 et. set  | OCT 1 2 2006                   |
| Notify the appropriate district office <i>prior</i> to spudding of well;  |   |                                |
| 2. A copy of the approved notice of intent to drill shall be posted on each   | ch drilling rig:  | CONSERVATION DIVISION          |
| 3. The minimum amount of surface pipe as specified below shall be se  | et by circulating cement to the top; in all cases surfa | ace pipe with the set          |
| through all unconsolidated materials plus a minimum of 20 feet into the   | ne underlying formation.                                |                                |
| 4. If the well is dry hole, an agreement between the operator and the d   | , 2   | sary <i>prior to plugging;</i> |
| <ol> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement</li> </ol> |   | 20 days of sould date          |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order   |   |                                |
| must be completed within 30 days of the spud date or the well shall   | •                 | _                              |
| I hereby certify that the statements made herein are true and to the best p   | f my knowledge and belief.                              |                                |
| 1 1 1   | A   |                                |
| Date: 10 /11 / 06 Signature of Operator or Agent: MS #  | Title: Agent  |                                |
|   | Remember to:  |                                |
| For KCC Use ONLY  | - File Drill Pit Application (form CDP-1) with Intent   | to Drill:                      |
| 20 = 210 (100-1272)   | - File Completion Form ACO-1 within 120 days of         | IN.                            |
| 3/0.0   | - File acreage attribution plat according to field p    |                                |
| Conductor pipe required None feet   | - Notify appropriate district office 48 hours prior to  | 1 -                            |
| Minimum surface pipe required feet per Alt. $\chi(2)$   | - Submit plugging report (CP-4) after plugging is       | 1                              |
| Approved by: Lut 10-D-06  | - Obtain written approval before disposing or inje      | cting salt water.              |
| This authorization expires: 4-6-07  | - If this permit has expired (See: authorized expire    | ation date) please             |
| (This authorization void if drilling not started within 6 months of effective date.)  | check the box below and return to the address           | below.                         |
| The administration to a disting for states within a market of another date.)  | Well Not Drilled - Permit Expired                       | 1                              |
| Spud date: Agent:   | Signature of Operator or Agent:                         | <u> </u>                       |
| :   | Date:   | LA)                            |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 205-26989-0000   | Location of Well: County: Wilson   |
|---|--|
| Operator: Layne Energy Operating, LLC   | 1980 feet from  V N / S Line of Section  |
| Lease: Garner   | 660 feet from E / 🗸 W Line of Section  |
| Well Number: 5-24 Field: Cherokee Basin Coal                                  | Sec. 24 Twp. 29 S. R. 13 Vest  |
| Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  - SW - NW | Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |


# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

|         | 1        |   |          |                        |           |                 |
|---------|----------|---|----------|------------------------|-----------|-----------------|
|         | 4 .      |   |          |                        |           |                 |
|         | 1        |   |          | 1                      |           |                 |
|         | l        |   | _        |                        |           |                 |
|         | 1        | • | •        |                        | •         | •               |
|         | 0        |   |          | 1                      |           |                 |
|         | 4 .      |   | •        | , .                    |           |                 |
|         | i        |   |          | i .                    |           |                 |
|         | 1        |   |          | i .                    |           |                 |
|         | 1        |   |          |                        |           |                 |
|         |          |   |          |                        | <br>      |                 |
|         |          |   |          | į                      |           |                 |
|         | 5_       |   |          | i                      |           |                 |
|         | 1        |   |          |                        |           |                 |
|         | 167      |   | -        |                        |           |                 |
|         | <u>8</u> |   |          |                        |           |                 |
|         | 100      |   | •        |                        |           | •               |
|         |          |   |          | ŧ                      |           |                 |
|         | 10       |   |          | Ι.                     |           |                 |
|         | 1 ===    |   |          | 1                      |           | -               |
|         | 1        |   |          |                        | <br>      |                 |
|         | ľ        |   |          |                        |           |                 |
| i .     | 1        |   |          | i                      |           |                 |
| 1       | I.       |   | _        | 1.                     |           | _               |
| I       | 7 '      | • |          | 1 '                    | •         |                 |
| I.      | j.       |   |          | ı                      |           |                 |
| į.      | ٠.       |   |          | i .                    |           | •               |
| l       | 1        |   |          | I                      |           |                 |
| ŀ       | y.       |   |          | Ι.                     | _         |                 |
| 1       | 1        | • | •        | Ι .                    | •         | •               |
| 1       | 1        |   |          | I                      |           |                 |
| 1 .     | 4        |   |          | I                      | <br>      |                 |
|         | •        |   |          | 1                      | <br>      |                 |
| ,       |          |   |          | l                      |           |                 |
| 660     |          | • |          |                        | •         |                 |
| 1 4 4 1 |          |   |          | l                      |           |                 |
| 1000    |          |   |          |                        |           |                 |
| 9-0     |          |   |          | l                      |           |                 |
|         |          |   |          | l .                    |           | _               |
|         |          | • | •        | ٠                      | •         |                 |
|         |          |   | _        | . f                    |           |                 |
|         |          |   |          | 11 .                   |           |                 |
|         |          |   | ,        |                        |           |                 |
|         |          |   |          |                        |           |                 |
|         |          |   |          | ٧                      |           |                 |
|         |          |   |          | 4                      | <br>      |                 |
|         |          |   | Z        | ٦                      | <br>      | •               |
|         |          |   |          | ۹                      |           | •               |
|         |          |   | <b></b>  | ٦                      |           | •               |
|         |          |   | <b>Z</b> | ٦ <u></u>              |           | •               |
|         |          |   | <b></b>  | ሻ                      |           | ·<br>·          |
|         | · .      |   | <u>Z</u> | <b>~</b>               |           | ·<br>·          |
|         | · .      |   | <b>Z</b> | <del>٦</del><br>:<br>ا |           | •               |
|         | · .      |   | <b>Z</b> | <del>ا</del><br>:<br>ا |           | •               |
|         |          |   | <b>2</b> | <b></b>                |           | ·<br>·          |
|         | ·        |   | <b></b>  | <b>~</b><br>           |           | ·<br>·          |
|         | ·        |   | <b>Z</b> | <b>~</b><br>           |           | ·<br>·          |
|         |          |   | <b></b>  | 7                      | <br>      | ·<br>·<br>·     |
|         |          |   | <b>2</b> | 7                      | <br>      | · · · · ·       |
|         |          |   | <b>2</b> | 7                      | <br>      | · · · · · ·     |
|         |          |   | <b>2</b> |                        | <br>      | · · · · · ·     |
|         |          |   | <b>2</b> | 7                      | <br>· · · | · · · · · ·     |
|         |          |   | <b>2</b> |                        | <br>      |                 |
|         |          |   | <b>2</b> |                        | <br>·     | · · · · · · · · |
|         |          |   | <b></b>  |                        | <br>      |                 |
|         |          |   | <b>2</b> |                        | <br>      |                 |
|         |          |   |          |                        | <br>      |                 |
|         |          |   | <b>2</b> |                        | <br>      |                 |
|         |          |   | <b></b>  |                        | <br>      |                 |
|         |          |   |          | 1                      | <br>      |                 |
|         |          |   |          |                        | <br>      |                 |
|         |          |   |          |                        |           |                 |
|         |          |   | <b>2</b> | 1                      |           |                 |
|         |          |   | <b>2</b> |                        |           |                 |
|         |          |   |          |                        |           |                 |
|         |          |   |          |                        |           |                 |
|         |          |   | <b>2</b> |                        | <br>      |                 |
|         |          |   | <b>2</b> |                        |           |                 |
|         |          |   |          |                        | <br>      |                 |
|         |          |   | <b>2</b> |                        |           |                 |
|         |          |   | <b>2</b> |                        |           |                 |
|         |          |   | <b>2</b> |                        |           |                 |
|         |          |   | <b>2</b> |                        | <br>      |                 |
|         |          |   |          |                        |           |                 |
|         |          |   | <b>2</b> |                        |           |                 |
|         |          |   | <b>2</b> |                        |           |                 |
|         |          |   |          |                        |           |                 |

# RECEIVED KANSAS CORPORATION COMMISSION

OCT 1 2 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Layne Energy C  | perating, LL0  | С  | License Number: 33365   |         |
|--|--|--|---|---------|
| Operator Address: 1900 Shawne  | e Mission  | Parkway,   | Mission Woods, KS 66205   |         |
| Contact Person: Victor H. Dyal   |  | <del>-</del>   | Phone Number: ( 913 ) 748 - 3987  |         |
| Lease Name & Well No.: Garner 5-2  | <br>24   |  | Pit Location (QQQQ):  |         |
| Type of Pit:   | Pit is:  |  | <u>SW</u> . <u>NW</u>   |         |
| Emergency Pit Burn Pit   | ✓ Proposed   | Existing   | Sec. 24 Twp. 29 R. 13 🗸 East 🗌 West   |         |
| Settling Pit   | If Existing, date of                                     | onstructed:  | 1980 Feet from 📝 North / 🗌 South Line of Section  |         |
| Workover Pit Haul-Off Pit  | Pit capacity:  |  | Feet from East / 🗸 West Line of Section   |         |
| (If WP Supply API No. or Year Drilled)   |  | (bbls)   | Wilson County   |         |
| Is the pit located in a Sensitive Ground Water   | Area? ☐ Yes 🗸  | No No  | Chloride concentration: mg/l  |         |
| Is the bottom below ground level?  | Artificial Liner?  |  | (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?   |         |
| Yes No   | Yes V  | No   | Self-sealing pit  |         |
|  |  |  |   |         |
| · · · · · · · · · · · · · · · · · · ·  | Length (fe   | ,,   | Width (feet) N/A: Steel Pits  |         |
| Depth f  | rom ground level to de                                   |  | (feet)  |         |
| If the pit is lined give a brief description of the  |  | Describe proce   | edures for periodic maintenance and determining ECEIVED   | i       |
| material, thickness and installation procedure   | ∌.   | i inner integrity, ii  | ncluding any special monitoring. KANSAS CORPORATION COM   | MISSION |
| material, thickness and installation procedur  | Э.   | iner integrity, i  | ncluding any special monitoring.  | MISSION |
| material, thickness and installation procedur  | <b>3</b> .   | iner integrity, i  | OCT 1 2 2006  |         |
| material, thickness and installation procedur  | э.   | iliner integrity, i  | ncluding any special monitoring.  |         |
| Distance to nearest water well within one-mil  |  | Depth to shallo  | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS   |         |
|  | e of pit   | Depth to shallo<br>Source of infor   | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS   |         |
| Distance to nearest water well within one-mil  | e of pitfeet   | Depth to shallo Source of infor  | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  west fresh water   |         |
| Distance to nearest water well within one-mil  | e of pitfeet   | Depth to shallo Source of infor measu  | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation: iredwell owner electric logKDWR  |         |
| Distance to nearest water well within one-mil  /none feet Depth of water well _  Emergency, Settling and Burn Pits ONLY  | e of pitfeet   | Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor   | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh waterfeet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Water Mud king pits to be utilized: Two | 15-20   |
| Distance to nearest water well within one-mil  none feet Depth of water well _  Emergency, Settling and Burn Pits ONLY  Producing Formation:   | e of pit feet  | Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor   | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh waterfeet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Water Mud king pits to be utilized: Two | 15-20   |
| Distance to nearest water well within one-mil  | e of pitfeet   | Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor   | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh waterfeet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Water Mud king pits to be utilized: Two | 15-20   |
| Distance to nearest water well within one-mil  /none feet Depth of water well _  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily: | e of pitfeet   | Depth to shallo Source of informeas.  Drilling, Work Type of materia Number of work Abandonment restore.   | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh waterfeet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Water Mud king pits to be utilized: Two | 15-20   |
| Distance to nearest water well within one-mil <pre></pre>  | e of pit feet spilled fluids to                          | Depth to shallo Source of informeas.  Drilling, Work Type of materia Number of work Abandonment restore.  Drill pits must  | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh waterfeet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Water Mud king pits to be utilized: Two | 15-20   |
| Distance to nearest water well within one-mil  | e of pit feet spilled fluids to                          | Depth to shallo Source of informeas.  Drilling, Work Type of materia Number of work Abandonment restore.  Drill pits must  | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh waterfeet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Water Mud king pits to be utilized: Two | 15-20   |
| Distance to nearest water well within one-mil  | e of pit feet spilled fluids to                          | Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment restore.  Drill pits must correct to the best  | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water   | 15-0    |
| Distance to nearest water well within one-mil  | e of pit feet spilled fluids to                          | Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment restore.  Drill pits must correct to the best  | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh waterfeet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Fresh Water Mud king pits to be utilized: Two | 15-20   |
| Distance to nearest water well within one-mil  | e of pit feet  I spilled fluids to ements are true and o | Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment restore.  Drill pits must correct to the best  | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water   | 15-20   |
| Distance to nearest water well within one-mil  | e of pit feet  I spilled fluids to ements are true and o | Depth to shallo Source of informers.  Drilling, Work Type of materia Number of wor Abandonment restore.  Drill pits must correct to the besen Source of the besen Sour | OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  West fresh water   | 15-20   |