For KCC Use: Effective Date:

### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

',	o (o) days phones duminonium g mon
Expected Spud Date October 17, 2006	Spot ✓ East
month day year	SE SW Sec. 28 Twp. 29 S. R. 14 West
OPERATOR: License#_33365	873feet from N / ✓ S Line of Section
Name: Layne Energy Operating, LLC	1972 feet from E / W Line of Section
1900 Shawnee Mission Parkway	is SECTION <u>✓ Regular</u> Irregular?
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)
Contact Person: M. B. Nattrass	County: Wilson
Phone: 913-748-3987	Lease Name. Wiersma Well #: 14-28
	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Thorton Air	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 652'
Oil Finh Rec / Infield Mud Rotary	Ground Surface Elevation: 883' feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OWNO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water: 150
Other	Depth to bottom of usable water:
Otilo1	Surface Pipe by Alternate: 1 2 2 46 Minimum  Length of Surface Pipe Planned to be set: 25 46 Minimum
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20 40 Minimum
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1500 Feet  Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Tomation at rotal beptin.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:  Well Farm Pond Other X
If Yes, true vertical depth:	Well Farm Pond Other
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	
NOO DICT #	If Yes, proposed zone:
	FIDAVIT  PLECEIVED  plugging of this well will comply with K.S.A. FARSAS CORPORATION COMMISSIO
It is agreed that the following minimum requirements will be met:	ANIONS CORPORATION COMMISSIO
Notify the appropriate district office <i>prior</i> to spudding of well;	OCT 1 2 2006
<ol> <li>A copy of the approved notice of intent to drill shall be posted on e</li> <li>The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either plus</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	set by circulating cement to the top; in all cases such set Michigan (with the underlying formation.  Wichita, KS  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best	of my knowledge and belief.
Date: 10/11/06 Signature of Operator or Agent: MS	Title: Agent
	Remember to:
For KCC Use ONLY  API # 15 - 205 - 26 990 - 000  Conductor pipe required None feet  Minimum surface pipe required 40 feet per Alt. X 2	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>
Approved by: Put 10-12-06  This authorization expires: 4-12-07	- If this permit has expired (See: authorized expiration date) please
(This authorization expires:	check the box below and return to the address below.
0	Well Not Drilled - Permit Expired   Signature of Operator or Agent:
Spud date: Agent:	Date:
Mail to: KCC - Conservation Division, 130	0 S. Market - Room 2078, Wichita, Kansas 67202

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26 990-0000	Location of Well: County: Wilson
Operator: Layne Energy Operating, LLC	873feet fromN / ✓ S Line of Section
Lease: Wiersma	1972 feet from E / W Line of Section
Well Number: 14-28	Sec. 28 Twp. 29 S. R. 14 ✓ East Wes
Field: Cherokee Basin Coal	
Number of Acres attributable to well:	Is Section:    Regular or    Irregular
QTR / QTR / QTR of acreage: SE SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	•	
	•	
1		1
	• •	• •
	• •	
		,
1		1
1		
1		,
1		
	•	•
	•	•
		·
		χ.
	/	<u> </u>
[ '		·
1		1
1	, ,	1 ' ' '
		j
		1
Į.		
1		
1	•	
1 .		
1	•	
i .		
		,
1		
1		
1	1972'	1 ' '
1 .	· 1U 17	
	177 14	1
	<del></del>	
F	l	
	or en en en en en ligaren e	
1	. [7]	
1	تنے ا	
1 .	· }1	
	813	
1	· • • • • • • • • • • • • • • • • • • •	, ,
1	. , .	
	!	

# RECEIVED KANSAS CORPORATION COMMISSION

OCT 1 2 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365	
Operator Address: 1900 Shawnee Mission Parkway		Mission Woods, KS 66205	
Contact Person: M. B. Nattrass		Phone Number: ( 913 ) 748 - 3987	
Lease Name & Well No.: Wiersma 14-28		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u></u>
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 28 Twp. 29 R. 14
Settling Pit	If Existing, date constructed:		873 Feet from North / 🗸 South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1972 Feet from East / 🗸 West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	Wilson County
Is the pit located in a Sensitive Ground Water Area? Yes V No		] No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
is the bottom below ground level?	Artificial Liner?	NI.	How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes ✓		Self-sealing pit
, ,, a (= +==	BO' Length (fe		Width (feet) N/A: Steel Pits
Depth f	rom ground level to de	eepest point: 3'	(feet)
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and determine EIVED notuding any special monitoring. KANSAS CORPORATION COMMISS
			OCT 1 2 2006
			OCT 1 2 2006 CONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mil	e of pit	Depth to shalld	OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mil  none feet Depth of water well	·	Source of info	OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation:  ired well owner electric log KDWR
,	feet	Source of informeasu	OCT 1 2 2006  CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation: well owner electric logKDWR  over and Haul-Off Pits ONLY:
none feet Depth of water well _	feet	Source of informal measurements  Drilling, Work  Type of materia	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud
	feet	Source of information measurements  Drilling, Work Type of material Number of work	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation: well ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized:
	feet	Source of information measurements  Drilling, Work Type of materia Number of work Abandonment	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud
Emergency, Settling and Burn Pits ONLY.  Producing Formation:  Number of producing wells on lease:	feet	Drilling, Work Type of materi Number of work Abandonment restore.	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation: well ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized:
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet:	Drilling, Work  Type of materi  Number of work  Abandonment  restore.  Drill pits must	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let Evaporate until dry and then backfill  be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state	feet:	Drilling, Work  Type of materi  Number of work  Abandonment  restore.  Drill pits must	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let Evaporate until dry and then backfill  be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit?  Yes No	feet:	Source of informed measurements  Drilling, Work Type of materia Number of work Abandonment restore. Drill pits must correct to the bes	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let Evaporate until dry and then backfill  be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state	feet:	Source of informed measurements  Drilling, Work  Type of materia  Number of work  Abandonment  restore.  Drill pits must  correct to the besites  Source of informed measurements  Drill pits must	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation:  uredwell owner electric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two  procedure: Let Evaporate until dry and then backfill  be closed within 365 days of spud date.  t of my knowledge and belief.
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state	feet:	Source of informed measurements  Drilling, Work Type of materia Number of work Abandonment restore. Drill pits must correct to the bes	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. mation:  uredwell owner electric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two  procedure: Let Evaporate until dry and then backfill  be closed within 365 days of spud date.  t of my knowledge and belief.