For KCC Use: SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Name: Well Drilled For: Well Class: Type Equipment: Oil	Section
SECTION Regular Feet from F N S Line of 680 feet from	Section Section
General Content General Co	Section
Name: Quest Cheroxee LC Address: 9520 north May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120 Contact Person. Richard Merlin Lasse Name: Will see Gordon R. Trust Lease Name: Willse, Gordon R. Trust Lease Name: Willse, Gordon R. Trust Lease Name: Willse, Gordon R. Trust Well s. This a Prorated / Spaced Field? Target Formation(s): Cherokee Goals Nearest Lease or unit boundary: 650 Ground Surface Elevation: 1070 Water Surf	
SECTION Megular Irregular Irregula	
Contact Person, Richard Mariin	
County: Wilson Phone: (405) 286-3316 CONTRACTOR: Licensee Will be licensed by the KCC Name: Will advise on the ACO-1 Well Drillod For: Well Class: Type Equipment: Gas	
Lease Name; Millse, Gordon R. Trust Well #: 11-	
CONTRACTOR: Licensed Will be licensed by the KCC Name. Will advise on the ACO-1 Seismic Field Name: Cherokee Basin CBM Star Storage Pool Ext. Type Equipment: Ground Surface Eleavation: 1970 Water well within one-quarter mile: Depth to bottom of usquarter mile: Depth to bottom of usquare mile: Depth to Surface Pipe Planned to be set: 25 Length of Conductor Pipe required: Projected Total Depth: Depth to Surface Pipe Planned to be set: 25 Length of Surface Pipe Planned to be set: 25 Length of Surface Pipe Planned to be set: 25 Length of Surface Pipe Planned to be set: 25 Length of Surface Pipe Planned Total Depth: Down of Conductor Pipe required: Projected Total Depth: Down of Conductor Pipe required: Down of Conductor Pipe required: Projected Total Depth: Down of Conductor Pipe required: Down of Conductor Pipe required: Down of Conductor Pipe required: Notify the appropriate district office prior to spudding of well; Surface Pipe Depth of Pipe Pipe Pipe Pipe Pipe Pipe Pipe Pipe	
Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Target Formation(s): Cherokee Coals Nearest Lease or unit boundary: 600 Nearest Lease or unit boundary:	es 🗸 No
Name: Will advise on the ACO-1 Weil Drilled For: Weil Class: Type Equipment: Type Equipment: Ground Surface Elevation: 1070 Water well within one-quarter mile: Public water supply well within one-quarter mile: Depth to bottom of tresh water: 100 Depth to bottom of tresh water: 100 Depth to bottom of usable water: 200 Depth to bottom of usable water: 200 Depth to Depth of Surface Pipe by Alternate: 1	es 🗸 No
Well Drilled For: Well Class: Type Equipment: Oil	
Ground Surface Elevation: 1070 Water well within one-quarter mile: OWWO	
Sas Storage Pool Ext. Air Rotary Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of tresh water: 1	
Water well within one-quietr mile: OWWO	_feet MSL
OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Completion Date: Other Hole Solutions: Other Hole Solutions: Original Completion Date: Original Completion Date: Original Completion Date: Other Hole Location: Other Hole Location: Other Hole Location: Other Hole Solutions: Other Hole Location: Oth	es 🗸 No
Seismic; # of Holes Other Other Other Other Other Other Other Other Other Coalbed Methane from Other Coalbed Meth	es 🗸 No
Cother Coalbed Methane	
Surface Pipe by Alternate: 1	
COWWO: old well information as follows: Operator:	
Operator: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Or	
Well Name:Original Total Depth:	
Original Completion Date:Original Total Depth:	
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: DWR Permit #: OWER Permit #: (Note: Apply for Permit with DWR)	
Orderctional, Deviated or Horizontal wellbore? If Yes, true vertical depth:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 (A)SAS CORPORATI It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe with through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to put the properties district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spurious or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementee by certify that the statements made herein are true and to the best of my knowledge and belief.	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 (ANSAS CORPORATION) 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe with through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to post in a ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spur Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemerbor production that the statements made herein are true and to the best of my knowledge and belief.	
AFFIDAVIT AFFIDAVIT RECEI The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 (ANSAS CORPORATION) 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe with through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to p. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemented years that the statements made herein are true and to the best of my knowledge and belief.	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 (ANSAS CORPORATION to sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe with through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to p. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemented plugged. In all cases, NOTIFY district office prior to any cemented plugged.	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 (ANSAS CORPORATION) It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to put in an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemented belief.	es 🗸 No
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 (ANSAS CORPORATION) It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to put in an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemented belief.	
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe at through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to p. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cem hereby certify that the statements made herein are true and to the best of my knowledge and belief. 	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to p</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemhereby certify that the statements made herein are true and to the best of my knowledge and belief. 	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe at through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to p</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cem hereby certify that the statements made herein are true and to the best of my knowledge and belief. 	2006
 The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to p. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cem hereby certify that the statements made herein are true and to the best of my knowledge and belief. 	
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to p The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemhereby certify that the statements made herein are true and to the best of my knowledge and belief. 	DINIZION
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to p The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemhereby certify that the statements made herein are true and to the best of my knowledge and belief. 	KS
 The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cem hereby certify that the statements made herein are true and to the best of my knowledge and belief. 	ugging;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cem hereby certify that the statements made herein are true and to the best of my knowledge and belief.	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cem hereby certify that the statements made herein are true and to the best of my knowledge and belief.	date.
hereby certify that the statements made herein are true and to the best of my knowledge and belief.	
	ementing
	ementing nting.
I_{-} , I_{-} , I_{-} , I_{-}	ementing enting.
Date: October 11, 2006 Signature of Operator or Agent: 1 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	cementing enting.
	ementing enting.
Remember to:	enting.
For KCC Use ONLY - File Drill Pit Application (form CDP-1) with Intent to Drill;	cementing enting.
API # 15 - 205-26984-0000 - File Completion Form ACO-1 within 120 days of spud date;	enting.
- File acreage attribution plat according to field proration orders;	cementing enting.
- Notify appropriate district office 46 flours prior to workdwer of re-	enting.
Minimum surface pipe required feet per Alt. 2 - Submit plugging report (CP-4) after plugging is completed;	enting.
Approved by: full 10-12-06 - Obtain written approval before disposing or injecting salt water.	enting.
This authorization expired (See: authorized expiration date) please	enting.
(This authorization void if drilling not started within 6 months of approval date.)	enting.
Well Not Drilled - Permit Expired	enting.
Spud date: Agent: Signature of Operator or Agent:	enting.
Date:	enting.
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202	enting.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26984-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	660 feet from V N / S Line of Section
Lease: Wiltse, Gordon R. Trust	660 feet from 🗸 E / W Line of Section
Well Number: 11-1	Sec. 11 Twp. 28 S. R. 16 V East West
Field: Cherokee Basin CBM Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular
QTR / QTR of acreage: NE NE	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North Ma	y Avenue, Sui	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316		
Lease Name & Well No.: Wiltse, Gordon R. Trust #11-1		/ 11-1	Pit Location (QQQQ):	
Type of Pit:	Pit is:			
☐ Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit	Proposed Existing If Existing, date constructed:		Sec. 11 Twp. 28 R. 16 Fast West	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		Feet from North / South Line of Section 660 Feet from East / West Line of Section Wilson County	
s the pit located in a Sensitive Ground Water Area? Yes Ano		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ No		пот в ите ри штес и а развислитет в постоост:	
Pit dimensions (all but working pits): Depth	Length (fe		40	
		Air Drilling	Operation lasting approx 3 days RECEIVE KANSAS CORPORATION OCT 1 2 2	
		Depth to shallo Source of info	owest fresh waterfeet. CONSERVATION DI	
NA feet Depth of water wellfeet		measi	uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
			Type of material utilized in drilling/workover: Air Drilled	
Number of producing wells on lease: Num		Number of wo	Number of working pits to be utilized: One Abandonment procedure: Air Dry, Back Fill and Cover	
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back Pill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
October 11, 2006	tements are true and	Ticha.	Signature of Applicant or Agent	
Date	KCC	OFFICE USE O		
1			INLT	