For KCC Use: Effective Date: 10 - 18-06 District # _3

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date October 18, 2006	Spot	✓ East
month day year		S. R. 20 West
OPERATOR: License# 3728	2905 feet from N / 2340 feet from V E /	S Line of Section W Line of Section
Jame. Roger Kent dba RJ Enterprises	leet from 📝 E /	MA Flue of Section
Address: 1203 East 4th Avenue	Is SECTIONRegularIrregular?	
City/State/Zip: Garnett, KS 66032	(Note: Locate well on the Section Plat o	n reverse side)
Contact Person, Roger Neitt	County: Anderson	5.0
Phone: (785) 448-6963 or (785) 448-7725	Lease Name: Ware	Well #: ^{5-A}
CONTRACTOR: License# 3728	Field Name: Bush City Shoestring	
lame: Roger Kent dba RJ Enterprises	Is this a Prorated / Spaced Field? Target Formation(s): Squirrel	Yes ✓ No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 265'	
✓ Oil ✓ Enh Rec ✓ Infield ✓ ✓ Mud Rotary	Ground Surface Elevation: n/a	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 100+	
Other	Depth to bottom of usable water: 125+ Surface Pipe by Alternate: 1 2 2	. <u>waa-</u> , .
	Surface Pipe by Alternate: 1	
f OWWO: old well information as follows:	Length of Conductor Pipe required:	· · · · · ·
Operator:	Projected Total Depth: 900'	<u> </u>
Well Name:	Formation at Total Depth: Squirrel	/
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DW	'R 🗍)
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
AETI	DAVIT R	ECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plu		
t is agreed that the following minimum requirements will be met:	OC	T 1 2 2006
 Notify the appropriate district office prior to spudding of well; 		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be seen through all unconsolidated materials plus a minimum of 20 feet into the shall it is dry hole, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of 	If by circulating cement to the top; in all cases sufficient underlying formation. istrict office on plug length and placement is neces ged or production casing is cemented in; ed from below any usable water to surface within I #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office p	sary <i>prior to plugging;</i> 20 days of spud date. rea, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 	If by circulating cement to the top; in all cases sufficient underlying formation. istrict office on plug length and placement is neces ged or production casing is cemented in; ed from below any usable water to surface within I #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office p	sary <i>prior to plugging;</i> 20 days of spud date. rea, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugi If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of 	If by circulating cement to the top; in all cases sufficient underlying formation. istrict office on plug length and placement is necesinged or production casing is cemented in; and from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office programs in the plugged of the cases of	sary <i>prior to plugging;</i> 20 days of spud date. rea, alternate II cementin
A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of the surface of the surface will be notified before well is either pluging 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the control of the con	If by circulating cement to the top; in all cases stiff the underlying formation. It is included the strict office on plug length and placement is necestled or production casing is cemented in; and from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office programmy knowledge and belief. Title: Agent	sary <i>prior to plugging;</i> 20 days of spud date. rea, alternate II cementing.
2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugical. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete of the comp	It by circulating cement to the top; in all cases still be underlying formation. istrict office on plug length and placement is neces ged or production casing is cemented in; ed from below any usable water to surface within I #133,891-C, which applies to the KCC District 3 and pe plugged. In all cases, NOTIFY district office produced by the many control of the completion from CDP-1) with Intent - File Completion Form ACO-1 within 120 days of	sary <i>prior to plugging;</i> 20 days of spud date. rea, alternate II cementing. rior to any cementing. to Drill; spud date;
2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all through all the seen to the seen to see the seen through all through	If by circulating cement to the top; in all cases still be underlying formation. In the underlying formation. In the underlying formation is trict office on plug length and placement is necessing of the placement of the placeme	sary <i>prior to plugging;</i> 20 days of spud date. rea, alternate II cementing. ror to any cementing. to Drill; spud date; roration orders;
2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the poate: Cotober 13, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 203-24373-0000 Conductor pipe required Nove feet	If by circulating cement to the top; in all cases still be underlying formation. Instrict office on plug length and placement is necessiged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 and pe plugged. In all cases, NOTIFY district office produced by the production of the product of the production of the product of the production of the product of the	sary <i>prior to plugging;</i> 20 days of spud date. rea, alternate II cementing. ror to any cementing. to Drill; spud date; roration orders; workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the control of the detail of the detail of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - 203 - 243 73 - 2000 Conductor pipe required 1000 feet per Alt. X (2)	If by circulating cement to the top; in all cases still be underlying formation. In the underlying formation. In the underlying formation is trict office on plug length and placement is necessing of the placement of the placeme	sary prior to plugging; 20 days of spud date. rea, alternate II cementing. to Drill; spud date; roration orders; workover or re-entry; completed;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of 5. The appropriate district office will be notified before well is either plugical. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the spudic o	t by circulating cement to the top; in all cases still the underlying formation. It is is is included in the underlying formation. It is is included in the underlying formation. It is included in the underlying formation casing is cemented in; and it is compared in the plug and usable water to surface within the underlying and usable water to surface plugged. In all cases, NOTIFY district office provided in the underlying and usable water to surface plugged in the underlying in the underlying and usable water to surface attribution plat according to field provided in the underlying in the underlying in the underlying appropriate district office 48 hours prior to submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injection.	sary prior to plugging; 20 days of spud date. rea, alternate II cementing. to Drill; spud date; roration orders; workover or re-entry; completed; cting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of contact. October 13, 2006	If by circulating cement to the top; in all cases still the underlying formation. Instrict office on plug length and placement is necessing developed or production casing is cemented in; and form below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 and the plugged. In all cases, NOTIFY district office in the plugged of the plugged. In all cases, NOTIFY district office in the plugged of the plugging of the plugging is submit plugging report (CP-4) after plugging is	sary prior to plugging; 20 days of spud date. rea, alternate II cementing. to Drill; spud date; roration orders; workover or re-entry; completed; cting salt water. ation date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of 5. The appropriate district office will be notified before well is either plugical. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the spudic o	It by circulating cement to the top; in all cases still the underlying formation. It is is is included in the underlying formation. It is is included in the underlying formation. It is included in the production casing is cemented in; and the period of the complete included in the production casing is cemented in; and the period of the complete included in the period of the complete included in the period of the complete included in the complete included included in the complete included in the complete included in the complete included in the complete included included in the c	sary prior to plugging; 20 days of spud date. rea, alternate II cementing. to Drill; spud date; roration orders; workover or re-entry; completed; cting salt water. ation date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the spud state of Operator or Agent: October 13, 2006	If by circulating cement to the top; in all cases still be underlying formation. Instrict office on plug length and placement is necessing decided or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 and pe plugged. In all cases, NOTIFY district office produced in the plugged of the plugging report (CP-4) after plugging is Obtain written approval before disposing or injectification of the plugging of t	sary prior to plugging; 20 days of spud date. rea, alternate II cementing. to Drill; spud date; roration orders; workover or re-entry; completed; cting salt water. ation date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24373-0000	Location of Well: County: Anderson
Operator: Roger Kent dba RJ Enterprises	2905 feet from N / V S Line of Section
Lease: Ware	2340 feet from F E / W Line of Section
Well Number: 5-A	Sec. 15 Twp. 21 S. R. 20 Fast West
Field: Bush City Shoestring Number of Acres attributable to well:	Is Section: 📝 Regular or 📗 Irregular
QTR / QTR / QTR of acreage: ApSW - swsw - NE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				-		. [
			1			
		•		• • • •	• • • • •	
	-			•		. [
				•		
			!	-		-
	•		1	•	•	
	-			-	•	
	•			•	•	•
					•	
	-			•	-	•
	•		ı		•	•
	-			1	-	•
	-					
1						
				•		•
			ı	-		.
				-		.
				-		
				-		
					: : : : : : : : : : : : : : : : : : :	
		· · · · · · · · · · · · · · · · · · ·				



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Roger Kent dba RJ Enterprises			License Number: 3728	
Operator Address: 1203 East 4th A		ett, KS 660	032	
Contact Person: Roger Kent			Phone Number: (785) 448 - 6963	
Lease Name & Well No.: Ware 5-A			Pit Location (QQQQ):	
Type of Pit:	Pit is:		ApSW SW NE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 15 Twp. 21 R. 20	
Settling Pit Drilling Pit	If Existing, date constructed:		2905 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			2340 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	AndersonCounty	
Is the pit located in a Sensitive Ground Water	<u> </u>	····	Chloride concentration:mg/l	
12 the bit increand in a deticitive change asset	,		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Artificial Lie		Nο	How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes V	····	native clay	
Pit dimensions (all but working pits):				
Depth f	from ground level to de		edures for periodic maintenance and determining	
		Depth to shallo Source of infor	west fresh waterfeet.	
N/A feet Depth of water wellfeet		measu	well owner electric log KDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
-			Type of material utilized in drilling/workover. drilling mud	
		Number of working pits to be utilized: 2 Abandonment procedure: air dry and backfill		
		Abandonment	procedure: all try and backing	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above stat	tements are true and o	correct to the bes		
October 13, 2006	Q.	nna	KANSAS CORPORATION COM CCT 1 2 2006 Signature of Applicant or Agent CONSERVATION DIVISIO	
	KCC (OFFICE USE O	WICHITA KS	
1				
Date Received: 10/12/05 Permit Nur	mber:	Perm	ift Date: 10/12/05 Lease Inspection: Yes 问 No	