Effective Date: 10-21-06

# Kansas Corporation Commission Oil & Gas Conservation Division

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date November 18 2006	Spot East
month day year	NW NE SW Sec. 10 Twp. 10 S. R. 22 West
OPERATOR: License# 32639	2220feet from N / V S Line of Section
Name: Coral Production Corp.	1510 feet from E / W Line of Section
1600 Stout St., Suite 1500	Is SECTIONRegularIrregular?
City/State/Zip: Denver, CO 80202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jim Weber	County: Graham
Phone: (303) 623-3573	Lease Name: Brassfield Well # 10-1
	Field Name: Wildcat
CONTRACTOR: License# 31548	Is this a Prorated / Spaced Field?
Name: Discovery Drilling Co, Inc.	Target Formation(s): Lansing/Arbuckle
W-H Class. Time Equipment	Nearest Lease or unit boundary: 420'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2326' estfeet MSL
Oil Oil Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No →
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'
Seismic; # of Holes Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set.
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 4050'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
If Yes, true vertical depth:	— DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR [])
	(Note: Apply for Permit with DWR ☐)  Will Cores be taken?  Yes ✓ No
Bottom Hole Location:	(Note: Apply for Permit with DWR [])
Bottom Hole Location:	(Note: Apply for Permit with DWR ☐)  Will Cores be taken?  Yes ✓ No
Bottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes No  If Yes, proposed zone:
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and event it is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes No  If Yes, proposed zone:
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and event It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be of the operator of the production of the produ	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ual plugging of this well will comply with K.S.A. 55 et. seq.  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and event It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of a copy of the approved notice of intent to drill <i>shall be</i> posted of through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet the well is dry hole, an agreement between the operator and the spudding through all through all complete district office will be notified before well is either than all through all through all complete the completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the between the complete than the statements made herein are true and to the between the complete than the statements made herein are true and to the between the complete than the statements made herein are true and to the between the complete than the statements made herein are true and to the between the complete than the statements made herein are true and to the between the complete than the statements made herein are true and to the between the complete than the statements made herein are true and to the between the complete than the statements made herein are true and to the between the complete than the statements made herein are true and to the between the complete than the statements are true and to the between the complete than the statements are true and to the between the complete than the statement that the statement than	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes No  If Yes, proposed zone:  AFFIDAVIT  ual plugging of this well will comply with K.S.A. 55 et. seq.  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. Forder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and event It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of a copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet the well is dry hole, an agreement between the operator and the specified before well is either the appropriate district office will be notified before well is either the appropriate district office will be notified before well is either the appropriate district office will be notified before well is either the appropriate district office will be notified before and to the specified within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the between the completed within 30 days of the spud date or the well.	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ual plugging of this well will comply with K.S.A. 55 et. seq.  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  the district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate It cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and event It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of a copy of the approved notice of intent to drill <i>shall be</i> posted of through all unconsolidated materials plus a minimum of 20 feet the well is dry hole, an agreement between the operator and the spudding through all through all through an agreement between the operator and the spudding through the spudding through the spudding through the completed within 30 days of the spuddate or the well hereby certify that the statements made herein are true and to the between the completed within 30 days of the spuddate or the well is the statements made herein are true and to the between the completed within 30 days of the spuddate or the well is the statements made herein are true and to the between the completed within 30 days of the spuddate or the well is the statements made herein are true and to the between the completed within 30 days of the spuddate or the well is the statements made herein are true and to the between the operator and the statements made herein are true and to the between the operator and the statements made herein are true and to the between the operator and the statements made herein are true and to the between the operator and the statements made herein are true and to the between the operator and the statements made herein are true and to the between the operator and the statements made herein are true and to the between the operator and the statements made herein are true and to the between the operator and the statements are the operator and the statements are true and the statements are the operator and the statements are the statements are the operator and the statement	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes No  If Yes, proposed zone:  AFFIDAVIT  ual plugging of this well will comply with K.S.A. 55 et. seq.  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. Forder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and event it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted of intent to drill s	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ual plugging of this well will comply with K.S.A. 55 et. seq.  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and event it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent intent in the properties of the prior intent in the properties of the prior intent in the properties of the prior intent in the prior intent intent in the prior intent int	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ual plugging of this well will comply with K.S.A. 55 et. seq.  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  the district office on plug length and placement is necessary prior to plugging; replugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date.  order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and event It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet described. If the well is dry hole, an agreement between the operator and four the minimum to appropriate district office will be notified before well is either the appropriate district office will be notified before well is either for the minimum to appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the body that the statements have the statements are true and to the body that the statements have the statements are true and to the	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ual plugging of this well will comply with K.S.A. 55 et. seq.  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set in the underlying formation. the district office on plug length and placement is necessary prior to plugging; replugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and event it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet described. If the well is dry hole, an agreement between the operator and for the appropriate district office will be notified before well is either the conformal of the conformal of the spund of the spund date or the well in the statements made herein are true and to the spund to the spund of the	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  ual plugging of this well will comply with K.S.A. 55 et. seq.  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  the district office on plug length and placement is necessary prior to plugging; replugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date.  order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Pest of my kepwledge and belief.  Title: President  Remember to:  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box helow and return to the address below.

OCT 13 300

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23236-0000	Location of Well: County: Graham
Operator: Coral Production Corp.	2220feet fromN / 🗸 S Line of Section
Lease: Brassfield	1510 feet from E / W Line of Section
Well Number: 10-1 Field: Wildcat	Sec10 Twp10 S. R22 East 🗾 East 🗹 Wes
Number of Acres attributable to well: 160	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:NW NE SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

RECEIVED

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO per oil walls) CG-8 for gas wells).

**KCC WICHITA** 

## Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: CORAL PRODUCTIN CORP.		License Number: 32639		
Operator Address: 1600 STOUT ST., SUITE 1500; DENVER, CO 80202				
Contact Person: JIM WEBER		Phone Number: ( 303 ) 623 - 3573		
Lease Name & Well No.: BRASSFIELD #10-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed		Sec. 10 Twp. 10 R. 22 East  West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / 🗾 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity: (bbls)		1510 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)			GRAHAM County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Yes No	Yes 🗸	No	NATIVE MUD	
Pit dimensions (all but working pits):	Length (fe	eet) 80	Width (feet) N/A: Steel Pits	
De <b>pth f</b> r	om ground level to de	epest point: 6	(feet)	
If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining				
material, thickness and installation procedure	<b>)</b> .	liner integrity, ii	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water 180 25 feet.		
	Source of info		mation: KN K4 5 (i)  ared well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
Producing Formation:			pe of material utilized in drilling/workover: FRESH WATER MUD	
			umber of working pits to be utilized: 3	
			bandonment procedure: ALLOW TO DRY & BACKFILL	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must t	nust be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
O(n)				
OCTOBER 11, 2006				
Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 10/13/c . Permit Num	ber:	Permi	it Date: 10 13 0% Lease Inspection RECEIVED	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OCT 13 2008