For KCC Use:	10-21-06	
District #	4	
SGA? Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

pected Spud Date October 28, 2006	Spot East
month day year	SW - NW - SE Sec. 32 Twp. 9 S. R. 25 West
PERATOR: License# 31790 V	feet from N / S Line of Section
Frament Evaluation, inc.	feet from F W Line of Section
me: Premitt Exploration, inc. dress: 12412 St. Andrews Dr.	Is SECTION RegularIrregular?
y/State/Zip: Oklahoma City, OK 73120	(Note: Locate well on the Section Plat on reverse side)
Intact Person: Tom Conroy	County: Graham
one: 405-936-0012	Lease Name: Kuhn Well #: 1-32
	Field Name: Bollig
ONTRACTOR: License# 33575	Is this a Prorated / Spaced Field? Yes ✓ No
me: WW Drilling, LLC	Target Formation(s): LKC
Well Olean Ton Englands	Nearest Lease or unit boundary: 165'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2580' feet MSL
COIL Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes VNo
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic; — # of Holes Other	Depth to bottom of usable water: 4350
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 210'
Operator:	and the state of t
Well Name:	Projected Total Depth: 4150
Original Completion Date:Original Total Depth:	Formation at Total Depth: Marmaton
•	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore? Yes 🗸 No	Well ✓ Farm Pond Other Haul if necessary —
Yes, true vertical depth:	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	DWR Permit #:
ottom Hole Location: CC DKT #: Oil 4 Gas Leases W/ pooling clauses Cettached	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
ottom Hole Location: CC DKT #: Oil & Gas Leases W/ pooling clauses Cettached AF	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
ottom Hole Location: CC DKT #:	DWR Permit #:
ontom Hole Location: CC DKT #: CC DKT #: CC DKT #: AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	DWR Permit #:
ontom Hole Location: CC DKT #: CC DKT #: CC DKT #: CC DKT #: AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on the specific of the second of the approved notice of intent to drill shall be posted on the second of the approved notice of intent to drill shall be posted on the second of the approved notice of intent to drill shall be posted on the second of the approved notice of intent to drill shall be posted on the second of the approved notice of intent to drill shall be posted on the second of the second of the second of the approved notice of intent to drill shall be posted on the second of	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a specified below shall be through all unconsolidated materials plus a minimum of 20 feet into	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If Yes I No I
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pipe in the standard of the	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If the district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pice. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord	OWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pipe 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pice. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord	OWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pipe 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certified to the statements made herein are true and to the best mereby certify that the statements made herein are true and to the best pipe in the complete of the statements made herein are true and to the best pipe in the complete of the statements made herein are true and to the best pipe in the complete of the statements made herein are true and to the best pipe in the complete of the statements made herein are true and to the best pipe in the complete of the statements made herein are true and to the best pipe in the complete of the statements made herein are true and to the best pipe in the complete of the co	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pinch if an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and to the best process.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Petroleum Engineer
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a completion of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and to the best ate: 10-12-06 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Petroleum Engineer Remember to:
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either piece. Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certified. Signature of Operator or Agent: 10-12-06 Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Petroleum Engineer Remember/to: File Drill Pit Application (form CDP-1) with Intent to Drill;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a completion amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either pipe. 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either piece. Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and to the best ate: 10-12-06 Signature of Operator or Agent: Por KCC Use ONLY API # 15 - Conductor pipe required April # 15 -	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Petroleum Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pied. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best ate: 10-12-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required None Feet	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a strong all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strong appropriate district office will be notified before well is either properties of the appropriate district office will be notified before well is either properties and the complete of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed. For KCC Use ONLY API # 15 - Signature of Operator or Agent: Conductor pipe required feet Minimum surface pipe required feet per Alt. Y (2)	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. seach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lauged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the street of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: 10-12-06 Signature of Operator or Agent: 10-12-06 More feet per Alt. Y (2) Approved by: Put 10-16-06	Will Cores be taken? If Yes, proposed zone: Seach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember/to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a completion amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: 10-12-06 Signature of Operator or Agent: Approved by: Put 10-16-06 This authorization expires: 4/6-07	Will Cores be taken? If Yes, proposed zone: Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Peach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If this permit has expired (See: authorized expiration date) please cherk the hox below and return to the address below. If this permit has expired (See: authorized expiration date) please cherk the hox below and return to the address below.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the street of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: 10-12-06 Signature of Operator or Agent: 10-12-06 More feet per Alt. Y (2) Approved by: Put 10-16-06	Will Cores be taken? If Yes, proposed zone: Seach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; and the low any usable water to surface within 120 days of spud date. If It all cases, NOTIFY district office prior to any cementing. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. RECENTER If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a completion amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: 10-12-06 Signature of Operator or Agent: Approved by: Put 10-16-06 This authorization expires: 4/6-07	Will Cores be taken? If Yes, proposed zone: Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Peach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If this permit has expired (See: authorized expiration date) please cherk the hox below and return to the address below. If this permit has expired (See: authorized expiration date) please cherk the hox below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23239-000	Location of Well: County: Graham
Operator: Fremont Exploration, Inc.	feet from N / S Line of Section
Lease: Kuhn	
Well Number: 1-32 Field: Bollig	Sec. 32 Twp. 9 S. R. 25 East ✓ Wes
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SW - NW - SE -	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		•	•			•	
		•				•	
	•		•		•	•	
				' ' '			•
							٠
1							
1			•				
	•		•				
	•		•	•	•	•	
		•					
Ì							
			•	•			
		•			•		_
			•	•			
			•	•			
			•	•			
			•	•			
	· ·	· · ·	•			· · ·	
	· · ·	· · · · ·	· · · · · · · · · · · · · · · · · · ·			: 	
	· · ·	· · ·	•			: 	•
	· · ·	· · · · ·	· · · · · · · · · · · · · · · · · · ·			: 	
	· · · · · ·	· · · · · · · · · · · · · · · · · · ·	•				
	· · · · · · · · ·					:	
		•					
		•					
		•					
		•					
		•					
		•					
		•					



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

 The distance to the nearest lease or unit boundary into.
 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for all wells: CC WICHITA CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

n, Inc.		License Number: 31790
	ahoma City	, OK 73120
		Phone Number: (405) 936 - 0012
32	Pit Location (QQQQ):	
Pit is:		<u>SW_ NW _ SE</u>
✓ Proposed	Existing	Sec. 32 _{Twp.} 9S _{R.} 25 ☐ East ✓ West
If Existing, date co	onstructed:	Feet from North / 🗸 South Line of Section
Pit capacity:		Feet from ✓ East / West Line of Section
1	(bbls)	<u>Grahan</u> County
r Area? Yes ✓	No	Chloride concentration:mg/l
		(For Emergency Pits and Settling Pits only)
Artificial Liner?		How is the pit lined if a plastic liner is not used?
☐ Yes 🗸 l	No	None
80 Length (fe	eet) 80	Width (feet) N/A: Steel Pits
from ground level to de	eepest point:	(feet)
le of pit		west fresh waterfeet.
	Source of infor	mation:
feet	Source of infor	mation: redwell owner electric logKDWR
feet	Source of informeasu	mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY:
feet	Source of informeast Drilling, Work Type of material Number of wor	mation: tredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Drilling mud king pits to be utilized:Two
feet	Source of informeast Drilling, Work Type of material Number of wor	mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Drilling mud
feet	Source of informeast Drilling, Work Type of materia Number of work Abandonment	mation: tredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Drilling mud king pits to be utilized:Two
feet /: Il spilled fluids to	Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Drilling mud king pits to be utilized:Two procedure:Evaporate and fill
feet /: Il spilled fluids to	Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the bes	mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Drilling mud king pits to be utilized:Two procedure:Evaporate and fill be closed within 365 days of spud date.
feet /: Il spilled fluids to tements are true and	Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the bes	mation: Iredwell ownerelectric logKDWR Invover and Haul-Off Pits ONLY: In utilized in drilling/workover:Drilling mud It wo Invo Inprocedure:Evaporate and fill In the closed within 365 days of spud date. It of my knowledge and belief.
feet /: Il spilled fluids to tements are true and	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the bes	mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:Drilling mud king pits to be utilized:Two procedure:Evaporate and fill be closed within 365 days of spud date. It of my knowledge and belief.
	Pit is: Proposed If Existing, date conception Pit capacity: 2000 Artificial Liner? Yes Actificial Liner? Yes Length (fe	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: 2000 (bbls) FAREA? Yes No Artificial Liner? Yes No Length (feet) 80 from ground level to deepest point: e liner Describe proce