For KCC Use: 10-21-06 Effective Date: District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot ✓ East
month day year	NW-NE - NE - 5'W Sec. 8 Twp. 24 S. R. 19 West
OPERATOR: License# 31708 V	2420' / feet from N / S Line of Section
Name: Ensminger/ Kimzey	3135'feet from VE / W Line of Section
Address p.o. box 267	Is SECTION ✓ RegularIrregular?
City/State/Zip: Colony Ks 66015	
Contact Person: David Kimzey	(Note: Locate well on the Section Plat on reverse side)
Phone: 620-852-3456	County: Allen
Phone;	Lease Name: Lust Well #: 1-06
CONTRACTOR: License# 31708	Field Name: lola
Name: Company tools	Is this a Prorated / Spaced Field? Yes Volume
	Target Formation(s): Tucker
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 220'
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: N.A. feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes VNo
Seismic;# of Holes Other	Depth to bottom of fresh water: 150'
Other	Depth to bottom of usable water: 200+
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1000'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Tucker
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
If Voc. true vertical donth:	
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
·	
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ No If Yes, proposed zone: □ FIDAVIT
Bottom Hole Location: KCC DKT #: AFI The undersigned hereby affirms that the drilling, completion and eventual	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ No If Yes, proposed zone: □ FIDAVIT
Bottom Hole Location: KCC DKT #: AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ No If Yes, proposed zone: □ FIDAVIT
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ No If Yes, proposed zone: □ Yes ✓ No FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
Bottom Hole Location: KCC DKT #: AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	(Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	(Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	(Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	(Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/8/c/c Signature of Operator or Agent:	(Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/8/c4 Signature of Operator or Agent: 10/8/c4 For KCC Use ONLY API # 15 - 001-29523-0000	(Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: ID 18 CL Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29523-OOOO Conductor pipe required	(Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/6/c4 Signature of Operator or Agent: Conductor pipe required 100 feet per Alt.	(Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/8/c/c Signature of Operator or Agent: 15 Conductor pipe required 10 feet per Alt. 16 Conductor pipe required 11 feet per Alt. 16 Conductor pipe required 11 feet per Alt. 16 Conductor pipe required 11 feet per Alt.	Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the foundation of the surface pipe as specified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/8/c4 Signature of Operator or Agent: 10/8/c4 Signature of Operator or Agent: 15 Conductor pipe required 16 More feet per Alt. 16 Approved by: 44 Minimum surface pipe required 17 Feet per Alt. 17 Conductor pipe required 18 Conductor pipe required 19 Feet per Alt. 19 Conductor pipe require	(Note: Apply for Permit with DWR) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/8/c/c Signature of Operator or Agent: Conductor pipe required 10 pre feet per Alt. 11 per Approved by: 4 per Feet Park 15 - 16 per Feet Park 15 - 16 per Park 16 p	Will Cores be taken? If Yes, proposed zone: PIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Co/owner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the foundation of the surface pipe as specified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/8/c4 Signature of Operator or Agent: 10/8/c4 Signature of Operator or Agent: 15 Conductor pipe required 16 More feet per Alt. 16 Approved by: 44 Minimum surface pipe required 17 Feet per Alt. 17 Conductor pipe required 18 Conductor pipe required 19 Feet per Alt. 19 Conductor pipe require	(Note: Apply for Permit with DWR) Will Cores be taken?

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-29523-0000	Location of Well: County: Allen	
Operator: Ensminger/ Kimzey	•	
Lease: Lust		
Well Number: 1-06	Sec. 8 Twp. 24 S. R. 19	
Field: lola	· LEAST LEAST	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

RECEIVED 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells:

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 January 2001 Form must be Typed

APPLICATION FOR SURFACE POND

Submit in Duplicate

			T	
Operator Name: Ensminger/ Kimzey		License Number: 31708		
Operator Address: p.o.box267 Colony,	Ks. 66015			
Contact Person: David Kimzey		Phone Number: (620) 852 - 3456		
Lease Name: Lust /-06		Pit Location:		
— Emergency Pit — Treatment Pit — Workover Pit ✓ Drilling Pit — Burn Pit (If WP Supply API No. or Year Drilled)	Pit is: ✓ Proposed Existing If Existing, date constructed: Pit capacity:		SW Qtr. Sec. 8 Twp. 24 R. 19 VE W 2420' Feet from N S (circle one) Line of Section 3135' Feet from E W (circle one) Line of Section Allen	
Is the pit located in a Sensitive Ground Water Area? Yes No Is the bottom below ground level? Artificial Liner? Yes No Yes No		County Chloride concentration:mg/l (For Emergency Pits and Treatment Pits only) How is the pit lined if a plastic liner is not used? Clay		
Pit dimensions (all but working pits): 10 Depth from If the pit is lined give a brief description of the line material, thickness and installation procedure.	ground level to de	peepest point: 6' Describe proce	Width (feet) (feet) dures for periodic maintenance and determining including any special monitoring.	
Source of information: Number of producing wells on lease: Source of information: Producing Formation: Number of works on lease: Source of information: Producing Feet Type of material Number of works on lease: Number of works on lease: Source of information: Measurement and Burn Pits ONLY: Drilling and Wells on lease: Number of works on lease:		Source of infor	lowest fresh waterfeet. ormation: suredwell ownerelectric logKDWR	
		Vorkover Pits ONLY: al utilized in drilling/workover: native mud rking pits to be utilized: 2		
Does the slope from the tank battery allow all spilled fluids to		Abandonment procedure: air dry back fill Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above stateme	nts are true and c	Dani	orocedure: air dry back fill e closed within 365 days of spud date. of my knowledge and belief.	
Data Received: 10/13/01 Descrit Number		OFFICE USE ON		