For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud DateOctober 21, 2006	Spot ✓ East
month day year	NWNW - SE - NE Sec. 20 Twp. 23 S. R. 16 West
OPERATOR: License# 30948	1485 feet from N / S Line of Section
Name: Harry Conley	1000 feet from F L / W Line of Section
317 S. Highland	Is SECTIONRegularIrregular?
City/State/Zip: Chenute, KS 66720	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jeraid Bolinger	County: Woodson
Phone: (918) 637-4059	Lease Name: Yoho Well #: 2
	Field Name: wildcat
CONTRACTOR: License# 30948	Is this a Prorated / Spaced Field?
Name: Harry Conley	Target Formation(s): Souirrel
	Nearest Lease or unit boundary: 1,000'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Na feet MSL
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	
Gas Storage Pool Ext. Air Rotary	·
OWWO Disposal V Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic: # of Holes Other	Depth to bottom of fresh water: 100'
Other	Depth to bottom of usable water: 150'
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 1,100'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual p	IDAVIT PAGE EIVED Plugging of this well will comply with K.S.AKARSAS CORPORATION COMMISSIO
It is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	OCT 16 2006
4. If the well is dry hole, an agreement between the operator and the common statement of the common	et by circulating cement to the top; in all cases Conserving shall be set the underlying formation. district office on plug length and placement is necessary prior is plugging;
I hereby certify that the statements made herein are true and to the best o	f my knowledge and belief.
Date: October 16, 2006 Signature of Operator or Agent:	na Thanda Title: Agent
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15. 207-27069-0000	
141 10	File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Conductor pipe required None feet	- Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 40 feet per Alt. Y(2)	- Submit plugging report (CP-4) after plugging is completed;
Approved by: Put 10-16-do	- Obtain written approval before disposing or injecting salt water.
4-11-53	- If this permit has expired (See: authorized expiration date) please
	check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired
Spud date:Agent:	Signature of Operator or Agent:
	Date:
	S. Market - Room 2078, Wichita, Kansas, 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-2706 9-0000	Location of Well: County: Woodson
Operator: Harry Conley	1485feet from
Lease: Yoho	1485 feet from V N / S Line of Section 1000 feet from V E / W Line of Section
Well Number: 2	Sec. 20 Twp. 23 S. R. 16 V East W
Field: wildcat	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NWNW - SE . N	if cooling to the gate, to contain the transfer of the container.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

ſ								-				-							-				-				•		
				٠				•				-							٠				٠				-		
				-				•				•							•				•				•		
l	•	•			-	•	•		-	-	-	٠	•	٠		١٠	٠	٠				-		-	•	-	-	-	٠.
																											-		
				•															•				•				•		
				-								٠.			. ;				-								٠.		
								_								1								•	_				
																											-		
			-		-						•					١.	٠							٠		-			
				•				•															•						
																											•		
Г		-					_							_					_		_		_	_	_				
							_	-						_									-				•		
		•		:				- -								I											-		
	•	•		:				- -								.										-	-		
	•	•			•		•	•					•	•	•				•						-		•		
		•		:	•		•	•			-	· ·	•	•				•	•						-		-		
	•	•			•		•	•				· ·	•	•	•			•	•						-		•		
										-	-	· · · · ·	•	•					•								•		
							•				-	· · · · ·	•	•					•								•		
					•						-	· · · · ·	•	•					•					•		•	•		
					•						-	· · · · ·	•	•					•					•		•	•		
											-	· · · · ·	•	•					•								•		
					•						-	· · · · ·	•	•					•	,				•			•		
											-	· · · · ·	•	•					•	,							•		



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Harry Conley			License Number: 30948	
Operator Address: 317 S. Highland	d, Chanute, K	S 66720		
Contact Person: Jerald Bolinger			Phone Number: (918) 637 -4059	
Lease Name & Well No.: Yoho #2			Pit Location (QQQQ):	
Type of Pit:	Pit is:		NW NW SE NE	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 20 _{Twp.} 23 _{R.} 16	
Settling Pit	If Existing, date or	onstructed:	1485 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1000 Feet from 🗹 East / 🗍 West Line of Section	
(If WP Supply API No. or Year Drilled)	150	(bbls)	Woodson	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration:mg/l	
la the bettern below around level?	A-465-1-111-1-1-0-0		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner? Yes ✓।	No	How is the pit lined if a plastic liner is not used? native clay	
Pit dimensions (all but working pits):		_	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	epest point: 4	(feet)	
material, thickness and installation procedure				
		uner integray, i	CONSERVATION DIVIS CONSER	mmissio 6
Distance to nearest water well within one-mike			OCT 1 6 200 CONSERVATION DIVIS WICHITIA, KS west fresh waterfeet.	mmissio 6
•	e of pit	Depth to shallo Source of infor	OCT 1 6 200 CONSERVATION DIVIS WICHITIA, KS west fresh waterfeet.	mmissio 6
Distance to nearest water well within one-mik	e of pitfeet	Depth to shallo Source of infor measu	OCT 1 6 200 CONSERVATION DIVIS WICHITIA, KS west fresh waterfeet. mation:	MMISSIO MON
Distance to nearest water well within one-mik	e of pit feet	Depth to shallo Source of infor measu Drilling, Work	OCT 1 6 200 CONSERVATION DIVIS WICHITA, KS west fresh waterfeet. mation: redwell owner electric logKDWR	MMISSIO MON
Distance to nearest water well within one-mike N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e of pitfeet	Depth to shallo Source of informeasu Drilling, Worke Type of material Number of work	CONSERVATION DIVIS WICHITIA, KS west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 2	mmissio 6
Distance to nearest water well within one-mike N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e of pitfeet	Depth to shallo Source of informeasu Drilling, Worke Type of material Number of work	OCT 1 6 200 CONSERVATION DIVIS WICHITA, KS west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud	MMISSIO M /S 207 2
Distance to nearest water well within one-mik NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	e of pitfeet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment	CONSERVATION DIVIS WICHITIA, KS west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 2	MMISSIO M /S 207 2
Distance to nearest water well within one-mike NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e of pit feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment Drill pits must to	CONSERVATION DIVIS WICHITIA, KS west fresh water feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 2 procedure: air dry and backfill se closed within 365 days of spud date.	MMISSIO M /S 207 2
Distance to nearest water well within one-mike NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit?	e of pit feet	Depth to shallo Source of informeasu Drilling, Worker Type of material Number of work Abandonment Drill pits must to correct to the best	CONSERVATION DIVIS WICHITIA, KS west fresh water feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 2 procedure: air dry and backfill se closed within 365 days of spud date.	MMISSIO MON
Distance to nearest water well within one-mike N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state October 16, 2006	spilled fluids to	Depth to shallo Source of informeasu Drilling, Worker Type of material Number of work Abandonment Drill pits must to correct to the best	CONSERVATION DIVIS WICHITA, KS west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 2 procedure: air dry and backfill be closed within 365 days of spud date. of my knowledge and belief. Adamada gnature of Applicant or Agent	MMISSIO M /S 207 2