For KCC Use: Effective Date:		10-23-00	
District #		3	
SGA?	Yes	 ✓ No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date 10-20-06	Spot	✓ East
month day year	C NW NW Sec. 36 Twp. 24 S	R 25 West
5786	660 feet from V N /	
OPERATOR: License# 5786 V		W Line of Section
Name: McGown Drilling, Inc. Address: P.O. Box 299	Is SECTION RegularIrregular?	
Address: 7.05 Box 255 City/State/Zip: Mound City, KS 66056	(Note: Locate well on the Section Plat on rev	arca sida)
City/State/Zip: Doug McGown	County: Bourbon	erse side/
Phone: 913-795-2258	Lease Name: Bushman	_Well #: 4-36
Phone: Transport Phone:	Field Name:	
CONTRACTOR: License# 5786	Is this a Prorated / Spaced Field?	☐ Yes 🗸 No
Name: McGown Drilling, Inc.	Target Formation(s): Mississippi	
	Nearest Lease or unit boundary: 660'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes VNo
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 200+	
Seismic;# of Holes Other	Depth to bottom of usable water: 300+	
Other	Surface Pipe by Alternate: 1 1 2	•
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 400'	<u> </u>
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi	
	Water Source for Drilling Operations:	_
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
AFFI	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq.	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:	lugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:	lugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig;	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> .	ch drilling rig; at by circulating cement to the top; in all cases surface p	oipe s hall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; at by circulating cement to the top; in all cases surface p he underlying formation.	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the definition of the well is dry hole, an agreement between the operator and the definition.	ch drilling rig; of by circulating cement to the top; in all cases surface pushe underlying formation. Ilistrict office on plug length and placement is necessary	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface propriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the plug f	ch drilling rig; If by circulating cement to the top; in all cases surface phe underlying formation. Iiistrict office on plug length and placement is necessary ged or production casing is cemented in; ted from below any usable water to surface within 120 or	prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; If by circulating cement to the top; in all cases surface phe underlying formation. Ilistrict office on plug length and placement is necessary ged or production casing is cemented in; ted from below any usable water to surface within 120 c #133,891-C, which applies to the KCC District 3 area,	prior to plugging; lays of spud date. alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface propriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the plug f	ch drilling rig; If by circulating cement to the top; in all cases surface phe underlying formation. Ilistrict office on plug length and placement is necessary ged or production casing is cemented in; ted from below any usable water to surface within 120 c #133,891-C, which applies to the KCC District 3 area,	prior to plugging; lays of spud date. alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; If by circulating cement to the top; in all cases surface phe underlying formation. Ilistrict office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	prior to plugging; lays of spud date. alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; In the top; in all cases surface parts by circulating cement to the top; in all cases surface parts by circulating cement to the top; in all cases surface parts by the underlying formation. Illustrict office on plug length and placement is necessary good or production casing is cemented in; led from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.	prior to plugging; lays of spud date. alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface of the specific terms of the second of the specific terms of the surface casing order must be completed within 30 days of the spud date or the well shall the second of the spud date or the well shall the spud date or the well shall the second of the spud date or the well shall the second of the spud date or the well shall the second of the spud date or the well shall the second of the spud date or the well shall the second of the spud date or the well shall the second of the spud date or the second of the spud date or the well shall the second of the spud date or the spu	ch drilling rig; If by circulating cement to the top; in all cases surface phe underlying formation. Ilistrict office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	prior to plugging; lays of spud date. alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; In the top; in all cases surface parts by circulating cement to the top; in all cases surface parts by circulating cement to the top; in all cases surface parts by the underlying formation. Illustrict office on plug length and placement is necessary good or production casing is cemented in; led from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.	prior to plugging; lays of spud date. alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug to the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the shall the statements made herein are true and to the best of the surface of Operator or Agent: Date: 10-13-06	ch drilling rig; In the process of the underlying formation. Identification of the underlying formation of the underlying formation. It is a supplication of the underlying formation of the underlying formation. It is a supplication of the underlying formation of the underlying formation. It is a supplication of the underlying formation of the underlying formation. It is a supplication of the underlying formation of the underlying formation. It is a supplication of the underlying formation of the underlying formation. It is a supplication of the underlying formation of the underlying formation. It is a supplication of the underlying formation of the underlying formation of the underlying formation. It is a supplication of the underlying formation of the underly	prior to plugging; lays of spud date. alternate II cementing to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug to the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the shall the statements made herein are true and to the best of the surface of Operator or Agent: Date: 10-13-06	ch drilling rig; In the process of the underlying formation. Identification of the underlying formation of the underlying forest of the underlying formation of the underlying formation of th	prior to plugging; lays of spud date. alternate II cementing to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the driving appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to thereby certify that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the best of the plug that the statements made herein are true and to the plug that the statements made herein are true and to the plug that the statements made herein are true and to the plug that the statements made herein are true and to the plug that the statements made herein are true and to the plug that the statement are true and to the plug that the statement are true and to the plug that the statement are	ch drilling rig; In the process of the underlying formation. Identification of the underlying formation of the underlying forecast of the underlying formation of the underlying formation of	prior to plugging; lays of spud date. alternate II cementing to any cementing. rill; d date; ion orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the decomposition of the sequence of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cernented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the plant of	ch drilling rig; In the circulating cement to the top; in all cases surface phe underlying formation. Idistrict office on plug length and placement is necessary good or production casing is cemented in; Ited from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spu File acreage attribution plat according to field prorat Notify appropriate district office 48 hours prior to wor	prior to plugging; lays of spud date. alternate II cementing to any cementing. rill; d date; ion orders; kover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving and unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the driving appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the herein are true and to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or the well shall to the spud date or the well shall the spud date or the shall th	ch drilling rig; In the process of the process of the underlying formation. Idistrict office on plug length and placement is necessary good or production casing is cemented in; Ited from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of sputh in the plugging and plugging report (CP-4) after plugging is completed in the top plugging is completed in the plugging is completed in the plugging is completed in the top plugging in the top plugging is completed in the top plugging in the top plugging is completed in the top plugging in the top plugging in the top plugging is completed in the top plugging in the top plugging is completed in the top plugging in the t	prior to plugging; lays of spud date. alternate II cementing to any cementing. rill; d date; ion orders; pleted; colt water
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cernented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to thereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or Agent: For KCC Use ONLY	ch drilling rig; In the process of the underlying formation. Idistrict office on plug length and placement is necessary good or production casing is cemented in; Ided from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior if my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of sputh in 120 da	rill; d date; ion orders; keye of spud date. alternate II cementing to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and the district office prior and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is eit	ch drilling rig; In the process of the process of the underlying formation. Idistrict office on plug length and placement is necessary good or production casing is cemented in; Ited from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of sputh in the plugging and plugging report (CP-4) after plugging is completed in the top plugging is completed in the plugging is completed in the plugging is completed in the top plugging in the top plugging is completed in the top plugging in the top plugging is completed in the top plugging in the top plugging in the top plugging is completed in the top plugging in the top plugging is completed in the top plugging in the t	rill; d date; ion orders; kover or re-entry; pleted; salt water. date) rile prior to plugging; lays of spud date. date ich common commo
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cernented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to thereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall to the best of the spud date or the well shall to the best of the spud date or Agent: For KCC Use ONLY	ch drilling rig; Int by circulating cement to the top; in all cases surface price to be underlying formation. Ilistrict office on plug length and placement is necessary aged or production casing is cemented in; Ited from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of spure in the properties of the propert	rill; d date; ion orders; kover or re-entry; pleted; salt water. date) rile prior to plugging; lays of spud date. date ich common commo
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and the district office prior and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is eit	ch drilling rig: If by circulating cement to the top; in all cases surface phe underlying formation. Idistrict office on plug length and placement is necessary good or production casing is cemented in; led from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.	rill; d date; ion orders; kover or re-entry; pleted; salt water. date) rile prior to plugging; lays of spud date. date ich common commo

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OCT 18 2006 KCC WICHITA


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 011-23221-0000	Location of Well: County: Bourbon
Operator: McGown Drilling, Inc.	feet from N / S Line of Section feet from E / W Line of Section
Lease: Bushman	
Well Number: 4-36	Sec. 36 Twp. 24 S. R. 25 ✓ East Wes
Field:	Is Section: 🗸 Regular or 🗌 Irregular
Number of Acres attributable to well:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED OCT 1 8 2006 KCC WICHITA

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: McGown Drilling, Inc.			License Number: 5786			
Operator Address: P.O. Box 299, Mound City, KS 66056						
Contact Person: Doug McGown			Phone Number: (913) 795 - 2258			
Lease Name & Well No.: Bushman #4-36			Pit Location (QQQQ):			
Type of Pit:	Pit is:		C <u>NWNW</u>			
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 24 R. 25 Fast West			
Settling Pit	If Existing, date constructed:					
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / ✓ West Line of Section			
(If WIP Supply API No. or Year Drilled)	50 (bbls)		Bourbon County			
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	Ńo .	Chloride concentration:mg/l			
			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	Ma	How is the pit lined if a plastic liner is not used?			
✓ Yes	Yes 🗸 I		Fresh Water Mud			
Pit dimensions (all but working pits):	20 Length (fe	et)5	Width (feet) N/A: Steel Pits			
Depth fi	rom ground level to de	epest point: 5	(feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e.		edures for periodic maintenance and determining including any special monitoring.			
Distance to nearest water well within one-mile of pit Depth to Source			west fresh waterfeet.			
N Ar feet Depth of water well	feet	meası	iredwell ownerelectric logKDWR			
Emergency, Settling and Burn Pits ONLY	:		over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud			
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water Mud				
Number of producing wells on lease:			king pits to be utilized: —			
Barrels of fluid produced daily:		Abandonment	procedure: Air Out & Backfill			
Does the slope from the tank battery allow al flow into the pit? Yes No	l spilled fluids to	Drill pits must	be closed within 365 days of spud date. t of my knowledge and belief.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
10-13-06 Date		Ng/A	Signature of Applicant or Agent			
KCC OFFICE USE ONLY						
Date Received: 10/15/06 Permit Number: Permit Date: 10/18/06 Lease Inspection: Yes No						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

OCT + \$ 2000