For KCC Use: Effective Date: 10-24-06 District # 2 SGA? | X Yes | No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date October 23 2006 month day year SE NE NW Sec 22 Twp 25S S. R. 05E Wes SE NE NW Sec 22 Twp 25S S. R. 05E Wes SE NE NW Sec 22 Twp 25S S. R. 05E Wes SE NE NW Sec 22 Twp 25S S. R. 05E Wes SE NE NW Sec 22 Twp 25S S. R. 05E Wes SE NE NW Sec 22 Twp 25S S. R. 05E Wes SEC NE NW Sec 22 Twp 25S S. R. 05E Wes SEC NE NW Sec 22 Twp 25S S. R. 05E Wes SEC NE NW Sec 22 Twp 25S S. R. 05E Wes SEC NE NW Sec 22 Twp 25S S. R. 05E Wes SEC NE NW Sec 22 Twp 25S S. R. 05E Wes SEC NE NW Sec 22 Twp 25S S. R. 05E Wes SEC NE NW Sec 22 Twp 25S S. R. 05E Wes SEC NE NW Sec 22 Twp 25S S. R. 05E Wes NE NE NW Sec 22 Twp 25S S. R. 05E Wes NE NE NW Sec 22 Twp 25S S. R. 05E Wes NE NE NW Sec 22 Twp 25S S. R. 05E Wes NE NW Sec 22 Twp 25S S. R. 05E Wes NE NE NW Sec 22 Twp 25S S. R. 05E Wes NE NW Sec 22 Twp 25S S. R. 05E Wes NE NE NW Sec 22 Twp 25S S. R. 05E Wes NE NE NW Sec 22 Twp 25S S. R. 05E Wes NE NE NW Sec 22 Twp 25S S. R. 05E Wes NE NW Sec 24 NW Sec	: - -
OPERATOR: License# 5030 /	
Segrator	
Name: Vess Oil Corporation Address: 8100 E. 22nd St North, Bldg. 300 City/State/Zip: Wichita, KS 67226 Contact Person: Casey Coats Phone: 316-682-1537 X104 CONTRACTOR: License# 32701 Name: C & G Drilling Company Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Water well within one-quarter mile: Yes Vision Seismic: # of Holes Other Other Other If OWWO: old well information as follows: Operator: Vicinity State/Zip: Wichita, KS 67226 (Note: Locate well on the Section Plat on reverse side)	
City/State/Zip: Wichita, KS 67226 Contact Person: Casey Coats Phone: 316-682-1537 X104 CONTRACTOR: License# 32701 Name: C & G Drilling Company Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary CMWO Disposal Wildcat Cable Seismic: # of Holes Other Other If OWWO: old well information as follows: Operator: County: Butler Lease Name: Knox A Well #: 54 / Field Name: El Dorado Stringe Field Name: Is this a Prorated / Spaced Field? Target Information(s): Viola, Simpson, Arbuckle Nearest Lease or unit boundary: 330' / Field Name: Ground Surface Elevation: Est. 1316' - feet MS: Water well within one-quarter mile: Yes V.N. Water well within one mile: Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: V 1 2 Length of Surface Pipe Planned to be set: 250' Length of Conductor Pipe required: none Length of Conductor Pipe required: none	
Contact Person: Casey Coats Phone: 316-682-1537 X104 CONTRACTOR: License# 32701 CONTRACTOR: License# 32701 Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary OWNO Disposal Wildcat Cable Seismic; # of Holes Other Other Other Other Other Operator: County: Butler Lease Name: Knox A Field Name: El Dorado Is this a Prorated / Spaced Field? Target Information(s): Viola, Simpson, Arbuckle Nearest Lease or unit boundary: 330' / Ground Surface Elevation: Est. 1316' - feet MS' Water well within one-quarter mile: Yes VN Water well within one-quarter mile: Yes VN Depth to bottom of tresh water: 160' / Depth to bottom of usable water: 180' / Surface Pipe by Alternate: V 1 2 Length of Conductor Pipe required: none / Length of Conductor Pipe requi	
Phone: 316-682-1537 X104 Lease Name: Knox A Well #: 54 Field Name: El Dorado Stins a Prorated / Spaced Field? Target Information(s): Viola, Simpson, Arbuckle Nearest Lease or unit boundary: 330' Name: Gas Storage Pool Ext. Air Rotary OWNO Disposal Wildcat Cable Seismic; # of Holes Other	
Field Name: El Dorado Statis a Prorated Spaced Field? S	
State of Second Surface Field? Second Surface Fiel) -
Name: C & G Drilling Company Well Drilled For: Well Class: Type Equipment: Out	-
Well Drilled For: Well Class: Type Equipment: ✓ Oif Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary CWWO Disposal Wildcat Cable Other Depth to bottom of usable water: Surface Pipe by Alternate: ✓ 1 1 2 Length of Surface Pipe Planned to be set: Length of Conductor Pipe required: Nearest Lease or unit boundary: 330' ✓ Ground Surface Elevation: Est. 1316' ✓ Water well within one-quarter mile: Yes ✓ No. Depth to bottom of usable water: Surface Pipe by Alternate: ✓ 1 2 Length of Surface Pipe Planned to be set: Length of Conductor Pipe required: Nearest Lease or unit boundary: 330' ✓ Ground Surface Elevation: Est. 1316' ✓ Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of usable water: Surface Pipe by Alternate: ✓ 1 2 Length of Conductor Pipe required: Nearest Lease or unit boundary: 330' ✓ Surface Elevation: Est. 1316' ✓ Water well within one quarter mile: Public water supply well within one mile: Depth to bottom of usable water: Surface Pipe by Alternate: ✓ 1 2 Length of Conductor Pipe required: Nearest Lease or unit boundary: 330' ✓ Set Usable Surface Elevation: Est. 1316' ✓ Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of usable water: Surface Pipe by Alternate: ✓ 1 2 Length of Conductor Pipe required: Nearest Lease or unit boundary: 330' ✓ Set Usable Surface Elevation: Est. 1316' ✓ Set Usable Surface Elevation: Est. 1316' ✓ Set Usable Surface Elevation: Est. 1316' ✓ Notes Information: Est. 1316' ✓ Set Usable Surface Elevation: Est. 1316' ✓ Surface Pipe by Alternate: ✓ 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Ground Surface Elevation: Est. 1316'	_
Gas Storage Pool Ext. Air Rotary CWWO Disposal Wildcat Cable Seismic; # of Holes Other Other Surface Pipe by Alternate: 1 1 2 Length of Surface Pipe Planned to be set: 250' Length of Conductor Pipe required: none One and the surface Pipe Planned to be set: 2450' Length of Conductor Pipe required: none One and the surface Pipe Planned to be set: 250' Length of Conductor Pipe required: none	-
CWWO Disposal Wildcat Cable Seismic; # of Holes Other Other Other Surface Pipe by Alternate: 1 1 2 Length of Surface Pipe Planned to be set: 250' Length of Conductor Pipe required: none Operator: Depth to bottom of fresh water: 160' Surface Pipe by Alternate: 1 2 Length of Conductor Pipe required: none Operator: 2450'	-
Seismic; # of Holes Other Depth to bottom of tresh water: 180' Other Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 250' Length of Conductor Pipe required: none	, `
Other	-
Surface Pipe by Alternate: V 1 2 If OWWO: old well information as follows: Operator: Description: Length of Conductor Pipe required: None Projected Table Power 2450'	_
Operator:Length of Conductor Pipe required: none	
Operator:Length of Conductor Pipe required: none	-
District of Fact Density 2450'	-
	_
Original Completion Date: Original Total Depth: Formation at Total Depth; Arbuckle /	-
Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes V Nev Well Farm Pond Other trucked	-
If Yes, true vertical depth: DWR Permit #:	-
Bottom Hole Location: (Note: Apply for Permit with DWR)	
KCC DKT #: Will Cores be taken? Yes ✓ No.)
If Yes, proposed zone:RECEIVE	`
AFFIDAVIT	,
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2 2006	
It is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	ΤΔ
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 	17-
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. 	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.	J
I hereby certify that the statements made herein are true and to the best of my knowledge and belief.	
Date: 9/8/06 Signature of Operator or Agent: Title: Operations Engineer	-
Remember to:	
For KCC Use ONLY - File Drill Pit Application (form CDP-1) with Intent to Drill;	
API # 15 - 05 - 23 70 7 - 00 - 50 - File Completion Form ACO-1 within 120 days of spud date;	V
File acreage attribution plat according to field proration orders;	7
	. 1
Approved by: Voltage Description Descrip	7
This authorization expires: 4-19-67 (This authorization void if drilling not started within 6 months of effective date.) - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	/1
Well Not Drilled - Permit Expired	
Spud date: Agent: Signature of Operator or Agent: Date:	Λ

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 015 - 73707-00-00	Location of Well: County: Butler
Operator: Vess Oil Corporation	990' feet from N / S Line of Section
Lease: Knox A	2310' feet from E / V Line of Section
Well Number: 54	Sec. 22 Twp. 25S S. R. 05E
Field: El Dorado	
Number of Acres attributable to well: OTR / OTR / OTR of acresses: SE NE NW	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SE NE _ NW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

r				
		· T		
	•			
	_	440	_	
	•	970	•	-
		.		
	1	. 🖢		
4		—> □		
_	. 200	• •	•	•
	•	•	-	
	. ,			
	•	•	•	•
	•		•	•
ļ	•	•	•	•
	•		•	•
		22		
				•
1	,			
•				_
!	•		,	='
1				
1				
i	•			
(-		•
!				
!				_
	•		•	
į.				•
	•			
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
				· · · · ·

RECEIVED
SEP 1 2 2006
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

<u></u>			
Operator Name: VESS OIL CORPORATION		License Number: 5030	
Operator Address: 8100 E. 22nd	Street Nort	h, Bldg. 3	300, Wichita, KS 67226
Contact Person: Casey Coats			Phone Number: (316) 682 - 1537 X103
Lease Name & Well No.: Knox A #54		,	Pit Location (QQQQ):
Type of Pit:	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: 2000 (bbls)		<u>SE NE NW</u>
Emergency Pit Burn Pit			Sec22Twp25SR05E
Settling Pit			990' Feet from 🗸 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit			2310' Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)			Butler County
s the pit located in a Sensitive Ground Water	r Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
is the bottom below ground level? V Yes No	Artificial Liner?	٧o	How is the pit lined if a plastic liner is not used? rock, clay soil, bentonite mud
Pit dimensions (all but working pits):	00 Length (fe	et) 100	Width (feet) N/A: Steel Pits
	from ground level to de	epest point: 3	(feet)
material, thickness and installation procedur			RECEIVE SEP 1 2 200 KCC WICH
Source of 1395 feet Depth of water well Great Feet Drilling, Producing Formation: Type of months of producing wells on lease: Abandon Soil back S		Source of info	owest fresh water 100 312 reet. frmation: 人れべる
			uredwell ownerelectric logKDWR
		Drilling, Work	cover and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh water and mud
		Number of wo	rking pits to be utilized: 2
		Abandonment	procedure: let dry, push rock and clay in, put top
		soil back or	n top. Compact be closed within 365 days of spud date.
I hereby certify that the above sta	ntements are true and	correct to the be	st of my knowledge and belief.
9/8/06	. <u></u>	bas	Signature of Applicant or Agent
Date			Signature of Applicant or Agent
	ксс	OFFICE USE (DNLY RF724RS
Date Received: 9/12/06 Permit Nu	ımber:	Peri	nit Date: 10 19 04 Lease Inspection: X Yes No



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

October 19, 2006

Mr. Casey Coats Vess Oil Corporation 8100 E. 22nd St North Bldg. 300 Wichita, KS 67226

RE: Drilling Pit Application

Knox A Lease Well No. 54 NW/4 Sec. 22-25S-05E Butler County, Kansas

Dear Mr. Coats:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of drilling completion.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File