For KCC Use: Effective Date: District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	Spot East
xpected Spud Date 11/1/06 month day year	F - NE - NW - NW Sec. 8 Twp. 24 S. R. 19 West
PERATOR: License# 33788	495 feet from N / S Line of Section
me- Matt Kerr	1155 feet from E / W Line of Section
Idress. 1830 Oregon Rd.	is SECTIONRegularIrregular?
y/State/Zip: lola/KS/66749	(Note: Locate well on the Section Plat on reverse side)
ntact Person. Matt Kerr	County: Allen
one: 620-365-0550	Lease Name: Kerr Well #: 3
ν	Field Name: Kerr Tola
NTRACTOR: License# Will use licensed contractor and advise on ACD-1	Is this a Prorated / Spaced Field?
me:	Target Formation(s): Tucker
MARCHAN Change To Foundation	Nearest Lease or unit boundary: 600
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 998 feet MSL
Oil C Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 100
Other	Surface Pipe by Atternate: 1 2
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20 ft.
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1000 ft.
Original Completion Date: Original Total Depth:	Formation at Total Depth: Tucker
	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	Well Farm Pond Other Hauling
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
DC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AF	FIDAVIT KANSAS CORPORATION COMMIS plugging of this well will comply with K.S.A. 55 et. seq.
	OCT 2 n 20nc
is agreed that the following minimum requirements will be met:	UC1 2 0 2006
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> strongh all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ach drilling rig; ach drilling rig; conservation in the set by circulating cement to the top; in all cases surface wips in the set by circulating formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ach drilling rig; ach drilling rig; conservation in the set by circulating cement to the top; in all cases surface wips in the set by circulating formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall need to the best	ach drilling rig; set by circulating cement to the top; in all cases surface wire and the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best	ach drilling rig; ach drilling rig; ach drilling rig; act by circulating cement to the top; in all cases surface wire files on the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; are #133,891-C, which applies to the KCC District 3 area, alternate If cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemes Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best sate: 10 -17-06 Signature of Operator or Agent: **Minimum Prior Prio	ach drilling rig; set by circulating cement to the top; in all cases surface with the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate if cementing. I be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best materials. Signature of Operator or Agent: **Materials** Signature of Operator or Agent: **Materials** **Accorded to the set of the spud date of the best materials* **Accorded to the set of the spud date or the well shall the statements made herein are true and to the best materials. **Accorded to the set of the spud date or the well shall the statements and the set of the spud date or the well shall the statements are true and to the best materials. **Accorded to the spud date or the well shall the statements are spud date or the set of the spud date or the well shall the statements are spud date or the set of the spud date or the well shall the statements are spud date or the set of the spud date or the well shall the statements are spud date or the set of the spud date or the spud date or the spud d	ach drilling rig; set by circulating cement to the top; in all cases surface wire file side. the underlying formation. district office on plug length and placement is necessary prior to pluggling; igged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate If cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: 10 -17-0\(\phi\) Signature of Operator or Agent: For KCC Use ONLY API # 15 - 29529-0000	CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to pluggling; underlying formation as commented in; need from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate If cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: 10 - 17 - 00 Signature of Operator or Agent: For KCC Use ONLY API # 15 - ONL 29529-OOO Conductor pipe required None feet	CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; the difference of the water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title:
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be stronghall unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated by the completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best eate: 10-17-09 Signature of Operator or Agent: For KCC Use ONLY API # 15- 29529-000 Conductor pipe required None feet per Alt. 12 Minimum surface pipe required feet per Alt. 12	CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. I be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be strongh all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best mate: 10-17-09 Signature of Operator or Agent: 15-17-09 Signature of Operator or Agent: 15-	CONSERVATION DIVISION ach drilling rig; set by circulating cement to the top; in all cases surface with the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate if cementing. It be plugged. In all cases, NOTIFY district office prior to any cementing. Title:
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be strongh all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best mater. For KCC Use ONLY API # 15 - 29529-000 Conductor pipe required None feet per Alt. X 2 Minimum surface pipe required feet per Alt. X 2 Approved by: Puff 10-20-00	CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; mitted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> strough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best material to the complete statements. For KCC Use ONLY API # 15 - 29529-2000 Conductor pipe required None feet Minimum surface pipe required feet per Alt.	CONSERVATION DIVISION set by circulating cement to the top; in all cases surface wipe and the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: Owner operator Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best state: 10 - 17 - 0% Signature of Operator or Agent: For KCC Use ONLY API # 15 - ODI - 29529-000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 12 Approved by: 10 - 20-00 This authorization expires: 4-20-07	CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; mitted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-29529-0000	Location of Well: County: Allen	
Operator: Matt Kerr	495 feet from N / S Line of Section	
Lease: Kerr	1155 feet from E / W Line of Section	
Well Number: 3	Sec. <u>8</u> Twp. <u>24</u> S. R. <u>19</u>	
Field: Kerr		
Number of Acres attributable to well:	Is Section: Regular or Irregular	
QTR / QTR / QTR of acreage: NE - NW - NW	tf Section is irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1	<u> </u> > '	495 : 	KANSAS CORPORATION COMMISSION OCT 2 0 2006 CONSERVATION DIVISION WICHITA, KS
			EXAMPLE :
	· · · · · ·		1980
	, , , , ,		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Address: 1830 Oregon Rd. Iola KS 66749 Contact Person: Matt Kerr Phone Number: (620) 365 - 0550 Lease Name & Well No.: Kerr / Well #3					
Contact Person: Matt Kerr Phone Number: (620) 365 - 0550					
Type of Pit: Pit is: NE NE NW NW					
Emergency Pit Burn Pit Proposed Existing Sec. 8 Twp. 24 R. 19 East West					
Settling Pit Drilling Pit If Existing, date constructed: 495 Feet from V North / South Line of Se	tion				
Workover Pit Haul-Off Pit 1155 Feet from East / ₩ West Line of Se	ction				
(If WP Supply API No. or Year Drilled) (bbls) Allen	unty				
Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration:	ıg/l				
(For Emergency Pits and Settling Pits only)					
Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Yes No	ł				
Pit dimensions (all but working pits): 10 Length (feet) 5 Width (feet) N/A: Steel Pits					
Depth from ground level to deepest point: 4 (feet)					
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance in the liner integrity, including any special more material. Describe procedures for periodic maintenance in the liner integrity, including any special more material.					
OCT 2 0 2006					
CONSERVATION DIVISION WICHITA, KS					
Distance to nearest water well within one-mile of pit Depth to shallowest fresh water 100 feet.					
Source of information: None measured well owner electric log KDW					
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation: Type of material utilized in drilling/workover:					
Number of producing wells on lease: Number of working pits to be utilized:					
Barrels of fluid produced daily: Abandonment procedure:					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
10-17-06 Mut K					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 10/20/06 Permit Number: Permit Date: 10/20/06 Lease Inspection: Yes X	10				