For KCC Use:	la 2000
Effective Date:	10-25-06
District #	/
SCA2 IV	□ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed

NOTICE OF INTENT TO DRILL

Expected Spud Date	10	30	2006	Spot /10 / W	East
,	month	day	year	NW - NE SE Sec. 17 Twp	
DEDATOR 1	%\$6% X	33813	/	·	N / ✓ S Line of Section
PERATOR: License# lame: Jason Oil Com		00010	<u> </u>		E / W Line of Section
P.O. Roy 701				Is SECTION Regular Irregula	
ity/State/Zip: Russell,	Kansas 67665				
	hoenberger			(Note: Locate well on the Section County: Russell	Plat on reverse side)
hone: 785-483-4204				Lease Name: Steckel	Well #:1
10110.				Field Name: Claussen	VVBII #
ONTRACTOR: License#				Is this a Prorated / Spaced Field?	Yes ✓ No
ame: Vonfeldt Drill	ing, inc.			Target Formation(s): LKC/Arbuckle	
Well Drilled For:	Well Class:	Tunn	Equipment:	Nearest Lease or unit boundary: 1100'	
		_	Equipment:	Ground Surface Elevation: 1615' EST	feet MSL
V Oil ✓ ☐ Enh R	بضع	 	Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storag	· ===	==	ir Rotary Cable	Public water supply well within one mile:	☐ Yes ✓ No
Seismic: # of	H		aut	Depth to bottom of fresh water: 180'	
Other# of	Holes Other			Depth to bottom of usable water: 390 320	· · · · · · · · · · · · · · · · · · ·
				Surface Pipe by Alternate: 🚺 1 🔲 2	
OWWO: old well information	ation as follows:			Length of Surface Pipe Planned to be set:	500'
Operator:				Length of Conductor Pipe required:0	
Well Name:				Projected Total Depth: 3300	
Original Completion Da	ate:	Original Total	Depth:	Formation at Total Depth: Arbuckle	
Directional, Deviated or Ho	vizontal wollboro		Yes ✓ No	Water Source for Drilling Operations:	
				Well ✓ Farm Pond Other	
Yes, true vertical depth:_				DWR Permit #:	
lottom Hole Location:				(Note: Apply for Permit wit	<u> </u>
CC DKT #:				Will Cores be taken?	Yes ✓ No
				If Yes, proposed zone:	
			•	ugging of this well will comply with K.S.A. 55 e	t. seq.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dest or pursuant to Completed	ing minimum requite district office poved notice of interest of surface pipelidated materials le, an agreement trict office will be a COMPLETION, endix "B" - Easte within 30 days of	uirements wi prior to spud ent to drill sh e as specifie plus a minim between the notified befor production production production sh the spud da	If be met: Iding of well; all be posted on each d below shall be se num of 20 feet into the e operator and the de are well is either plug plipe shall be cement urface casing order ate or the well shall	ch drilling rig; It by circulating cement to the top; in all cases ne underlying formation. istrict office on plug length and placement is n ged or production casing is cemented in; ed from below any usable water to surface with #133,891-C, which applies to the KCC District the plugged. In all cases, NOTIFY district office	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date, t 3 area, alternate II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appmust be completed hereby certify that the st	ing minimum requite district office poved notice of interest of surface pipelidated materials le, an agreement trict office will be a COMPLETION, endix "B" - Easte within 30 days of	uirements wi prior to spud ent to drill sh e as specifie plus a minim between the notified before production production production from Kansas so f the spud dangerein are true	If be met: Idding of well; Idding of well; Idding of well; Idding be posted on ear Id be posted on ear Id be operator and the de Id pre well is either plug Id pre well is earl in the well shall in Id and to the best of	ch drilling rig; If by circulating cement to the top; in all cases ne underlying formation. istrict office on plug length and placement is niged or production casing is cemented in; ed from below any usable water to surface with #133,891-C, which applies to the KCC District of plugged. In all cases, NOTIFY district off from knowledge and belief.	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date, if 3 area, alternate II cementing lice prior to any cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate disi 6. If an ALTERNATE II Or pursuant to Appmust be completed hereby certify that the st	ing minimum requite district office parted into the district of interest of surface pipelidated materials le, an agreement trict office will be a COMPLETION, endix "B" - Easte within 30 days of atements made h	uirements wi prior to spud ent to drill sh e as specifie plus a minim between the notified before production production production from Kansas so f the spud dangerein are true	If be met: Idding of well; Idding of well; Idding of well; Idding be posted on ear Id be posted on ear Id be operator and the de Id pre well is either plug Id pre well is earl in the well shall in Id and to the best of	ch drilling rig; It by circulating cement to the top; in all cases ne underlying formation. In istrict office on plug length and placement is negled or production casing is cemented in; It ed from below any usable water to surface with #133,891-C, which applies to the KCC District or plugged. In all cases, NOTIFY district offit my knowledge and belief.	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date, if 3 area, alternate II cementing lice prior to any cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate disi 6. If an ALTERNATE II Or pursuant to Appmust be completed hereby certify that the st late: 10/11/2006	ing minimum requite district office parted into the district of interest of surface pipelidated materials le, an agreement trict office will be a COMPLETION, endix "B" - Easte within 30 days of atements made h	uirements wi prior to spud ent to drill sh e as specifie plus a minim between the notified before production production production from Kansas so f the spud dangerein are true	If be met: Idding of well; Idding of well; Idding of well; Idding be posted on ear Id be low shall be se Inum of 20 feet into the Ide operator and the de Ide of the well shall in Ide and to the best of	ch drilling rig; It by circulating cement to the top; in all cases the underlying formation. In istrict office on plug length and placement is riged or production casing is cemented in; and from below any usable water to surface with #133,891-C, which applies to the KCC District to plugged. In all cases, NOTIFY district off if my knowledge and belief. Title: A Remember to:	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date, a 3 area, alternate II cementing lice prior to any cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to a completed hereby certify that the st late: 10/11/2006	ing minimum requite district office poved notice of interest of surface pipelidated materials le, an agreement intrict office will be a COMPLETION, endix "B" - Easte within 30 days of atements made has signature of the signature of the computer of the signature of the computer interest of the co	uirements wi prior to spud ent to drill sh e as specifie plus a minim between the notified befo production p rn Kansas s f the spud da herein are tru	If be met: Idding of well; Idding of well; Idding of well; Idding be posted on ear Id be low shall be se Inum of 20 feet into the Ide operator and the de Ide of the well shall in Ide and to the best of	ch drilling rig; It by circulating cement to the top; in all cases to by circulating cement to the top; in all cases the underlying formation. In istrict office on plug length and placement is not gived or production casing is cemented in; and from below any usable water to surface with #133,891-C, which applies to the KCC District to plugged. In all cases, NOTIFY district office my knowledge and belief. Title: A Remember to: File Drill Pit Application (form CDP-1) with In	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date. It a area, alternate II cementing lice prior to any cementing. gent
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to App must be completed hereby certify that the st ate: 10/11/2006 For KCC Use ONLY API # 15 - // 6 7 -	ing minimum requite district office poved notice of interior of surface pipe lidated materials in a greement trict office will be a COMPLETION, endix "B" - Easte within 30 days of atements made in Signature of the completion of	uirements wi prior to spud ent to drill sh e as specifie plus a minim between the notified befor production p ern Kansas s f the spud da merein are true Operator or a	If be met: Idding of well; Idding of well; Idding of well; Idding be posted on each of be been seen of 20 feet into it be operator and the desire well is either plug olipe shall be cement ourface casing order ate or the well shall be and to the best of Agent:	ch drilling rig; It by circulating cement to the top; in all cases the underlying formation. In istrict office on plug length and placement is riged or production casing is cemented in; and from below any usable water to surface with #133,891-C, which applies to the KCC District to plugged. In all cases, NOTIFY district off if my knowledge and belief. Title: A Remember to:	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date. It a area, alternate II cementing lice prior to any cementing. Intent to Drill; hys of spud date;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE If Or pursuant to Appropriate of the completed of the complete of the c	ing minimum requite district office poved notice of interest of surface pipelidated materials le, an agreement trict office will be COMPLETION, endix "B" - Easte within 30 days of atements made in Signature of the Signature of the COMPLETION of the Signature of the COMPLETION of th	uirements wi prior to spud ent to drill sh e as specifie plus a minim between the notified before production production production production production production production production production are true.	If be met: Idding of well; Idding of well; Idding of well; Idding be posted on ear Id be low shall be se Inum of 20 feet into the Ide operator and the de Ide of the well shall in Ide and to the best of	ch drilling rig; It by circulating cement to the top; in all cases in a underlying formation. In istrict office on plug length and placement is in its ged or production casing is cemented in; and from below any usable water to surface with #133,891-C, which applies to the KCC District or plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office my knowledge and belief. **Title: A Remember to: - File Drill Pit Application (form CDP-1) with In-File Completion Form ACO-1 within 120 da	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date. i 3 area, alternate II cementing fice prior to any cementing. gent intent to Drill; tys of spud date; eld proration orders; fior to workover or re-entry;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appmust be completed thereby certify that the st ate: 10/11/2006 For KCC Use ONLY API # 15 - /6 7 - Conductor pipe required. Minimum surface pipe re	ing minimum requite district office poved notice of interior of surface pipelidated materials le, an agreement trict office will be to COMPLETION, endix "B" - Easte within 30 days of atements made in Signature of the Signature of the COMPLETION, and "B" - Easte within 30 days of atements made in Signature of the COMPLETION, and "B" - Easte within 30 days of atements made in Signature of the COMPLETION, and "B" - CO	uirements wi prior to spud ent to drill sh e as specifie plus a minim between the notified befor production production production production production production production production production are true.	If be met: Idding of well; Idding of well; Idding of well; Idding be posted on each of be been seen of 20 feet into it be operator and the desire well is either plug olipe shall be cement ourface casing order ate or the well shall be and to the best of Agent:	ch drilling rig; It by circulating cement to the top; in all cases in the underlying formation. In istrict office on plug length and placement is in inged or production casing is cemented in; and from below any usable water to surface with #133,891-C, which applies to the KCC District or plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office my knowledge and belief. Title: A Remember to: File Drill Pit Application (form CDP-1) with Infinite Completion Form ACO-1 within 120 da File acreage attribution plat according to file	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date, t 3 area, alternate II cementing fice prior to any cementing. gent ntent to Drill; tys of spud date; eld proration orders; rior to workover or re-entry; tig is completed;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Approve the completed hereby certify that the state: 10/11/2006 For KCC Use ONLY API # 15 - / G 7 - Conductor pipe required. Minimum surface pipe re Approved by: 24/1/0-	ing minimum requite district office poved notice of integrate of surface pipelidated materials le, an agreement trict office will be COMPLETION, endix "B" - Easte within 30 days of atements made in Signature of the Signature of the COMPLETION of the Signature of the COMPLETION of t	uirements wi prior to spud ent to drill sh e as specifie plus a minim between the notified befo production p rn Kansas s f the spud da nerein are tru Operator or fe	If be met: Iding of well; Iding of well; Iding be posted on ead d below shall be set our of 20 feet into the e operator and the de ore well is either plug olipe shall be cement urface casing order ate or the well shall le ue and to the best of Agent:	ch drilling rig; It by circulating cement to the top; in all cases in the underlying formation. In istrict office on plug length and placement is in iged or production casing is cemented in; ed from below any usable water to surface with #133,891-C, which applies to the KCC District or plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office my knowledge and belief. Title: A Remember to: File Drill Pit Application (form CDP-1) with Infinite Completion Form ACO-1 within 120 da File acreage attribution plat according to file. Notify appropriate district office 48 hours proposed in Submit plugging report (CP-4) after plugging. Obtain written approval before disposing of	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date, it 3 area, alternate II cementing fice prior to any cementing. gent Intent to Drill; hys of spud date; eld proration orders; rior to workover or re-entry; ng is completed; r injecting salt water.
1. Notify the appropria 2. A copy of the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to appropriate to appropriate the completed hereby certify that the st Date: 10/11/2006 For KCC Use ONLY API # 15 - / 6 7 - API # 15 - API #	ing minimum requite district office powed notice of integrate of surface pipelidated materials le, an agreement trict office will be COMPLETION, endix "B" - Easte within 30 days of atements made in Signature of the Signature of	uirements with prior to spud per to drill she as specifie plus a minim between the notified before production purn Kansas softhe spud date are true. Operator or a fee fee fee fee	If be met: Iding of well; all be posted on ead of below shall be senum of 20 feet into the operator and the dore well is either plugipe shall be cement urface casing order atte or the well shall like and to the best of Agent:	ch drilling rig; It by circulating cement to the top; in all cases in the underlying formation. In istrict office on plug length and placement is in iged or production casing is cemented in; ed from below any usable water to surface with #133,891-C, which applies to the KCC District or plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office my knowledge and belief. Title: A Remember to: File Drill Pit Application (form CDP-1) with Infinite Completion Form ACO-1 within 120 da File acreage attribution plat according to file Notify appropriate district office 48 hours pro- Submit plugging report (CP-4) after plugging	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date. t 3 area, alternate II cementing fice prior to any cementing. gent ntent to Drill; tys of spud date; eld proration orders; rior to workover or re-entry; ng is completed; r injecting salt water. expiration date) pleasect 19
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Approved by: Path 10- Conductor pipe required. Minimum surface pipe re Approved by: Path 10-	ing minimum requite district office powed notice of integrate of surface pipelidated materials le, an agreement trict office will be COMPLETION, endix "B" - Easte within 30 days of atements made in Signature of the Signature of	uirements with prior to spud per to drill she as specifie plus a minim between the notified before production purn Kansas softhe spud date are true. Operator or a fee fee fee fee	If be met: Iding of well; all be posted on ead of below shall be senum of 20 feet into the operator and the dore well is either plugipe shall be cement urface casing order atte or the well shall like and to the best of Agent:	ch drilling rig; It by circulating cement to the top; in all cases in the underlying formation. In istrict office on plug length and placement is in ged or production casing is cemented in; ed from below any usable water to surface with #133,891-C, which applies to the KCC District or plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office my knowledge and belief. Title: A Remember to: File Drill Pit Application (form CDP-1) with Infine English Englis	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date. t 3 area, alternate II cementing fice prior to any cementing. gent ntent to Drill; tys of spud date; eld proration orders; rior to workover or re-entry; ng is completed; r injecting salt water. expiration date) pleasect 19
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Approved be completed hereby certify that the st late: 10/11/2006 For KCC Use ONLY API # 15 - /67 - Conductor pipe required. Minimum surface pipe re Approved by: (24+/0- This authorization expires	ing minimum requite district office poved notice of interest of surface pipelidated materials le, an agreement trict office will be COMPLETION, endix "B" - Easte within 30 days of atements made in Signature of the Signature of	uirements with prior to spud per to drill she as specifie plus a minim between the notified before production purn Kansas softhe spud date are true. Operator or a fee fee fee fee	If be met: Iding of well; all be posted on ead of below shall be senum of 20 feet into the operator and the dore well is either plugipe shall be cement urface casing order atte or the well shall like and to the best of Agent:	ch drilling rig; It by circulating cement to the top; in all cases ne underlying formation. In istrict office on plug length and placement is neged or production casing is cemented in; It ged from below any usable water to surface with #133,891-C, which applies to the KCC District or plugged. In all cases, NOTIFY district office may knowledge and belief. Title: A Remember to: File Drill Pit Application (form CDP-1) with It File Completion Form ACO-1 within 120 da File acreage attribution plat according to file Notify appropriate district office 48 hours pr Submit plugging report (CP-4) after plugging Obtain written approval before disposing or If this permit has expired (See: authorized check the box below and return to the add	surface pipe shall be set necessary prior to plugging; hin 120 days of spud date. t 3 area, alternate II cementing fice prior to any cementing. gent ntent to Drill; tys of spud date; eld proration orders; fior to workover or re-entry; ty is completed; r injecting salt water. expiration date) please []

KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 167-23388-0000	Location of Well: County: Russell
Operator:Jason Oil Company	2310 feet from N / V S Line of Section
Lease: Steckel	1100feet from 🗸 E / 🗌 W Line of Section
Well Number: 1 Field: Claussen	Sec. 17 Twp. 12 S. R. 14 ☐ East ✓ West
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW - NE - SE - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1100 FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Jason Oil Company, LLC			License Number: 3622 33913	
Operator Address: P.O. Box 7	01, Russell,	Kansas	67665	
Contact Person: Jim Schoenberger		Phone Number: (785) 483 -4204		
Lease Name & Well No.: Steckel #1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		110'W NW NE SE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 17 Twp. 12 R. 14	East ✓ West
Settling Pit	If Existing, date o	onstructed:	Feet from North / 🗸 S	
Workover Pit Haul-Off Pit	Pit capacity:		1100 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	380	(bbls)	Russell	County
Is the pit located in a Sensitive Ground Water	Area? Ýes	No	Chloride concentration:	mg/l
Is the bottom below ground level? Yes No	Artificial Liner?	NI-	How is the pit lined if a plastic liner is not u	sed?
	Yes ✓		Native Mud	
Pit dimensions (all but working pits):8	O Length (fe	eet) 80	Width (feet) N	A: Steel Pits
Depth fr	om ground level to de	epest point:	6 (feet)	
				/8
		Depth to shallor Source of infor	west fresh water 180 feet.	15-16
N/A feet Depth of water well	feet		red well owner electric log	KDWR 7
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	<u>ν</u> ω
Producing Formation:		Type of materia	l utilized in drilling/workover: Fresh Mud	w
Number of producing wells on lease: Number of		Number of work	king pits to be utilized:3	
Barrels of fluid produced daily:		Abandonment (procedure: Allow to dry and backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pit		Drill pits must b	ill pits must be closed within 365 days of spud date.	
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.	RECEIVE
10/11/2006 Date		Sherry	Jayre gnature of Applicant or Agent	OCT 1 9 200
	*****			KCC MICH
	KCC (OFFICE USE ON	ILY	RFAC
Date Received: /၀/၂/၀၄ Permit Numb	oer:	Permi	Date: 10 3 06 Lease Inspection:	RECEIVED.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OCT 1 3 2006 KCC WICHITA