For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

xpected Spud Date October 28, 2006 month day year	Spot ✓ East W2SW NE NE Sec 3 Ten 33 S. R. 13 West
monus day you	
ERATOR: License# 33258	990feet from VN / S Line of Section
me: Fred Oden, III dba Sabine Operating Service, Inc.	Teet from ✓ E / W Line of Section
dress: 896 N. Mill Street, Suite 203	ts SECTION _ ✓ RegularIrregular?
dress:	(Note: Locate well on the Section Plat on reverse side)
ntact Person, Fred Oden	County: Chautauqua
one: (972) 219-8585	Lease Name: OwnbeyWell #: 3.06
	Field Name: Frasier North
NTRACTOR: License# 33734	ts this a Prorated / Spaced Field?
me: HAT Drilling	Target Formation(s): Weiser
	Nearest Lease or unit boundary: 990'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 872 feet MSL
✓ Oil Enh Rec ✓ Infield ✓ ✓ Mud Rotary ✓	
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	(m)
Seismic; # of Holes Other	700
Other	Dopar to bottom or dotation
	Surface Pipe by Alternate: 1 2
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 1,100°
Original Completion Date:Original Total Depth:	Formation at Total Depth: Weiser
	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	No Well ✓ Farm Pond Other
es, true vertical depth:	DWR Permit #:
ttom Hole Location:	(Note: Apply for Permit with DWR)
OC DET #-	
/U UN 1 #.	— Will Cores be taken? Yes V No.
UNI #	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
ne undersigned hereby affirms that the drilling, completion and ever	If Yes, proposed zone:
ne undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be of the operator and the completed within 30 days of the spud date or the well tereby certify that the statements made herein are true and to the	AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. OCT 2 3 on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe chall be set at into the underlying formation. If the district office on plug length and placement is necessary prior tolking the plugged or production casing is cemented in; If the district office on plug length and placement is necessary prior tolking the plugged or production casing is cemented in; If the district office on plugged water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate If cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing. Description
 In a appropriate district office will be notified before well is eith If an ALTERNATE II COMPLETION, production pipe shall be of or pursuant to Appendix "B" - Eastern Kansas surface casing 	AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. OCT 2 3 on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe thall be set into the underlying formation. If the district office on plug length and placement is necessary prior tolerance of the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted: 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either. 5. The appropriate district office will be notified before well is either. 6. If an ALTERNATE II COMPLETION, production pipe shall be computed within 30 days of the spud date or the well are expected within 30 days of the spud date or the well dereby certify that the statements made herein are true and to the sate: Cotober 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 26769 - 2000 Conductor pipe required 100 - 2000	AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. OCT 2 3 on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe half be set at into the underlying formation. If the district office on plug length and placement is necessary prior to be prior to be prior plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate If cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing.
e undersigned hereby affirms that the drilling, completion and ever agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be computed within 30 days of the spud date or the well ereby certify that the statements made herein are true and to the late: October 23, 2006 Signature of Operator or Agent: Approved by: Part 15 - 2079 - 2000 Conductor pipe required	AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. Oct 2 3 If be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. If the underlying formation destrict office on plug length and placement is necessary prior tolking in the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing. It is best of my knowledge and belief. Title: Agent Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted. 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eith. 6. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well are completed within 30 days of the spud date or the well are completed within 30 days of the spud date or the well are completed within 30 days of the spud date or the well are completed within 30 days of the spud date or the well are: 6. October 23, 2006 6. Signature of Operator or Agent: 8. Signature of Operator or Agent: 8. October 23, 2006 8. Signature of Operator or Agent: 8. October 23, 2006 9. October 23, 2006 10. October 23, 2006	AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. If be set by circulating cement to the top; in all cases surface pipe thall be set into the underlying formation. If the district office on plug length and placement is necessary prior tollinguals of er plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate if cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
e undersigned hereby affirms that the drilling, completion and ever sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted: 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator and the surface propriate district office will be notified before well is eith. 5. The appropriate district office will be notified before well is eith. 6. If an ALTERNATE II COMPLETION, production pipe shall be computed within 30 days of the spud date or the well ereby certify that the statements made herein are true and to the statements will be completed within 30 days of the spud date or the well ereby certify that the statements made herein are true and to the statements. 5. The appropriate district office will be notified before well is eith. 6. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well ereby certify that the statements made herein are true and to the statements. 6. Signature of Operator or Agent. 7. Optopic feet 8. Minimum surface pipe required feet per Alt. 8. Approved by: 244 10-23-06 This authorization expires: 4-23-07	AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; If be set by circulating cement to the top; in all cases surface pipe thall be set it into the underlying formation. If the district office on plug length and placement is necessary prior tolytection or plugged or production casing is cemented in; commented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate if cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
e undersigned hereby affirms that the drilling, completion and ever sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted: 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator and the surface propriate district office will be notified before well is eith. 5. The appropriate district office will be notified before well is eith. 6. If an ALTERNATE II COMPLETION, production pipe shall be computed within 30 days of the spud date or the well ereby certify that the statements made herein are true and to the statements will be completed within 30 days of the spud date or the well ereby certify that the statements made herein are true and to the statements. 5. The appropriate district office will be notified before well is eith. 6. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well ereby certify that the statements made herein are true and to the statements. 6. Signature of Operator or Agent. 7. Optopic feet 8. Minimum surface pipe required feet per Alt. 8. Approved by: 244 10-23-06 This authorization expires: 4-23-07	AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. In the set by circulating cement to the top; in all cases surface pipe chall be set into the underlying formation. In the district office on plug length and placement is necessary prior tolytografic to the district office on plug length and placement is necessary prior tolytografic to replugged or production casing is cemented in; semented from below any usable water to surface within 120 days of spud date. It is shall be plugged. In all cases, NOTIFY district office prior to any cementing. It is shall be plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 019-26769-0000	Location of Well: County: Chautauqua
Operator: Fred Oden, III dba Sabine Operating Service, Inc.	990 feet from N / S Line of Section
Lease: Ownbey	1060 feet from 🗸 E / W Line of Section
Well Number: 3.06	Sec. 3 Twp. 33 S. R. 13 VEast West
Field: Frasier North	_
Number of Acres attributable to well:	Is Section: ☑ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: W2SW - NE - NE	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1		•	•	-		•
		•			- 1	٠ .
ļ	•	•			•	•
1						[
1						
1		•		-		
		-			•	
	•					
						,
1						
1						
	•		. '			
	•				-	•
						•
	<u>.</u> ,	,	·		•	•
				-	•	
	•			-	•	
				-	•	
				-	•	
	•			-	•	
	•			-	•	
	•					· · · · · · · · · · · · · · · · · · ·
	•				•	· · · · · · · · · · · · · · · · · · ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			, <u>, , , , , , , , , , , , , , , , , , </u>			
Operator Name: Fred Oden, III dba	Sabine Operati	License Number: 33258				
Operator Address: 896 N. Mill Stre	et, Suite 203,	Lewisville	, Texas 75057			
Contact Person: Fred Oden			Phone Number: (972) 219 - 8585			
Lease Name & Well No.: Ownbey #3.06			Pit Location (QQQQ):			
pe of Pit: Pit is:			<u>W2 SW NE NE</u>			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 3 Twp. 33 R. 13 ✓ East West			
Settling Pit	If Existing, date constructed:		990 Feet from 🗸 North / South Line of Section			
Workover Pit Haul-Off Pit			Feet from ✓ East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: 250	(bbis)	Chautauqua County			
		No V	Chloride concentration:mg/l			
Is the pit located in a Sensitive Ground Water	i Miea≀ ☐ les 🔽] NO -	(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
✓ Yes No	Yes 🗸	No	native clay			
Pit dimensions (all but working pits):	30 Length (fe	et) 10	Width (feet) N/A: Steel Pits			
Depth	from ground level to de	eepest point: 5	(feet)			
Distance to nearest water well within one-mile of pit Depth to sh Source of i			CONSERVATION DIVISION feet. WICHTA KS			
feet Depth of water well feet		measuredwell owner electric log KDWR /				
Producing Formation: Type of mater Number of producing wells on lease: Number of wo			Drilling, Workover and Haul-Off Pits ONLY:			
			f material utilized in drilling/workover: drilling mud er of working pits to be utilized: 3			
						Barrels of fluid produced daily:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above sta	tements are true and o	correct to the bes	t of my knowledge and belief.			
October 23, 2006 Date	Q.	nna	Thanda Signature of Applicant or Agent			
	KCC	OFFICE USE O	NLY			
, ,						
Date Received: / L / 2 3/L6 Permit Nu	mber:	Регп	if Date: / 1/2 3/66 Lease Inspection: Yes 17 No			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

4