For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date October 28, 2006	Spot ✓ E	ast
month day year		lest
	330 feet from VN/S Line of Section	
OPERATOR: License# 33258 Name: Fred Oden, III dba Sabine Operating Service, Inc.	2150 feet from F E / W Line of Section	
896 N. Mill Street. Suite 203	Is SECTION ✓ RegularIrregular?	
Address:	(Note: Locate well on the Section Plat on reverse side)	
City/State/Zip:	County: Chautauqua	
Contact Person: Fred Oden Phone: (972) 219-8585	Lease Name: Ownbey Well #: 4.06	
hone:	Field Name: Frasier North	
CONTRACTOR: License# 33734	Is this a Prorated / Spaced Field?	No
Name: HAT Drilling	Target Formation(s): Weiser	J.10
	Nearest Lease or unit boundary: 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 876 feet M	JSL.
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓	-
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	=
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100±	J
Seismic;# of Holes Other	Depth to bottom of usable water: 205	
Other	Surface Pipe by Alternate: 1 2	
4 OLEDATO: and well information on follows:	Length of Surface Pipe Planned to be set: 40'	
f OWWO: old well information as follows:	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 1,100'	
Well Name:	Formation at Total Depth: Weiser	_
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	_
KCC DKT #:	Will Cores be taken? Yes ✓	ÎNo.
	If Yes, proposed zone:	1.10
ACC	IDANIT	
AFF The undersigned hereby affirms that the drilling, completion and eventual p	clugging of this well will comply with K.S.A. 55 et. seq.	
	CORPORE	IVE
It is agreed that the following minimum requirements will be met:	DO THAT	ONC
1. Notify the appropriate district office <i>prior</i> to spudding of well;	sch drilling rig:	. •
O it cannot the amount of the animal for all intent to drill whall he posted on ac	containing rig,	۸.
2. A copy of the approved notice of intent to drill shall be posted on each of the shall be	et by circulating cement to the top: in all cases surface Di Circulation be set *	200t
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 	et by circulating cement to the top; in all cases surface pipes pail be set the underlying formation.	?00£
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into a If the well is dry hole, an agreement between the operator and the 	et by circulating cement to the top; in all cases surface pipes be set the underlying formation. district office on plug length and placement is necessary prior tellings.	200£
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 6 If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 	gged or production odoling to comprised in,	2006 Gencor
If an ALTERNATE II COMPLETION, production pipe shall be cement	ted from below any usable water to surface within 120 days of spud date.	200£ 46i0i
If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen	2006 GS/C/ iting
 If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing.	2006 GS/C/ iting
If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing.	2006 GS/C/ iting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to Me best of the statements.	of the different below any usable water to surface within 120 days of spud date. ##133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.	2006 GS/C/ iting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to Me best of the spud date.	of the different below any usable water to surface within 120 days of spud date. ##133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent	2006 GS(C) nting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to me best of Date: October 23, 2006 Signature of Operator or Agent:	of the different below any usable water to surface within 120 days of spud date. ##133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Title: Agent Remember to:	2006 46401 nting
6. If an ALTERNATE II COMPLETION, production pipe shall be comen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY	ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	2006 design atting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019-26770-0000	ted from below any usable water to surface within 120 days of spud date. # 133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	4006 Asting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 26 770-0000 Conductor pipe required	ted from below any usable water to surface within 120 days of spud date. # #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	4000 4600 ating
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to Me best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 26 770-0000 Conductor pipe required None feet	ted from below any usable water to surface within 120 days of spud date. # #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	4000 4600 ating
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to Me best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 26 770-000 Conductor pipe required None feet Minimum surface pipe required feet per Ait. X 2	ted from below any usable water to surface within 120 days of spud date. # #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	2000 CEVO Inting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 26 770-000 Conductor pipe required None feet Minimum surface pipe required feet per Ait. X 2 Approved by: 10-23-06	ited from below any usable water to surface within 120 days of spud date. # 133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	2000 CEVO Inting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0/9 - 26 770-000 Conductor pipe required	sted from below any usable water to surface within 120 days of spud date. # #33,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	4006 Asting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 26 770-000 Conductor pipe required 1000 Mone feet per Ait. X 2 Approved by: 1000-23-06	sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2006 GS(C) nting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O19 - 26 770-000 Conductor pipe required	ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. ### Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	4006 Asting
6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0/9 - 26 770-000 Conductor pipe required	sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	4000 4600 ating

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 019-26770-UUU	Location of Well: County: Chautauqua
Operator: Fred Oden, III dba Sabine Operating Service, inc.	
Lease: Ownbey	330 feet from V N / S Line of Section 2150 feet from V E / W Line of Section
Well Number: 4.06	Sec. 3 Twp. 33 S. R. 13 VEast Wes
Field: Frasier North	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	- • •
<u> </u>	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Fred Oden, III dba Sabine Operating Service		License Number: 33258		
Operator Address: 896 N. Mill Stre	et, Suite 203,	Lewisville	, Texas 75057	
Contact Person: Fred Oden			Phone Number: (972) 219 - 8585	
Lease Name & Well No.: Ownbey #4.06		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 3 Twp. 33 R. 13	
Settling Pit	If Existing, date co	onstructed:	330 Feet from ✓ North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2150 Feet from 🗸 East / 🗌 West Line of Section	
(If WP Supply API No. or Year Drilled)	1	(bbls)	Chautauqua County	
Is the pit located in a Sensitive Ground Water	r Area? ☐ Yes ✓] No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	native clay	
Pit dimensions (all but working pits):	30 Length (fe	et)10	Width (feet) N/A: Steel Pits	
Depth t	rom ground level to de	epest point: 5	(feet)	
			OCT 2 3 2006	
S		•	Depth to shallowest fresh waterfeet. Source of information:	
		measuredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY		1	Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation:		Type of materi		
			al utilized in drilling/workover: drilling mud	
		Number of wo	rking pits to be utilized: 3	
Barrels of fluid produced daily:		Number of wo		
Does the slope from the tank battery allow a flow into the pit? Yes No		Number of wor	rking pits to be utilized: 3	
Does the slope from the tank battery allow a	II spilled fluids to	Number of work Abandonment Drill pits must	rking pits to be utilized: 3 procedure: air dry and backfill be closed within 365 days of spud date.	
Does the slope from the tank battery allow a flow into the pit? Yes No	II spilled fluids to	Number of work Abandonment Drill pits must correct to the bes	rking pits to be utilized: 3 procedure: air dry and backfill be closed within 365 days of spud date.	
Does the slope from the tank battery allow a flow into the pit? Yes No I hereby certify that the above state October 23, 2006	Il spilled fluids to	Number of work Abandonment Drill pits must correct to the bes OFFICE USE O	procedure: air dry and backfill be closed within 365 days of spud date. st of my knowledge and belief. Manda Signature of Applicant or Agent	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

4