For KCC Use: Effective Date: 10-28-06 District #_ SGA? Yes No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	Spot ✓ East
month day year	<u>W2NW - NE - NE Sec. 3 Twp. 33 S. R. 13</u> West
PERATOR: License# 33258	330feet from V N / S Line of Section
ame. Fred Oden, III dba Sabine Operating Service, Inc.	1060 feet from / E / W Line of Section
ddress: 896 N. Mill Street, Suite 203	Is SECTIONRegularIrregular?
ity/State/Zip: Lewisville, Texas 75057	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Fred Oden	County: Chautauqua
hone: (972) 219-8585	Lease Name: Ownbey Well #: 5.06
	Field Name: Frasier North
ONTRACTOR: License# 33734	Is this a Prorated / Spaced Field?
ame: HAT Drilling	Target Formation(s): Weiser
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 878feet MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ ✓ Mud Rotary —	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100±
Seismic;# of Holes Other	Depth to bottom of usable water: 205
Other	Surface Pine by Alternate: 1 7 2
	Length of Surface Pipe Planned to be set: 40'
OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 1,100'
Well Name:	Formation at Total Depth: Weiser
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	DAVIT KANSAS CORPODATO
he undersigned hereby affirms that the drilling, completion and eventual pl	
	DAS - VINIM
	ULI 2 2 20 "
is agreed that the following minimum requirements will be met:	2006
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A convert the appropriate district of intent to drill shall be posted as any	OCT 2 3 2006 ch drilling rig;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate district of intent to drill shall be posted as any	ch drilling rig; th by circulating cement to the top; in all cases surface pipe literal, and provide the control of the contr
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; It by circulating cement to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to t
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the driven in the d	ch drilling rig; It by circulating cement to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the top; in all cases surface pipe the light to the light
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug 	ch drilling rig; It by circulating cement to the top; in all cases surface pipe literal to the top; in all cases
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set	ch drilling rig; It by circulating cement to the top; in all cases surface pipe the light of the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and the surface within 120 days of spud date.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug to the surface district office will be notified before well is either plug to find an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; It by circulating cement to the top; in all cases surface pipe the interpretation. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface of the appropriate district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the second of the surface of the second of the se	ch drilling rig; It by circulating cement to the top; in all cases surface pipe literal in the underlying formation. Identification of the surface within the surface of the surface within the surface wi
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of the	ch drilling rig; It by circulating cement to the top; in all cases surface pipe literal in the underlying formation. Identification of the surface within the surface of the surface within the surface wi
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	ch drilling rig; It by circulating cement to the top; in all cases surface pipe literal to the top; in all cases surface pipe literal to the top; in all cases surface pipe literal to the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	ch drilling rig; It by circulating cement to the top; in all cases surface pipe literal to the top; in all cases surface pipe literal to the top; in all cases surface pipe literal to the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the fittent of the second of	ch drilling rig; It by circulating cement to the top; in all cases surface pipe the interpretation. It is included the inc
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	ch drilling rig; In the circulating cement to the top; in all cases surface pipe literal in the condensation. In the underlying formation. In the condensation is commented in; in the commented in;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	ch drilling rig; In the circulating cement to the top; in all cases surface pipe literal in the condensation. In the circulating cement to the top; in all cases surface pipe literal in the condensation of the condensation. In the circulating cement to the top; in all cases surface pipe literal in the condensation of the condensation of the condensation of the circulation of the condensation of the circulation of the condensation of the circulation of the circulat
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	ch drilling rig; In the circulating cement to the top; in all cases surface pipe literal in the condensity of the underlying formation. Institute office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the energy certify that the statements made herein are true and to the best of the set. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 019 - 26 771 - 0000 Conductor pipe required None feet	ch drilling rig; In the circulating cement to the top; in all cases surface pipe literal properties on eunderlying formation. Institute office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of the complete of the district office will be notified before well is either plug for the spud date or the well shall be completed. Signature of Operator or Agent: October 23, 2006	ch drilling rig; In the circulating cement to the top; in all cases surface pipe literal properties of the underlying formation. Instrict office on plug length and placement is necessary prior to pluggling; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of late: October 23, 2006	ch drilling rig; It by circulating cement to the top; in all cases surface pipe literal properties of the underlying formation. Institute office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of late: October 23, 2006	ch drilling rig; In the circulating cement to the top; in all cases surface pipe literal in the underlying formation. Institict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the second state: October 23, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O19 - 26 771 - 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. X (2)	ch drilling rig; It by circulating cement to the top; in all cases surface pipe literal and placement is necessary prior to plugging; Iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence	ch drilling rig; It by circulating cement to the top; in all cases surface pipe literal and placement is necessary prior to plugging; Iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each attrough all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drill shall be proportioned in the drill shall be search of the well is dry hole, an agreement between the operator and the drill shall be compared to the spud data of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the statements of Operator or Agent: Cotober 23, 2006	ch drilling rig; It by circulating cement to the top; in all cases surface pipe literal and placement is necessary prior to plugging; Iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 019-26771-0000	Location of Well: County: Chautauqua
Operator: Fred Oden, III dba Sabine Operating Service, Inc.	
Lease: Ownbey	330 feet from ✓ N / S Line of Section 1060 feet from ✓ E / W Line of Section
Well Number: 5.06	Sec. 3 Twp. 33 S. R. 13 VEsst Wes
Field: Frasier North Number of Acres attributable to well: QTR / QTR / QTR of acreage: W2NW - NE - NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

							
	•					1 -	
			.]				
İ						•	
i		•					
			١	-	-		
			٠ ا				
}	-	-	.			-	
]			.				
1			. !			-	
				• • • .		· · · · ·	
	-			_		•	
	-	•	· 1		•	•	
	•	•		•	•	•	
i	•	•	•	•	•	•	
	•		·		· · · · · · · · · · · · · · · · · · ·	· ·	
ļ	-				<u>-</u>	•	
					•	•	
	- -				- - - -	•	
	- -				•		
		· · · ·		· 			. ,
• • •		· · · ·		 			
• • •	· · ·	· · · ·		 			
• • •	· · ·	· · · ·		 			
				 	:		
		· · · ·		 	:		
				 	:		
				 	:		
				 	:		
				 	:		
				 	:		
				 	:		



NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Fred Oden, III dba			
Operator Name: Fred Oden, III dba Sabine Operating Service			License Number: 33258
Operator Address: 896 N. Mill Street, Suite 203, Lewisville			, Texas 75057
Contact Person: Fred Oden			Phone Number: (972) 219 - 8585
Lease Name & Well No.: Ownbey #5.06			Pit Location (QQQQ):
Type of Pit:	Pit is:		W2 NW NE NE
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 3 Twp. 33 R. 13 ✓ East West
Settling Pit 📝 Drilling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section
☐ Workover Pit ☐ Haul-Off Pit	File		1060 Feet from 🗸 East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Chautauqua
Is the pit located in a Sensitive Ground Water		No 🏭	Chloride concentration: mg/l
is the pictocated in a decision of ourse visual	711001.		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes ✓ I	No .	native clay
Pit dimensions (all but working pits):	Length (fe	et) 10	Width (feet) N/A: Steel Pits
Depth fi	rom ground level to de	eepest point: 5	(feet)
			CCT 2 3 2000
			OCT 2 3 2006
Distance to nearest water well within one-mik	e of pit	Depth to shallo Source of infor	west fresh water
Distance to nearest water well within one-mik	_	Source of infor	CCT 2 3 2006 west fresh water
	§5 feet	Source of informeasu	west fresh water
4172 feet Depth of water well	feet :	Drilling, Work	west fresh water
Feet Depth of water well	feet	Drilling, Work Type of materia	west fresh water
Froducing Formation:	feet	Drilling, Work Type of materia	west fresh water
Froducing Formation: Number of producing wells on lease:	feet	Drilling, Work Type of materia Number of wor Abandonment	west fresh water
Freducing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must i	west fresh water
Freet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must i	west fresh water
Freet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must i	west fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must i	west fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state October 23, 2006	feet I spilled fluids to ements are true and c	Drilling, Work Type of materia Number of wor Abandonment Drill pits must i	west fresh water
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state October 23, 2006	spilled fluids to	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh water