For KCC Use:	10-29-06
Effective Date:	10000
District #	
SGA? Yes	. ₽ No

Expected Spud Date November, 2006

day

year

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

KCC WICHITA

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

NE SE NW Sec. 34 Twp. 17 S. R. 40

Form C-1
December 2002
Form must be Typed
Form must be Signed
II blanks must be Filled

DEPARTOR: Licenses 3994 Mane: Chreater Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Address: 55 W Sh. Ste 1000 Chylister Energy Co. Med Dilled For: Well Children Steries For Energy Co. OND Disposal Wiscent Fool Ent. An Relaty Sesionic. Openior. Openi	OPENATOR. Licenser		
SECTION Regular Irregular? Irregular	Name: Cimarex Energy Co.		
Contact Person Mystal Kolland ContractOre: Licenses Sect. 33375 Name: Cheysone Drilling J.P. Well Drilled Fee. Well Class: Type Equipment: Other Include Mucil Polary Well Sease Same Burgardt Spead Field* Spead Field*	Address: 15 W 5th, Ste 1000	Is SECTIONRegularIrregular?	
Contact Person Mystal Kolland ContractOre: Licenses Sect. 33375 Name: Cheysone Drilling J.P. Well Drilled Fee. Well Class: Type Equipment: Other Include Mucil Polary Well Sease Same Burgardt Spead Field* Spead Field*	City/State/Zin: Tulsa, OK 74103	(Note: Locate well on the Section Plat on reverse side)	
Lease Name Surgardt Well 2	Contact Person Krystal Rolland	County: Greeley	
CONTRACTOR: Licenses 5:00 333 5 Filed Name: Cheyenne Drilling LP Vive No	Phone: 918-585-1100	Lease Name: Burgardtwell #:3	
Name Driver Dri		Field Name: Byerly	
Well Drilled For	CONTRACTOR: License# 3002 030 75		No
Ground Surface Elevation: 99742 feet MSL	Name: Cheyenne Drilling, ZP	Target Formation(s): Chase	
Ground Surface Elevation: 99742 feet MSL	Well Brilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1950'	
Gas Storage Pool Ext Wildcot Cabble Wildcot Selenter Wildcot Wildcot Pool Ext Wildcot Selenter		Ground Surface Elevation: 3572,2 feet M	
Depth to bottom of trish water: Boght to boght to bottom of trish water: Boght to boght to bottom of trish water: Boght to			_
Seismic; # of Holes Other Oth			No
Surface Pipe Platemate:		Depth to bottom of fresh water:	
If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Date: Water Source for Drilling Operations: Water Source for Drilling Operation of Drilling Operation Operation of Drilling Operation of Drilling Operation Operation Operation Operation Operati		Depth to bottom of usable water:	
Length of Conductor Pipe required: NOTE Well Name:	Otilei	Surface Pipe by Alternate: 2	
Well Name: Original Completion Date: Origina	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1750	
Original Completion Date:Original Total Depth:	Operator:		
Water Source for Drilling Operations: Water Source for Drilling Operation: Water Source for Drilling Operations: Water Source for Parm Vision Operations: Water Source for Parm Vision Operations: Water Source for Parm Vision Operation Operations: Water Source for Parm Vision Operation Operati		Projected Total Depth: 5000	
If Yes, true vertical depth: Well Farm Pond Other	Original Completion Date: Original Total Depth:		
If Yes, true vertical depth: DWR Permit #: (Note: Apply for Permit with DWR Ves No	Directional Deviated or Harizontal wallborn?		
Note: Apply for Permit with DWR Yes No			
AFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface easing order #133,891-C, which apples to the KCC District 3 area, alternate it cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Pate:			
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be evemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: DITPLOSS3-0000 For KCC Use ONLY API #15 - 071 - 20853-0000 Approved by Eut 10 - 21 - 000 feet per Alt. Or Approved by Eut 10 - 21 - 000 Approved by Eut 10 - 21 - 000 Approved by Eut 10 - 21 - 000 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this authorization void if drilling not started wi]No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Sastem Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: DIP DO Signature of Operator or Agent: How Minimum surface pipe required Signature of Operator or Agent: How Minimum surface pipe required Signature of Operator or defective date.) File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACD-1 within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Completion Form ACD-1 within 120 days of spud date; File Drill Pit Application (form CDP-1) with Inten	NOC DRT #.]110
Minimum surface pipe required 1560 Approved by: Lut 10-24-06 This authorization expires: 4-34-07 (This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent:	 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented. 	It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. In this istrict office on plug length and placement is necessary prior to plugging and or production casing is cemented in;	
This authorization expires: 4-34-07 (This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent:	Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the large that the statements made herein are true and to the best of Date: Date: 10/19/00 Signature of Operator or Agent: Signature of Operator or Agent: April # 15 - 07/- 20853-0000 April # 1	#133,891-C, which applies to the KCC District 3 area, alternate it cemen be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Dull Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	iting
(This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent:	Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a larger than the statements made herein are true and to the best of Date: 10/19/00 Signature of Operator or Agent: 4 Signature of Operator or Agent: 4 API # 15 - 07/- 20853-000 Conductor pipe required Now feet Minimum surface pipe required 1560 feet per Alt. 1	#133,891-C, which applies to the KCC District 3 area, alternate it cemen be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Dulling Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	iting
Spud date: Agent: Signature of Operator or Agent: Signature or	Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a larger than the statements made herein are true and to the best of Date: 10/19/00 Signature of Operator or Agent: 10/19/00 Signature of Operator or Agent: 15 O7/- 20853-000 Conductor pipe required Now feet Minimum surface pipe required 1560 feet per Alt. 1 Approved by: 24-24-03	#133,891-C, which applies to the KCC District 3 area, alternate it cements be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Dull Grant Government of the Company of the Com	iting
Date:	Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a larger than the statements made herein are true and to the best of Date:	#133,891-C, which applies to the KCC District 3 area, alternate II cements be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	iting
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED	Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete within 30 days of the spud date.	#133,891-C, which applies to the KCC District 3 area, alternate it cements be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	iting
······································	Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete within 30 days of the spud date.	#133,891-C, which applies to the KCC District 3 area, alternate it cements be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Dull God Dillegement of the CDP-1 with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:	iting


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15 - 071-20853-0000	Location of Well: County: Greeley
Operator: Cimarex Energy Co.	1950 feet from VN / S Line of Section
Lease: Burgardt	2300 feet from E / W Line of Section
Well Number: 3	Sec. 34 Twp. 17 S. R. 40 East Wes
Field: Byerly	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NE SE NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for circle) OCT 2 3 2006 CG-8 for gas wells).

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

X Submit in Duplicate

Operator Name: Cimarex Energy Co.		License Number: 33094		
Operator Address: 15 E 5th, Ste	1000			
Contact Person: Krystal Rolland		Phone Number: (918) 585 - 1100		
Lease Name & Well No.: Burgardt 3			Pit Location (QQQQ):	
Type of Pit:			<u>NE _ SE _ NW</u>	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 34 Twp. 17S R. 40 East V West	
Settling Pit	If Existing, date co	onstructed:	1950 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		2300 Feet from East / West Line of Section Greeley	
	2000		000.11	
Is the pit located in a Sensitive Ground Wate	r Area? Yes	No 🗸	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	······································	How is the pit lined if a plastic liner is not used?	
V Yes No	Yes	No	Gel from drilling mud	
material, thickness and installation procedur	·e.	liner integrity, i	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit		Source of info	Depth to shallowest fresh water 620 feet. Source of information:	
feet Depth of water wellfeet			ured well owner electric log KDWR	
			over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover: Drilling mud Number of working pits to be utilized: 0 working, 1 reserve		
Number of producing wells on lease: Barrels of fluid produced daily:		Once the nit thoroughly dries it will be		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		filled & recontoured to original topography Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above sta	tements are true and	correct to the bes	procedure: Office the pit thoroughly dries it will be entoured to original topography be closed within 365 days of spud date. It of my knowledge and belief.	
10/19/070 Date		Kup	Signature of Applicant or Agent	
	KCC	OFFICE USE O	NIY	

KCC OFFICE USE ONLY

Date Received: 10 23 60 Permit Number: Permit Date: 10 3 60 Lease Inspection: Yes No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OCT 2 3 2006

KCC WICHITA