For KCC Use:	10-29-06	
District #	(	
SGA? Yes	s No	

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date November 4 2006	Spot	East
month day year	20N 90E - W/2 SE - SE Sec. 7 Twp. 17	S. R. 24 West
5135	680 feet from N / V	
OPERATOR: License#	900feet from	
Name: John O. Farmer, Inc.	is SECTION ✓ Regularirregular?	
Address: PO Box 352		
City/State/Zip: Russell, KS 67665	(Note: Locate well on the Section Plat on re	verse side)
Contact Person: John Farmer IV	County: Ness Mishler C	
Phone: 785-483-3144	Lease Name: Mishler C Field Name: Wildcat	VVeiI #:
CONTRACTOR: License# 33575		Yes ✓ No
Name: WW Drilling, LLC	Is this a Prorated / Spaced Field?  Target Formation(s): Mississippian	] Yes [∡]No
reging.	Nearest Lease or unit boundary: 680'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2450' EGL	feet MSL
✓ Oil Enh Rec Infield ✓ Mud Rotary		Yes ✓ No _
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Public water supply well within one mile:	Yes V No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water:	
Seismic;# of Holes Other	Depth to bottom of usable water: 950'	
Other	Surface Pipe by Alternate: 1 / 2	
	Length of Surface Pipe Planned to be set: 200'	
If OWWO: old well information as follows:		
Operator:	Projected Total Depth: 4500'	
Well Name:	Miesissinnian	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well V Farm Pond Other	
If Yes, true vertical depth;	1,00	
Bottom Hole Location:	(Note: Apply for Permit with DWR	7,
KCC DKT #:		Yes √No
	Will Cores be taken?	
	If Yes, proposed zone:	
AF	If Yes, proposed zone:	
<b>AF</b> The undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone:	
<b>AF</b> The undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone:	
AF  The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone:  FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.	
AF  The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e	If Yes, proposed zone:  FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig;	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i>	If Yes, proposed zone:  FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface parts of the second sec	
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	If Yes, proposed zone:  FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface in the underlying formation.	pipe <b>shall be set</b>
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plus.	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particulating formation.  district office on plug length and placement is necessary sugged or production casing is cemented in;	pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particulating formation. I district office on plug length and placement is necessary ugged or production casing is cemented in; Intend from below any usable water to surface within 120 of	pipe shall be set or prior to plugging; days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particulating formation.  district office on plug length and placement is necessary ugged or production casing is cemented in; inted from below any usable water to surface within 120 cer #133,891-C, which applies to the KCC District 3 area,	pipe shall be set  prior to plugging; days of spud date. alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface in the underlying formation. If district office on plug length and placement is necessary ugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior	pipe shall be set  prior to plugging; days of spud date. alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface in the underlying formation. If district office on plug length and placement is necessary ugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior	pipe shall be set  prior to plugging; days of spud date. alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either pluce.  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particle of the underlying formation.  district office on plug length and placement is necessary ugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	pipe shall be set  prior to plugging; days of spud date. alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plue  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particle office on plug length and placement is necessary ugged or production casing is cemented in; ented from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior offmy knowledge and belief.  Title: Geologist	pipe shall be set  prior to plugging; days of spud date. alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either pluce.  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface parties and placement is necessary ugged or production casing is cemented in; ented from below any usable water to surface within 120 ear #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Remember to:	pipe shall be set or prior to plugging; days of spud date. alternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into e.  4. If the well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/19/2006  Signature of Operator or Agent: M. the statements made herein are true and to the best plus to the statements of the statemen	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface parties and placement is necessary ugged or production casing is cemented in; ented from below any usable water to surface within 120 ear #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to D	pipe shall be set of prior to plugging; days of spud date. alternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either pli  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  Date: 10/19/2006 Signature of Operator or Agent: Methods in the complete of th	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particle office on plug length and placement is necessary ugged or production casing is cemented in; ented from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Describe the Completion Form ACO-1 within 120 days of sput	pipe shall be set of prior to plugging; days of spud date. alternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order  must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  Date: 10/19/2006 Signature of Operator or Agent: Methods of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the well shall be completed before the spud date or the spud date or the spud date or the spud date or the spud	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particle in the underlying formation. It district office on plug length and placement is necessary ugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.    Remember to:   File Drill Pit Application (form CDP-1) with Intent to Describe a creage attribution plat according to field prorate.	pipe shall be set of prior to plugging; days of spud date. alternate II cementing to any cementing.  rill; d date; ion orders;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into e.  4. If the well is dry hole, an agreement between the operator and the figure of the specified district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best.  Date: 10/19/2006 Signature of Operator or Agent: Methods.  For KCC Use ONLY  API # 15 - 135-24560-0000  Conductor pipe required 1000 Feet 1000 F	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particle office on plug length and placement is necessary ugged or production casing is cemented in; ented from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.    Remember to:   File Drill Pit Application (form CDP-1) with Intent to Describe a careage attribution plat according to field prorate. Notify appropriate district office 48 hours prior to wo	pipe shall be set of prior to plugging; days of spud date. alternate II cementing to any cementing.  prill; d date; ion orders; rkover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into e.  4. If the well is dry hole, an agreement between the operator and the figure of the specified defore well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best.  Date: 10/19/2006 Signature of Operator or Agent: Mett is  For KCC Use ONLY  API # 15 - 135-24560-0000  Conductor pipe required 1000 feet per Alt. (2)	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particle in the underlying formation. It district office on plug length and placement is necessary ugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.    Remember to:   File Drill Pit Application (form CDP-1) with Intent to Describe a creage attribution plat according to field prorate.	pipe shall be set of prior to plugging; days of spud date. alternate II cementing to any cementing.  prill; d date; ion orders; rkover or re-entry; pleted;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plue  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  8. Date: 10/19/2006 Signature of Operator or Agent: Methods  For KCC Use ONLY  API # 15 - 135-24560-0000  Conductor pipe required Now feet per Alt.  Approved by: Put 10-24-06	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface parties and the underlying formation. It district office on plug length and placement is necessary ugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.    Remember to:	pripe shall be set of prior to plugging; days of spud date. alternate II cementing to any cementing.   prill; d date; ion orders; rkover or re-entry; pleted; salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  8. Date: 10/19/2006 Signature of Operator or Agent: Mett 1  For KCC Use ONLY  API # 15 - 135-24560-0000  Conductor pipe required Now feet per Alt.  Approved by: Put 10-34-06  This authorization expires: 4-34-07	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface parties and placement is necessary ugged or production casing is cemented in; ented from below any usable water to surface within 120 ear #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Describe a file acreage attribution plat according to field prorated. Notify appropriate district office 48 hours prior to woon Submit plugging report (CP-4) after plugging is com	pripe shall be set or prior to plugging; days of spud date. alternate II cementing to any cementing.   prill; d date; ion orders; rkover or re-entry; pleted; salt water. date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into e. If the well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best discovered by:    For KCC Use ONLY	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particle and the underlying formation. Idistrict office on plug length and placement is necessary ugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Describe acreage attribution plat according to field prorate.  Notify appropriate district office 48 hours prior to wo submit plugging report (CP-4) after plugging is come. Obtain written approval before disposing or injecting.  If this permit has expired (See: authorized expiration)	pipe shall be set  If prior to plugging;  Idays of spud date.  alternate II cementing to any cementing.  In prior to plugging;  Idays of spud date.  Idays o
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  8. Date: 10/19/2006 Signature of Operator or Agent: Mett 1  For KCC Use ONLY  API # 15 - 135-24560-0000  Conductor pipe required Nowl feet  Minimum surface pipe required 200 feet per Alt.  Approved by: Put 10-34-06  This authorization expires: 4-24-07	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig; set by circulating cement to the top; in all cases surface particle office on plug length and placement is necessary ugged or production casing is cemented in; anted from below any usable water to surface within 120 er #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.    Remember to:   File Drill Pit Application (form CDP-1) with Intent to District applies to the KCC District office prior of my knowledge and belief.    Remember to:   File Completion Form ACO-1 within 120 days of spuritive properties of the plugging is comediated by the properties of the plugging is comediated by the plugging is comedia	pipe shall be set  I prior to plugging;  days of spud date. alternate II cementing to any cementing.  Irill; Id date; ion orders; rkover or re-entry; pleted; salt water.  date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - / 35 - 24560 - 0000	Location of Well: County: Ness
Operator: John O. Farmer, Inc.	680 feet from N / S Line of Section
Lease: Mishler C	900 feet from 🗸 E / 🗌 W Line of Section
Well Number: 1 Field: Wildcat	Sec. 7 Twp. 17 S. R. 24 ☐ East ✓ Wes
Number of Acres attributable to well:	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

: :		: :	
		: :	
			·
		: :	•
1			· 
			•
	· · · ·	1 <del>- : - :</del>	•
: :		; ;	
			·
	:	: :	
	•	(%)	:
	•		•



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KCC WICHITA

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

License Number: 5135 Operator Name: John O. Farmer, Inc. Operator Address: PO Box 352 Russell, KS 67665 Phone Number: (785)483 - 3144 Contact Person: John Farmer IV Lease Name & Well No.: Mishler C #1 Pit Location (QQQQ): ₩/2 SE SE Pit is: Type of Pit: Sec. 7 Two. 17S R. 24 East V West Proposed Existing Emergency Pit **Burn Pit** If Existing, date constructed: ✓ Drilling Pit Settling Pit Feet from North / South Line of Section Haul-Off Pit Workover Pit Feet from ✓ East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) 3,000 (bbls) Ness County Chloride concentration: \_\_\_ Is the pit located in a Sensitive Ground Water Area? Yes (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Artificial Liner? Is the bottom below ground level? **V** No Yes native clay and drilling mud ✓ Yes No 65 N/A: Steel Pits \_\_ Width (feet) Length (feet) Pit dimensions (all but working pits): Depth from ground level to deepest point: \_ \_\_\_ (feet) Describe procedures for periodic maintenance and determining If the pit is lined give a brief description of the liner material, thickness and installation procedure. liner integrity, including any special monitoring. Depth to shallowest fresh water \_\_\_\_\_ Distance to nearest water well within one-mile of pit Source of information: **KDWR** \_\_ well owner \_\_\_ \_\_\_ electric log measured Depth of water well \_ feet Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: drilling mud Producing Formation: \_\_\_ Number of working pits to be utilized:  $\frac{3}{2}$ Number of producing wells on lease: \_\_\_ Abandonment procedure: allow to dry by evaporation and Barrels of fluid produced daily: \_ backfill when dry Does the slope from the tank battery allow all spilled fluids to Drill pits must be closed within 365 days of spud date. flow into the pit? Yes No I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 10/19/2006 Signature of Applicant or Agent Date KCC OFFICE USE ONLY

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Date Received: 1

Permit Date: 10/33/6/6 Lease Inspection: