Date: 10/24/06 Signature of Operator or Agent:	Title: OPERATIONS ASSISTANT				
For KCC Use ONLY /89 - 22563-000  API # 15-  Conductor pipe required	Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;				
This authorization expires: 4-25-07 (This authorization void if drilling not started within 6 months of effective date.)	Obtain written approval before disposing or injecting salt water.      If permit has expired (See: authorized expiration date) please				
Spud date: Agent	check the box below and return to the address below  Well Not Drilled - Permit Expired				
	Signature of Operator or Agent:  Date:				

### IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 189-22563-0000	Location of Well: County: STEVENS
Operator EOG Resources, Inc.	1780_ feet from X N / S Line of Section
Lease <u>DEBORAH</u>	2370_ feet from E / W X Line of Section
Well Number	Sec24Twp34 S. R38 East X Wes
Field	<u></u>
Number of Acres attributable to well:	Is Section X Regular or Irregular
QTR/QTR/QTR of acreage: NE - SE - NW	If Section is irregular, locate well from nearest corner boundary.
-	Section corner used: NE NW SE SW

#### PI AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to nearest lease or unit boundary line)



## In plotting the proposed location of the well, you must show;

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south/north and east/west; and3.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located withina prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

Form CDP-1 April 2004 must be Typed

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

N RECEIVED FOR KANSAS CORPORATION COMMISSION

Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

CONSERVATION DIVISION

OCT 2 5 200S

Operator Name:		License Number WICHITA, KS						
EOG Resources, Inc.		5278						
Operator Address:								
3817 NW Expressway, Suite 500 Oklahoma City, OK 73112								
Contact Person:		Phone Number:						
EREANNA VARGAS Lease Name & Well No.:				(405)246-3158				
DEBORAH 24 #1			Pit Location (QQQC	<i>u</i> ):		ŀ		
	Pit is		SENE	SE NW				
Type of Pit:	<u> </u>		Sec 24 Tum 245 B 20					
Emergency Pit Burn Pit	X Proposed	Existing	Sec. <u>24</u> Twp. <u>34S</u> R. <u>38</u> East X West					
Settling Pit X Drilling Pit	If existing, date constructed		Feet from North/ South Line of Section					
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity		Feet fromEast/ X West Line of Section					
(If WP Supply API No. or Year Drilled)	(bbls)			STEVENS County				
Is the pit located in a Sensitive Ground Water	r Area? Yes	X No	Chloride concentration: mg/l					
			(For Emergency P	its and Settling Pits, onl	y)			
Is the bottom below ground level?	Artificial Liner?		How is pit lined	if a plastic liner is	not used?	<i>'</i>		
🗓 Yes 🗌 No	☐ Yes	X No						
Pit dimensions (all but working pits):	Leng	gth (feet)	Width (feet)	x	N/A S	teel Pits		
	Depth from ground le	val to deepest poir	nt	(feet)				
If the pit is lined give a brief description material, thickness and installation procedure			edures for periodic ncluding any special m					
Distance to nearest water well within one-mile of pit Depth to sha		nallowest fresh water 105 feet (3)						
Source of info			ormation:					
		<del></del>	ed well owne		·g	· NOWN O		
		over and Haul-Off Pits ONLY:						
Producing Formation: Type of materia		al utilized in drilling/workover _GET						
Number of producing wells on lease: Number of working pits to be utilized NUNE			—   <b>&amp;</b>					
Barrels of fluid produced daily: Abandonment procedure: HAUL TO HAUL-OFF PIT.			g					
Does the slope from the tank battery allow all spilled fluids to				— اثر				
flow into the pond? Yes No Drill pits must be closed within 365 days of spud date.								
Number of producing wells on lease:    Number of producing wells on lease:   Number of working pits to be utilized   NONE								
Date Signature of Applicant or Agent U  KCC OFFICE USE ONLY  Steel PTS								
,								
Date Received: 10/25/07 Permit N	umber:	Permit Date	10/25/4	Lease Inspection:	Yes	<b>I</b> Ç]No		

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

# NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.